

RECEIVED

MAR 11 1976

WATER RESOURCES DEPT.
SALEM, OREGON

Permit No. G-6744

CERTIFICATE NO. 46935

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, John Smith and Beamer, by Larry Beamer
(Name of applicant)

of Box 304 Athena
(Postoffice Address), county of Umatilla

state of Oregon 97813, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

March 1, 1976 Athena, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Wildhorse Creek
(Name of stream)

tributary of Umatilla River

2. The amount of water which the applicant intends to apply to beneficial use is 1290 cubic feet per second or 855,260 gallons per minute.

3. The use to which the water is to be applied is Supplemental Irrigation

4. The well or other source is located 100 ft. N and 100 ft. E from the center
(N. or S.) (E. or W.)
corner of Sec 23, T. 4N R. 34E
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 23, Twp. 4N, R. 34E,
W. M., in the county of Umatilla

5. The Mainline to be 3.3 miles
(Canal or pipe line)
in length, terminating in the NE 1/4 SW 1/4 of Sec. 11, Twp. 4N,
(Smallest legal subdivision)
R. 34E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well #4

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well having a
(Give number of wells, tunnels, etc.)
diameter of 8" inches and an estimated depth of 1,000 feet. It is estimated that 25
feet of the well will require Steel casing. Depth to water table is estimated 136
(Kind) (Feet)

6744

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Submersible

Give horsepower and type of motor or engine to be used 50 HP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4N	34E	11	SW $\frac{1}{4}$	160
4N	34E	13	S $\frac{1}{2}$ NW $\frac{1}{4}$	79.4
4N	34E	13	W $\frac{1}{2}$ SW $\frac{1}{4}$	80.0
4N	34E	14	SE $\frac{1}{4}$	160
4N	34E	14	S $\frac{1}{2}$ NE $\frac{1}{4}$	80
4N	34E	14	SW $\frac{1}{4}$	160
4N	34E	23	NE $\frac{1}{4}$	107.9
4N	34E	23	SW $\frac{1}{4}$	158.5
4N	34E	22	NE $\frac{1}{4}$ SE $\frac{1}{4}$	39.5
4N	34E	27	NE $\frac{1}{4}$	158
4N	34E	26	NW $\frac{1}{4}$	158.5
4N	34E	25	SW $\frac{1}{4}$	160
4N	34E	(If 24 space required, attach separate sheet)	S $\frac{1}{2}$ NW $\frac{1}{4}$	21.6

Character of soil Heavy Loam

Kind of crops raised Wheat and Peas

1523.4

TOWNSHIP	RANGE	SECTION	FORTY-ACRE TRACT	No. of ACRES.
4N	34E	11	NE $\frac{1}{4}$ SW $\frac{1}{4}$	40 39 $\frac{1}{2}$
4N	34E	11	NW $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	11	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	11	SE $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	14	SE $\frac{1}{4}$ NE $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	14	SW $\frac{1}{4}$ NE $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	14	NE $\frac{1}{4}$ SE $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	14	NW $\frac{1}{4}$ SE $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	14	SE $\frac{1}{4}$ SE $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	14	SW $\frac{1}{4}$ SE $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	14	NE $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	14	NW $\frac{1}{4}$ SW $\frac{1}{4}$	40 41 $\frac{1}{2}$
4N	34E	14	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	14	SE $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	13	SE $\frac{1}{4}$ NW $\frac{1}{4}$	39.4 41 $\frac{1}{2}$
4N	34E	13	SW $\frac{1}{4}$ NW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	13	NW $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	13	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	23	NW $\frac{1}{4}$ NE $\frac{1}{4}$	40 39 $\frac{1}{2}$
4N	34E	23	SW $\frac{1}{4}$ NE $\frac{1}{4}$	40 32 $\frac{1}{2}$
4N	34E	23	SE $\frac{1}{4}$ NE $\frac{1}{4}$	27.9 31 $\frac{1}{2}$
4N	34E	24	SW $\frac{1}{4}$ NW $\frac{1}{4}$	20 20 $\frac{1}{2}$
4N	34E	24	SE $\frac{1}{4}$ NW $\frac{1}{4}$	1.6 2 $\frac{1}{2}$
4N	34E	23	NE $\frac{1}{4}$ SW $\frac{1}{4}$	39.5 39 $\frac{1}{2}$
4N	34E	23	NW $\frac{1}{4}$ SW $\frac{1}{4}$	39.5
4N	34E	23	NW $\frac{1}{4}$ SW $\frac{1}{4}$	39.5 39 $\frac{1}{2}$
4N	34E	23	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	23	SE $\frac{1}{4}$ SW $\frac{1}{4}$	39.5 39 $\frac{1}{2}$
4N	34E	22	NE $\frac{1}{4}$ SE $\frac{1}{4}$	39.5 36 $\frac{1}{2}$
4N	34E	27	NE $\frac{1}{4}$ NE $\frac{1}{4}$	39.5 39 $\frac{1}{2}$
4N	34E	27	NW $\frac{1}{4}$ NE $\frac{1}{4}$	39.5 39 $\frac{1}{2}$
4N	34E	27	SW $\frac{1}{4}$ NE $\frac{1}{4}$	39.5 39 $\frac{1}{2}$
4N	34E	27	SE $\frac{1}{4}$ NE $\frac{1}{4}$	39.5 39 $\frac{1}{2}$
4N	34E	26	NW $\frac{1}{4}$ NW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	26	NE $\frac{1}{4}$ NW $\frac{1}{4}$	39.5 40 $\frac{1}{2}$
4N	34E	26	NW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$	39.5 39 $\frac{1}{2}$
4N	34E	26	SE $\frac{1}{4}$ NW $\frac{1}{4}$	39.5 38 $\frac{1}{2}$
4N	34E	25	NE $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	25	NW $\frac{1}{4}$ SW $\frac{1}{4}$	40 39 $\frac{1}{2}$
4N	34E	25	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$
4N	34E	25	SE $\frac{1}{4}$ SW $\frac{1}{4}$	40 40 $\frac{1}{2}$

1524.78

Application No. G-7290
 Permit No. G 6744

W...
 OREGON

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 27,000
- 15. Construction work will begin on or before Completed
- 16. Construction work will be completed on or before October 1, 1976
- 17. The water will be completely applied to the proposed use on or before October 1, 1977

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Permits 29557-30588-31039-32322-32323-30580.

Johns-Smith-Beamer
by *J. J. Beamer*
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 7, 1976.

WITNESS my hand this 5th day of April, 1976.

James E. Sexson
Director

By *Vestal R. Garner*
Vestal R. Garner

RECEIVED

APR 8 1976

WATER RESOURCES DIV.
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.9 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 4.

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 11, 1976

Actual construction work shall begin on or before June 23, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 23rd day of June, 1976

James C. [Signature]
WATER RESOURCES DIRECTOR BT

Application No. G-729D
Permit No. G-G 6744
PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11 day of March, 1976, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____
Ground Water Permits on page G 6744

STATE ENGINEER

Drainage Basin No. 7 page 78 79
478 52
short 0.30