RECEIVED

MAR 2 7 1975 STATE ENGINEER SALEM, OREGON

G 6793

Permit No. G-....

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, The City of Redmor	nd, Oregon
of 455 S. 7th Street	
of455 S. 7th Street (Postoffice Address)	
state of, do h following described ground waters of the state of (nereby make application for a permit to appropriate the Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date an	nd place of incorporation
	e well, tunnel or other source of water development is
situated	Impa of stream
	tributary ofColumbia
2. The amount of water which the applicant feet per second or 1.500 gallons per minute	t intends to apply to beneficial use iscubic
3. The use to which the water is to be appl	lied is supplementing the existing water
system for the City.	
4. The well or other source is located X88.	ft. S. and 222 ft. E. from the W 1/4
corner of MXXWXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	nametrandxhereexonxketemexherodexherem
PETPURARE CONTINUE	a or subdivision)
(If preferable, give distance	e and bearing to section corner)
(If there is more than one well, each must	be described. Use separate sheet if necessary)
eing within the NW SW	of Sec. 16 , Twp. 15 S , R. 13 E ,
V. M., in the county ofDeschutes. See	
5. The	to be miles
	of Sec., Twp.,
R, W. M., the proposed location being si	hown throughout on the accompanying map.
6. The name of the well or other works is	
DESCRIPTION	ON OF WORKS
7. If the flow to be utilized is artesian, the worupply when not in use must be described.	rks to be used for the control and conservation of the
*	punt.
8. The development Will consists of	Give number of wells, tunnels, etc.)
	epth of452 feet. Korsestimated chatsolid at
let of the well will requirexx	taxingx Depth to water table is estimated
asing (16") from surface to 278; perforat Ret of the well will require (Kind) ee Water Well Report by H & H Drilling Co	casings Depth to water table is estimated (Feet) Redwood Oregon, datad February 14, 1975.

3.49.0000.034.360.470.000.0000.00	ate: width on to	p (at water line)		feet; width on bottom
		A. Carrier and Car		feet fall per one
usand feet.		##		
新喜欢的 对 答 [4] 4. 4. 4. 4. 1	mi	les from headaate	: width on top (at water	line)
With the water class of the				ater feet,
	•	er one thousand j	Entropy of the state of the sta	
				; in size atft
	and the second s			erence in elevation between
				Estimated capacity
yari esi d				tari Seringan
10 Tf mamma		give size and tupe		<u></u>
10. If pumps	s are to be used,	give size una igpo		
				yes a second of the second of
Give horsep	ower and type	of motor or engin	ie to be used	
11. If the locatural stream of difference in el	tusam shamma	I aine the distant	re to the nearest point o	n each of such chathets and the source of developmen
natural stream o e difference in el	r stream channe levation between	il, give the distant i the stream bed o	ce to the nearest point o	n each of such channels and the source of developmen stribution system with thousand the stribution system with
natural stream o e difference in el	r stream channe levation between	il, give the distant i the stream bed o	ce to the nearest point o	to the source of decoupliness
atural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with:
atural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with
atural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with
atural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with:
atural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with
atural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with
atural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with:
atural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with:
natural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with:
natural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with:
atural stream of difference in el	r stream channe levation between n of area to be in Range E. or W. of	rigated, or place	City water di	stribution system with:

		Twp.	Rengo	Sec.	NE¼			NW¼			8W14				8814					
Ø V					NE%	MAR	BW16	SE14	NE%	NW14	8W14	SE!	NE%	MAIL	SM/	92%	MERIT	HWIL	SWIL	SE14
	6793	158	13E	14	х	х	X	x	<u>x</u>	<u>x</u>	X	Х	х	X	X	X	X	X	X	X
	67.0			.8	X			X									X			X
	60			9	X	X	x	X	x	X	х	x	x	x	X	X	X	X	x	X
		D		10						X	X	X	x	x	x	x				
		i		15					x	x	x	x	x	X	x	X		x	х	x
	(-	1/2		16	x	x	x	x	x	x	x	x	x.	x	x	x	x	x	х	x
		, ,		47	x			x									X			x
	Applic			19												x	x		x	x
				20	x		х	<u>x</u>					x	x	x	x	x	x	x	x

DESCRIPTION OF LAND TO BE IRRIGATED OF PLACE OF 11SE

Twp.	Renge	Sec.	NE14				NW¼					87	714		8E14			
			NE%	NW14	BW14	SE%	NE%	NW14	sw1	SE%	NE%	NWIL	#W14	2214	NE%	HWIL	\$W!	823
158	13E	21	X	x			<u>x</u>	x	x	x	x	X.	X		ļ 			
		√ 22	<u>x</u> _	<u>x</u> _	x_	X	x _	_ x_	x	X	_x_	x_	_ X	x	<u>x</u>	<u>x</u>	_x_	x
		23		X			x	<u>x</u> _	_х_	x	_x_	X_	X	X		X	<u> </u>	
		26		X			x	x	x	х								
		27	x	X	x	x	x	x	X	x								
		29	X	x		x											②	
		30					x	1	lpr	lic	uric.	<u> </u>	Va.	6	679	765		
									1	em	1	No		G	679	3		
										err	1							

AMENDED by special order v. <u>ラ</u>タ pg. <u>そ2</u> 4

By Thomas E. Shook

STATE ENGINEER



Assistant

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

Th	e right herein granted is limited to the	amount of water	which can	be applied to be	eneficial use
and shall	not exceed 3.3 cubic feet pe	er second measure	d at the poir	it of diversion fr	om the well
or source	of appropriation, or its equivalent in c	ase of rotation wi	th other wa	ter users, from .	Well No. 2
Th	e use to which this water is to be applie	ed is Municipal.	.purposes		
		•••••••		••••••	
If :	for irrigation, this appropriation shall b	e limited to		of one cubic foot	t per second
or its equ	uivalent for each acre irrigated and sha	ll be further limi	ted to a dive	ersion of not to e	xceed
acre feet	per acre for each acre irrigated during	the irrigation sea	son of each 1	year;	

and the second second					
	be subject to such reasonable rotation s			41	offican
line, adeq The shall keep The	e works constructed shall include an aiguate to determine water level elevate permittee shall install and maintain to a complete record of the amount of e priority date of this permit is . March that construction work shall begin on or	ion in the well at a weir, meter, or ground water wit	all times. other suita	ble measuring	device, and
Extended to Cor Extended	r be prosecuted with reasonable dilige of October 1, 1988 Extended to October 1, 1993 100 mplete application of the water to the proto October 1, 1988 Extended to October 1, 1983	roposed use shall	be made on	or before Octobe	er 1, 19 <u>78</u>
WI	TNESS my hand this5th day of	James (Och	, 19.76	· .
		WATER RESOUR	RCES DIREC	TOR	FA
Application No. G-6866 G 6793 Permit No. G-	DERMIT O APPROPRIATE THE GRO WATERS OF THE STATI OF OREGON is instrument was first receiv of the State Engineer at Salem 1.2744. day of	2, at O.O.O. o'clock — M. urned to applicant:	proved:	Recorded in book No. Of Cound Water Permits on page	Drainage Basin No page . H.B