

RECEIVED

MAY - 31976

WATER RESOURCES DEPT.
SALEM, OREGON

"CERTIFICATE NO. 54729

Permit No. G- **G 6809**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, BUTLER LAND AND LIVESTOCK CO., an Oregon Limited Partnership
(Name of applicant)
of P.O. Box 579, Ontario, Oregon 97914, county of Malheur,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Malheur River
(Name of stream)

tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 600 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 2201 ft. S and 45 ft. E from the NW corner of Sec. 12, Twp. 18 S., R. 46 E., W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 12, Twp. 18 S., R. 46 E., W. M., in the county of Malheur

5. The conc. ditch (SE $\frac{1}{4}$ NW $\frac{1}{4}$ line) to be 1 miles in length, terminating in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ (Smallest legal subdivision) of Sec. 12, Twp. 18 S., R. 46 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Butler No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 16 inches and an estimated depth of 90 feet. It is estimated that 90 feet of the well will require steel casing. Depth to water table is estimated 15 feet.

NOTE: Top 25 feet was not perforated to case out surface water.

G 52583

CANAL SYSTEM OR PIPE LINE— As shown

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type G. E. - 600 GPM

Give horsepower and type of motor or engine to be used 20 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18 S.	46 E.	12	NE $\frac{1}{4}$ NW $\frac{1}{4}$	19
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	4
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	4
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	29
			Total	56
18 S.	46 E.	12	NE $\frac{1}{4}$ NW $\frac{1}{4}$	20
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	35
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	35
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	10
			Total	100

Prime

Supplemental

(If more space required, attach separate sheet)

Character of soil silt loam

Kind of crops raised alfalfa and row crop

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 10,000.00
- 15. Construction work will begin on or before Completed
- 16. Construction work will be completed on or before Completed
- 17. The water will be completely applied to the proposed use on or before June 1, 1976

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Supplemental to existing water right from Warm Springs

Irrigation District as shown on records in Vale.

BUTLER LAND AND LIVESTOCK CO., an Oregon Limited Partnership

By: *[Signature]*
General Partner

Remarks:

NOTE: Lands have been leveled and irrigation system reorganized so that it is impossible to determine where original allocation of water was located.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

By STATE ENGINEER
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

G 6809

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.34 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation and irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 3, 1976

Actual construction work shall begin on or before August 5, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 5th day of August, 1976.

James C. Nelson
WATER RESOURCES DIRECTOR

Application No. G- 7354
Permit No. G- 6809

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of May, 1976, at 8 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of G 6809
Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 10 page 43

6700