

RECEIVED

MAY 19 1976

WATER RESOURCES DEPT
SALEM, OREGON

CERTIFICATE NO. 50419

Permit No. G-6824

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Delbert Tobiasson
(Name of applicant)
of 3045 Highway 66, Ashland, county of Jackson
(Postoffice Address)
state of Oregon 97520, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

N/A

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Neil Creek
(Name of stream)

tributary of Bear Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.07 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is supplemental irrigation

4. The well or other source is located 1700 ft. S. and 1570 ft. E. from the NW corner of Section 13
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 13, Twp. 39 S., R. 1 E., W. M., in the county of Jackson

5. The Wells-Walker-True Ditch & pipeline to be 1200 feet miles in length, terminating in the NW 1/4 NW 1/4 of Sec. 13, Twp. 39 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Tobiasson Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Standard sanitary well seal and 2" gate valve to control water supply.

8. The development will consist of one well having a diameter of 6 inches and an estimated depth of 140 feet. It is estimated that 41 feet of the well will require steel casing. Depth to water table is estimated
(Give number of wells, tunnels, etc.) (Kind) (Feet)

Some as G-4193

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line)3..... feet; width on bottom2..... feet; depth of water1..... feet; grade1..... feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ...400..... ft.; size at intake ...2.0..... in.; in size at ...100 ft. from intake1.0..... in.; size at place of use 1.0 & 3/4 in.; difference in elevation between intake and place of use,+8..... ft. Is grade uniform? ...Yes..... Estimated capacity, sec. ft.

10. If pumps are to be used, give size and typeartesian flow - 15 lbs. pressure.

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is located 300 feet west of Neil Creek; difference in elevation at well site is +35 feet.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
39 S.	1 E.	13	NE 1/4 NW 1/4	1.2 acres
			NW 1/4 NW 1/4	0.9 acre
			SE 1/4 NW 1/4	3.6 acres
				5.7

(If more space required, attach separate sheet)

Character of soilsandy loam.

Kind of crops raisedpasture, lawn and garden.

RECORDED

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$1500.00.....
- 15. Construction work will begin on or before one year from date of priority.
- 16. Construction work will be completed on or before October 1, 1978.
- 17. The water will be completely applied to the proposed use on or before October 1, 1979.
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. to supplement lands under Cert. #30653 and Transfer #H-135.

**Delbert Johansson*
(Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 19, 1976

Actual construction work shall begin on or before August 5, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 5th day of August, 1976

James C. Olson
WATER RESOURCES DIRECTOR

Application No. G-7377
Permit No. G-6824

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19 day of May, 1976, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of G 6824
Ground Water Permits on page

STATE ENGINEER
Drainage Basin No. 15 page 106

FA