APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, JERRY T. BUJIWARA (Name of applicant)
of R. F. D. ONTARIO , county of MALHEUR (Postothee Address)
state ofQREGON , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated SNAKE RIVER (Name of stream) tributary of
2. The amount of water which the applicant intends to apply to beneficial use is 1/2 cubic feet per second or 225 gallons per minute.
3. The use to which the water is to be applied isirrigation
4. The well or other source is located ft. and ft. from the corner of South 8° 14' East 291 feet from the NW corner of the SW (Section or subdivision)
. (If preferable, give distance and bearing to section corner)
being within the NW SW/4 of Sec. 16 , Twp. 185 , R. 47E
W. M., in the county of MALHEUR
5. The IRRIGATION DITCH to be 1/4 mile
in length, terminating in the No NW1SW1 of Sec. 16, Twp. 18S
R. 47 E., W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Fujiwara # 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of QDS Well having (Give number of wells, tunnels, etc.)
diameter of 4 inches and an estimated depth of 24 feet. It is estimated that 8
feet of the well will require timber & plank casing. Depth to water table is estimated

ate. At head	igate: width on top	(at vater line	e)	feet; width on bottor
	f eet; de pth of wate	·	feet; grade	feet fall per on
and feet.	•			
-	m le	es from headg	ate: width on top (at water li	ne)
	feet; width on lo	ottom	feet; depth of wate	•
	feet fall pe	r one thousan	d feet.	
		•	ze at intake, in.	.; in size at
intake	in.; si:	ze at place of	use in.; diffe	erence in elevation betwee
e and place o	of use,	ft. Is	grade uniform?	. Estimated-capacit
	sec. ft.			
10. If pum	ps are to be used, gi	ive size and ty	pe Parma Water Lift	, 400 gallon per
minu	ite with 8" or	utlet		
Give horse	power and type of	motor or engi	ne to be used electric	motor 72 H.P.
		.,		
ral stream o	or stream channel,	give the dist	ner development work is less ance to the nearest point on ed and the ground surface at	. each of such channels at
ral stream (lifference in	or stream channel, elevation between	give the dist	ance to the nearest point on	each of such channels at the source of developme
ral stream (lifference in	or stream channel, elevation between	give the dist	ance to the nearest point on ed and the ground surface at	each of such channels at the source of developme
ral stream of difference in 12. Location 12. Location 12. Location 13. Location 14. Location 15.	elevation between ion of area to be irr Range E or W of	give the dist	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16, Tp.18S, R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4
ral stream of lifference in lifference in life. 12. Location of the life life life life. Location life life life life. Location life life life life life. Location life life life life life life life life	elevation between ion of area to be irr Range E. or W. of Willamette Meridian	give the dist the stream be	ance to the nearest point on ed and the ground surface at ce of use N2NW2SW2, Se	ec. 16. Tp.18S.R.4

Kind of crops raised ROW CROP, PASTURE

STATE ENGINEER

MUNICIPAL SUPPLY—
13. To supply the city of
in county, having a present population of
and an estimated population of in 19
14. Estimated cost of proposed works, \$ 500.00
15. Construction work will begin on or before 1 mmediately
16. Construction work will be completed on or before immediately
17. The water will be completely applied to the proposed use on or before July 1, 1958
18. If the ground water supply is supplemental to an existing water supply, identify any approaction for permit, permit, certificate or adjudicated right to appropriate water, made or held by
applicant Land under Owyhee Irrigation District (Old Shoestring)
and entitled to 4 acre feet each year for irrigation
(Signature of applicant)
Remarks: The existing well was dug by applicant's predecessor
in title about 1940 and has been used each year thereafter
for irrigating the 17 acre tract. The depth of well is 24
feet and depth to water table is 8 feet. Well is 4' x 4'
cased with timber and plank. There is 6 feet of 30 inch
concrete tile placed in bottom of the well.
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with cor
tions on or before, 19, 19
WITNESS my hand this day of, 19, 19

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		is limited to the amou				·	
source of app	propriation, or its e	quivalent in case of rot	ation with	other water use	rs, from . a!	well	
The u	use to which this w	ater is to be applied is	supplem	ental irrigat	tion		
If for	irrigation this app	ropriation shall be lim	ited to	1/80	of one cubic	foot per seco	md
		irrigated and shall be					
		re irrigated during the					
Santilour t	hat the amount	of water allowed h	erein,t	ogether with	the amour	nt.secured.	• • •
under any	other right ex	dsting for the sam	e lands.	shall not ex	ceed the 1	imitation.	
allowed h	erein,				······································	••••••	
			••				· · • • • • • • • • • • • • • • • • • •
				. he andered has	the neoner of	tata officer	•••••
		easonable rotation syst l as necessary in accor					sian
the works	shall include prope	er capping and control shall include an air li	valve to p	revent the wast	e oj grouna	water.	
line adeas	inte to determine	water level elevation is permit is	n the well	at all times.			
		rk shall begin on or be					
		th reasonable diligence					
		······					
Con	aplete application o	of the water to the prop	osed use s	hall be made on	or before Oc	tober 1, 19 6	0
The permi	ittee shall ins	tall and maintain a complete record	a weir,	meter, or other	ner suitab	le measuri withdrawn	ng
WIT	INESS my hand th	is29th day of	Novemb	er /	1. Sta	7	
				Lewa	u. Jua	STAFE ENGIN	CER
1	!	e	:		of	_	
	Q N.	d in the Oregon			884	IGINEE	
0	E GROUND STATE	alem,			•	T E	
Application No. G-790 Permit No. G-684	HE HE SON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of Colock M.			3 page	-	20
رة. G		inginee of of of octock	::	957	Recorded in book No3 Ground Water Permits on page	TEX 0 - 3	r'oting.
tion No. G	н Б°.	nent w ste Eng day of	Returned to applicant:	29. 1957	Recorded in book No. nund Water Permits o	ST.ANI.EX	9
Application Permit No.	PAPPROPE WATERS OF	strum e Sta	to app	97	led in	Ą	
Ar Pe	TO A!	This in office of the on the 2	rned	Approved: November	tecord	IEW IS	
		This office of on the 19.6.Z, c	Retu	App	Gra		