

RECEIVED

OCT 18 1976

WATER RESOURCES DEPT
SALEM, OREGON

"CERTIFICATE NO. 55066"

G 6878

Permit No. G.....

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Willamette Valley Country Club
(Name of applicant)
of 2396 N.E. Country Club Dr., Canby, county of Clackamas,
(Postoffice Address)
state of Oregon 97013, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 700 gallons per minute, being 400 gpm from Well #1 & 300 gpm from Well #3

3. The use to which the water is to be applied is supplemental irrigation

4. The well or other source is located Well #1 - S. 87° 05' E, 1036 feet ft. and ft. from the NW corner of the NE 1/4 of the SE 1/4 of Section 28
(Section or subdivision)

Well #3 located N 59° 10' E 1765 feet from the NW corner of the NE 1/4 of the SE 1/4 of Section 28
(If preferable, give distance and bearing to section corner)

being within the #1 - NE 1/4 SE 1/4 #3 - SW 1/4 NW 1/4 of Sec. #3-27, Twp. 35, R. 1E, W. M., in the county of Clackamas

5. The Buried pipe line system to be miles in length, terminating in the of Sec., Twp., R., W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Two Wells having a diameter of #1 - 10" #3 - 12-8 inches and an estimated depth of #1 - 300 #3 - 220 feet. It is estimated that 300 feet of the well^s will require steel casing. Depth to water table is estimated #1 - 47 ft #3 - 18 ft
(Kind) (Feet)

81480

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Turbines

Give horsepower and type of motor or engine to be used 50 H.P. motors

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 3 S.,	R. 1 E.	21	SE $\frac{1}{4}$ SE $\frac{1}{4}$	30.6
		22	SW $\frac{1}{4}$ SW $\frac{1}{4}$	6.0
		27	NW $\frac{1}{4}$ NW $\frac{1}{4}$	17.7
		27	SW $\frac{1}{4}$ NW $\frac{1}{4}$	17.5
		27	NW $\frac{1}{4}$ SW $\frac{1}{4}$	3.0
		28	NE $\frac{1}{4}$ NE $\frac{1}{4}$	28.6
		28	SE $\frac{1}{4}$ NE $\frac{1}{4}$	26.27
		28	NE $\frac{1}{4}$ SE $\frac{1}{4}$	22.1
				<u>157.77</u>

(If more space required, attach separate sheet)

Character of soil Sandy loam

Kind of crops raised Turfgrass

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 200,000 additional
- 15. Construction work will begin on or before wells completed & part of system completed
- 16. Construction work will be completed on or before Oct 1978
- 17. The water will be completely applied to the proposed use on or before Oct 1978

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. will be supplemental to permit approving application No. 54724

James J. Gilbertson Pres.
(Signature of applicant)

Remarks:
Use map which supported the permit No. G-5209 (App. No. 5321)
Will cancel the permit right evidenced by cert # 41841.

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

By STATE ENGINEER
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 2 wells, being 0.89 c.f.s. from well No. 1 and 0.67 c.f.s. from well No. 3.

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 18, 1976

Actual construction work shall begin on or before January 4, 1978 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 4th day of January, 1977

James E. Nelson
WATER RESOURCES DIRECTOR

Application No. G- 7544
Permit No. G- G 6878

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 18 day of October,
1976, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of
Ground Water Permits on page G 6878

STATE ENGINEER

Drainage Basin No. 2 page 150
6660