RECEIVED

ASSIGNED See Misc. Rec., Vo

... Vol. J Page

MAY 101976

CERTIFICATE NO. 61068

ASSIGNED, See Misc. Rec., Vol.

2060

WATER RESOURCES DEPTI SALEM, OREGON

Permit No. G- G 6884

APPLICATION FOR A PERMIT SEIGNED, See Misc. Rec., Vol. 4 Page 566

To Appropriate the Ground Waters of the State of Oregon

I,	R. M. Hegewald
of	P.O. Box 409, Stevenson , county of Skamania ,
state of following	Washington do hereby make application for a permit to appropriate the described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If t	the applicant is a corporation, give date and place of incorporation
	Give name of nearest stream to which the well, tunnel or other source of water development is
situated .	Silver Creek (Name of stream)
	tributary of
2. feet per s	The amount of water which the applicant intends to apply to beneficial use is cubic second or 1500 gallons per minute.
	The use to which the water is to be applied isIrrigation of alfalfa, grain other crops
	The well or other source is located
corner of	Sections 24, 25, T 23S; R 26 E.W.M. and Sections 30, T 23 S; (Section or subdivision)
R 27	PEWM
***************************************	(If preferable, give distance and bearing to section corner)
	(If there is more than one well, each must be described. Use separate sheet if necessary)
haina witl	him the NWKNWK each must be described. Use separate sheet if necessary)
being will	hin the NW\1NW\1 of Sec. 30 , Twp. 23S , R. 27E ,
W. M., in	the county of
5. T	Theto be miles
in langth	(Canal or pipe line)
n tengin,	terminating in the
R	, W. M., the proposed location being shown throughout on the accompanying map.
0. 1	The name of the well or other works isWell No. 4
	DESCRIPTION OF WORKS
uppiy wn	f the flow to be utilized is artesian, the works to be used for the control and conservation of the en not in use must be described.
	'he development will consist of
	f16 inches and an estimated depth of300 feet. It is estimated that20
	well will requiregravel_packed_casing. Depth to water table is estimated80
	(Kind) (Feet)

G 6884

				feet; width on botton
***************************************	feet; depth of wat	ter	feet; grade	feet fall per on
usand feet.				
(b) At	mile:	s from head	gate: width on top (attwater line)	· · · · · · · · · · · · · · · · · · ·
	feet; width on bo	ttom	feet; depth of water	fee
	feet fall per			
			ize at intake in.; in si	ze at
			use in.; differenc	
			Is grade uniform?	
			g. ado ann, c	<u>-</u>
	ps are to be used, gi	1	type Turbine - 125 to	
Give horse	epower and type of	motor or e	engine to be used Electi	ric
e difference in	elevation detween		bed and the ground surface at the	
1				Number Acres To Be Irrigated
12. Locate	Range E. or W. of Willamette Meridian	igated, or pl	lace of use	Number Acres
12. Locate	ion of area to be irre	igated, or pl	Forty-acre Tract NE4NW4	Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian 27 E.	igated, or pl	Forty-acre Tract NE4NW4 NW4NW4	Number Acres To Be Irrigated 40 38 0 3.0 40 37.0
Township N. or S.	Range E. or W. of Willamette Meridian	igated, or pl	Forty-acre Tract NE4NW4 NW4NW4 SW4NW4	Number Acres To Be Irrigated 40 38 0 40 37.0 40 5.4
Township N. or S.	Range E. or W. of Willamette Meridian 27 E.	igated, or pl	Forty-acre Tract NE¼NW¼ NW¼NW¼ SW¼NW¼ SE¼NW¼	Number Acres To Be Irrigated 40 38 0 40 37 0 40 3.5 40 3.5
Township N. or S.	Range E. or W. of Willamette Meridian	igated, or pl	Forty-acre Tract NE4NW4 NW4NW4 SW4NW4	Number Acres To Be Irrigated 40 38 0 40 37 0 40 3.5 40 3.5 40 3.7 5
Township N. or S.	Range E. or W. of Williamette Meridian 27 E.	igated, or pl	Forty-acre Tract NE\(\frac{1}{2} \) NW\(\frac{1}{4} \)	Number Acres To Be Irrigated 40 38 0 40 37 0 40 50 40 50 40 50 40 50
Township N. or S. 23S.	Range E. or W. of Willamette Meridian 27 E. !!	igated, or pl	Forty-acre Tract NE¼NW¼ NW¼NW¼ SW¼NW¼ SE¼NW¼ NE¼SW¼ NE¼SW¼ Portion of SW½SW½ lying N. of Hwy 20	Number Acres To Be Irrigated 40 38 0 40 37 0 40 3.5 40 3.5 40 3.7 5
Township N. or S. 23S.	Range E or W of Willamette Meridian 27 E,	igated, or pl	Forty-acre Tract NE\forty\fortall NW\fortall NW\fortall NW\fortall SW\fortall SW\fortall SE\fortall NE\fortall NE\fortall NW\fortall NW\fortall Portion of SW\fortall	Number Acres To Be Irrigated 40 38 0 40 37.0 40 27.5 40 3.4 40 3.6 40 3.7 40 3.6
Township N. or S. 23S.	Range E. or W. of Williamette Meridian 27 E. " " " " " " " " " " " " "	igated, or pl	Forty-acre Tract NE¼NW¼ NW¼NW¼ SE¼NW¼ SE¼NW¼ NE¼SW¼ NE¼SW¼ Portion of SW½SW¼ lying N. of Hwy 20 Portion of SE¼SW½	Number Acres To Be Irrigated 40 38 0 40 37 0 40 3.5 40 27 5 40 3.6 40 3.6 40 3.6 40 3.6 40 3.6 40 3.6 40 3.6
Township N. or S. 23S.	Range E. or W. of Williamette Meridian 27 E. " " " " " " " " " " " " "	igated, or pl	Forty-acre Tract NE¼NW¼ NW¼NW¼ SE¼NW¼ SE¼NW¼ NE¼SW¼ NE¼SW¼ Portion of SW½SW¼ lying N. of Hwy 20 Portion of SE¼SW½	Number Acres To Be Irrigated 40 38 0 40 37 0 40 27 5 40 30 40 30 40 30 40 30 40 30
Township N. or S. 23S.	Range E. or W. of Williamette Meridian 27 E. " " " " " " " " " " " " "	igated, or pl	Forty-acre Tract NE¼NW¼ NW¼NW¼ SE¼NW¼ SE¼NW¼ NE¼SW¼ NE¼SW¼ Portion of SW½SW¼ lying N. of Hwy 20 Portion of SE¼SW½	Number Acres To Be Irrigated 40 38 0 40 37 0 40 3.5 40 27 5 40 3.6 40 3.6 40 3.6 40 3.6 40 3.6 40 3.6 40 3.6
Township N. or S. 23S.	Range E. or W. of Williamette Meridian 27 E. " " " " " " " " " " " " "	igated, or pl	Forty-acre Tract NE¼NW¼ NW¼NW¼ SE¼NW¼ SE¼NW¼ NE¼SW¼ NE¼SW¼ Portion of SW½SW¼ lying N. of Hwy 20 Portion of SE¼SW½	Number Acres To Be Irrigated 40 38 0 40 37 0 40 3.5 40 27 5 40 3.6 40 3.6 40 3.6 40 3.6 40 3.6 40 3.6 40 3.6

13. To supply the city of	6 0004
	nty, having a present population of
and an estimated population of	ŝ.
	ESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of propose	ed works, \$ 300,000.00
15. Construction work will be	egin on or before December 1, 1975
·	e completed on or before February 15, 1976
	tely applied to the proposed use on or before April 1, 1976
18. If the ground water supportation for permit, permit, certification	ply is supplemental to an existing water supply, identify any appli- te or adjudicated right to appropriate water, made or held by the
applicant. Supplementa	1 to certificte of water right 14072 8 14080 Vol. 12 State Record & Elloter Ri
recorded at pag	e 1-1080, Vol. 12 State Record a & Water Ri
	Mer Mesura
Remarks:	(Signature of applicant)
······	
STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have e	examined the foregoing application, together with the accompanying
naps and data, and return the same j	for correction and completion.
In order to retain its priority, t	this application must be returned to the State Engineer, with correc-
ions on or beforeOc	tober 26 , 19 76
EPT.	
	th day of76
19 C C C C C C C C C C C C C C C C C C C	
D 0	
	JAMES E. SEXSON / Director ************************************
WATER 2	By Ches Sterre
3	Yestal R. Garner XXXXXXXXX

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, . SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	e right herein	granted is li	mited to the	amount of w	ater which ca	n be applied to	beneficial use
and shall	not exceed	3.3	cubic feet pe	r second mea	sured anthe po	oint of diversion	from the well
or source	of appropriat	ion, or its eq	uivalent in co	ise of rotation	n with other u	vater users, from	m Well No. 4.
The	use to which	this water is	to be applied	d is irriga	tion and sup	pplemental ir	rigation.
	*				1/80+h	• • • •	
			¢			of one cubic f	•
						version of not t h year; provid	
						iency in the	
	•••••••	***************************************		***************************************	**	all not excee	•••••
limitat	ion allowed	d herein,			·		
			•••				
			,				
		· · · · · · · · · · · · · · · · · · ·					······································
and shall	be subject to	such reasona	ble rotation s	ystem as ma	y be ordered b	y the proper st	ate officer.
the works The line, adeq	shall include works constr uate to deter	proper capp ructed shall i mine water	ing and contr include an ai level elevati	rol valve to p r line and pro on in the we	revent the wa essure gauge o ll at all times.	ce and if the fl ste of ground w r an access port itable measurin	ater. for measuring
	a complete						, g
The	priority date	of this perm	it is	January8	1976		······
				•		7, 1978	
						or before Octob	
Con	aplete applica	tion of the w	ater to the p	roposed use s	hall be made c	on or before Oct	ober 1, 19 79
WIT	INESS my ho	ind this7	th day of	_	January	5 19	77.
					RESOURCES DI	RECTOR	ANNERS AND
•		:		"			
		WALERS OF THE STATE OF OREGON This instrument was first received in the	ce of the State Engineer at Salem, Oregon, the Say of January			of 6884	R