

APR 1 1950
WATER RESOURCES DEPT.
SALEM, OREGON

Permit No. G-6889 CERTIFICATE NO. 106454

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Clarence E Brown
(Name of applicant)
of P.O. Box 56 - Antelope, county of Wasco
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Antelope Creek
(Name of stream)
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1 1/2 cubic feet per second or 700 gallons per minute.

3. The use to which the water is to be applied is Crop land
Irrigation

4. The well or other source is located 200 ft. S and 40 ft. E from the Junction
(N. or S.) (E. or W.)
corner of Antelope Tub Springs Road
(Section or subdivision)
1200 ft N 82°30'E from SW corner of section 6, T8S, R17E
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 SW 1/4 of Sec. 6, Twp. 8S, R. 17E,
W. M., in the county of Wasco

5. The Pipe line
(Canal or pipe line) to be 3/4 miles
in length, terminating in the Center
(Smallest legal subdivision) of Sec. 6, Twp. 8S,
R. 17E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Brown Brown Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE
(Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 370 feet. It is estimated that 20 feet of the well will require Steel
(Kind) casing. Depth to water table is estimated 200
(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake 8 in.; in size at 2000 ft. from intake 8 in.; size at place of use 8 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? Yes. Estimated capacity, 1 1/2 sec. ft.

10. If pumps are to be used, give size and type 10" "Bowels" with 8" Calumet Turbun Pump

Give horsepower and type of motor or engine to be used 100 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 8. S	R. 17 E	S. 5+6	2 1/2 forty-acre tr.	100 Acres
7. 8. S	R. 17 E	Sec 6	NE 1/4 NE 1/4	6 1/2
7. 8. S	R. 17 E	6	NW 1/4 NE 1/4	1 1/2
7. 8. S	R. 17 E	6	SE 1/4 NW 1/4	3 3/4
7. 8. S	R. 17 E	6	SW 1/4 NE 1/4	3 3/4
7. 8. S	R. 17 E	6	NE 1/4 SW 1/4	1 1/4
7. 8. S	R. 17 E	6	SE 1/4 NE 1/4	3 1/2
7. 8. S	R. 17 E	6	SW 1/4 SE 1/4	3 1/2
7. 8. S	R. 17 E	6	NE 1/4 SE 1/4	4 1/2
7. 8. S	R. 17 E	6	SE 1/4 SW 1/4	4 1/2
7. 8. S	R. 17 E	6	SW 1/4 SE 1/4	9 1/2
7. 8. S	R. 17 E	6	SE 1/4 SE 1/4	13 1/4
7. 8. S	R. 17 E	5	SW 1/4 NW 1/4	1 1/2
7. 8. S	R. 17 E	5	NW 1/4 SE 1/4	1 1/2
7. 8. S	R. 17 E	5	SW 1/4 SW 1/4	4

(If more space required, attach separate sheet)

2000 ft.

Character of soil Sandy loam & clay

Kind of crops raised Grain & Hay

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 30,000
- 15. Construction work will begin on or before April 1
- 16. Construction work will be completed on or before May 15
- 17. The water will be completely applied to the proposed use on or before May 15

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Clarence E. Brown
(Signature of applicant)

Remarks: 5" pipe to irrigate 100 acres of the
middle portion of the map until the middle
of July when the water will be used on
approximately 100 acres of the bottom portion
of the map until late fall. The first water
will be used on wheat and the later work
on pasture.

RECEIVED

MAY 17 1976
WATER RESOURCES DEPT
SALAS, OREGON

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 10, 1976.

WITNESS my hand this 9th day of April, 19 76

JAMES E. SEXSON
Director

By Vestal R. Garner
Vestal R. Garner

G 6889
PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 1, 1976

Actual construction work shall begin on or before January 7, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 7th day of January, 19 77

James E. Sexton
WATER RESOURCES DIRECTOR ~~STATE ENGINEER~~

Application No. G-1320
Permit No. G-6889

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 1 day of April,
19 76 at 11 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. G 6889 of
Ground Water Permits on page 49

STATE ENGINEER

Drainage Basin No. 5 page 49

2310