"CEDTIE!CATE NO

57219

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Harrison McKnight
of Route 2, Box 924, Troutdale, Oregon 97,60 multnomah (Postoffice Address)
state of Oregon , do hereby make application for a permit to appropriate t following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development
situated no near stream (Name of stream)
tributary of Sondy Piwer
2. The amount of water which the applicant intends to apply to beneficial use is cub feet per second or40 gallons per minute.
3. The use to which the water is to be applied is irregation of 4.7 acres, house
rold was, and use in room processing plant.
4. The well or other source is located 180 ft. N and 1922 ft. E from the SW (N. or S.)
CANALY Corner of Section 35 Township 1 North, Range 3 East of the
Willamette Meridian, in the city of Troutdale, Oregon, in the County
of Multnomah. (If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the, Twp, R, R
W. M., in the county of
5. The none to be mile
(Canal or pipe line)
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist ofone well with casinghaving (Give number of wells, tunnels, etc.)
liameter of ten inches and an estimated depth of 100 feet. It is now in use and has been used for over 30 years. Let of the well will remark xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

G 6898

CANAL SYSTEM OR PIPE LINE—

	igate: wiath on to	p (at water	line)	feet; width on bottom
	feet; depth of u	vater	feet; grade	feet fall per one
sand feet.	<u> </u>			
(b) At	mi	les from hed	idgate: width on top (at water	line)
	feet; width on b	bottom	feet; depth of wo	iter feet;
e	feet fall p	per one thous	sand feet.	
(c) Length	of pipe,	ft.;	size at intake in.;	in size atft.
intake	in.; siz	ze at place o	f use in.; diffe	rence in elevation between
ce and place	of use,	ft.	. Is grade uniform?	Estimated capacity,
	. sec. ft.	#1 #1		
10. If pum;	ps are to be used, g	give size and	type Four horse subm	ersible
Give horse	power and type o	of motor or	engine to be used	
11 If the l	ocation of the wel	il tunnel or	other development work is less	than one-fourth mile from
•			istance to the nearest point on	
			bed and the ground surface at	
	* * * *			· · ·
			<u>.</u>	
·		••••		
12. Locatio	on of area to be ir	••••	lace of use .4.7 acres at	Route 2, Box
·	on of area to be ir	••••		Route 2, Box Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Locatio	on of area to be ire	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p	lace of use 4.7 acres at	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p Section 35	Forty-acre Tract Sulya Sulya SEYA Sulya	Number Acres To Be Irrigated
12. Location Troutda. Township N. or S.	on of area to be irrical e Range E. or W. of Willamette Meridian	rigated, or p Section 35	lace of use 4.7 acres at	Number Acres To Be Irrigated

G 6898

13. To supply the city of		
	•	
	ng a present population of	••••••
and an estimated population of	in 19	
ANSWER QUESTIONS	14, 15, 16, 17 AND 18 IN ALL CASES	
14. Estimated cost of proposed works	, \$ Now in use	
15. Construction work will begin on c	r before	
16. Construction work will be comple		•
		••••••
	ied to the proposed use on or before	
18. If the ground water supply is su cation for permit, permit, certificate or ac	pplemental to an existing water supply, identif fjudicated right to appropriate water, made or	y any held
applicant.		
	1 /	··
	Lawison Making (Strature of applicant)	
Remarks:		
•		
a.		
		· · · · · · · · · · · · · · · · · · ·
		•••••
		· · · · · · · · · · · · · · · · · · ·
		•••••
· · · · · · · · · · · · · · · · · · ·		
·		
		•••••
STATE OF OREGON,)		
STATE OF OREGON, ss.		
83 00 00 00 00 00 00 00 00 00 00 00 00 00	d the foregoing application, together with the ac	
$C \hookrightarrow C$ This is to certify that I have examine	I the foregoing application, together with the ac	compa
maps and data, and return the same for	rection and completion,	
문		
In order to retain its priority, this app	indian made in the second seco	
	ication must be returned to the State Engineer,	with c
tions on or before August	11 , 19 76	
•		
WITNESS my hand thisday	ofJune	19 7
3		,
	JAMES E. SEXSON	

STATE OF OREGON,
County of Marion,

The right herein granted is limited to the amount of water with can be applied to beneficial use and shall not exceed 0.06			I have examined th GHTS and the follow				rant the same,
The use to which this water is to be applied isitrigation	The right	t herein grante	d is limited to the a	t mount of we	iter which car	n be applied to	beneficial use
The use to which this water is to be applied is 1rrigation. If for irrigation, this appropriation shall be limited to	and shall not ex	cceed 0.06	cubic feet per	second meas	ured at the po	int of diversion	from the well
If for irrigation, this appropriation shall be limited to	or source of app	propriation, or	its equivalent in cas	e of rotation	with other w	ater users, fron	a well
If for irrigation, this appropriation shall be limited to							
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is							
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is							_•
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is							
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is May 17, 1976 Actual construction work shall begin on or before January 7, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 7th day of January 19.77. WATER RESOURCES DIRECTOR EXECUTABLE.	acre jeet per ac	re jor each acr	e irrigatea aaring ti	te trrigation	season of each	i yeur,	······································
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is May 17, 1976 Actual construction work shall begin on or before January 7, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this 7th day of January 19.77. WATER RESOURCES DIRECTOR MAYNERS		· · · · · · · · · · · · · · · · · · ·		•••••	······		
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is				·	••••••••••••••••••••••••••••••••••••••	······································	······
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is					•••••		·····
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	•••••						
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is			÷.				
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is				••••	•••••		
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	and shall be sub	oject to such re	asonable rotation sy	stem as may	be ordered b	y the proper sto	ite officer.
Actual construction work shall begin on or before	the works shall The work line, adequate The perm	include proper cs constructed to determine v nittee shall ins	capping and contro shall include an air vater level elevatio tall and maintain a	ol valve to pr line and pre n in the wel weir, meter	event the was ssure gauge or l at all times. , or other su	ste of ground w r an access port	ater. for measuring
Actual construction work shall begin on or before	The prior	ity date of this	permit is	May 17	1976		
Complete application of the water to the proposed use shall be made on or before October 1, 19.78. WITNESS my hand this						1978	and shall
Complete application of the water to the proposed use shall be made on or before October 1, 19.79. WITNESS my hand this			•				
WITNESS my hand this 7th day of January , 19 77 WATER RESOURCES DIRECTOR MORNEY							`
WATER RESOURCES DIRECTOR KOMMENDERMEN	•		•				
α	WITNES	s my nana tni	sday of		Danner C	6	
Hion No. G.—7367 No. G.— G. 6883 ROPRIATE THE GROUND TERS OF THE STATE OF OREGON The Engineer at Salem, Oregon, day of May 2:3.70'clock A. M. Permits on page G. 6883 State engineer State engineer State and the state engineer State and No. 3. page 33. 30.22				WATER R	ESOURCES DI	RECTOR	\$283C3C3C3C3C3C3C3C3C3C
Tion No. G.—7367 No. G.— G 68838 OF GREMIT OF OREGON The Engineer at Salem, Oregon day of May 2.3.70°clock A. M. pplicant: pplicant: Thermits on page G 6888 STATE ENGINEER						00.	· n
PERMIT SOPRIATE THE GROUN TERS OF THE STATE OF OREGON day of May 2:3.70'clock A. M. pplicant: pplicant: Thermits on page G G state Engine 3.3. page 3.3. 32.22 32.22 32.22 32.22 32.22 32.22		А	n the			φ (C)	NEER
PERMIT No. G.— G. G.S. ROPRIATE THE GROWERS OF THE STATE OF OREGON and of Man and of Man pplicant: Permits on page G. Sasin No. 3. page- 30. C. 30. C.	χ	DUN	ved i		<u>.</u>		S S
THOO NO. G.— 7. C.	88	GR(Salen P		***		age -
PERM No. G. No. G. SOPRIATE 1 SERS OF THO OF OREG day of day of abook No replicant: remits on remits on 30000 30000 30000 30000 30000 30000 30000 30000 30000 30000 30000 30000 30000 30000 30000 30000 30000 300000 30000 30000 30000 30000 30000 30000 30000 30000 300000 30000 30000 30000 30000 30000 30000 30000 30000 300000 300000 300000 3000000	Z = E	THE S'ON	rst r r at S			page	2
PEF ROPRIA TERS OF OF O OF O OF O OF O Any of The Permit The Permi	ਲ 2	TE 1 TH	inee inee			vo.	1 01
The mapping as a series of the control of the contr	G- FI	RIA' S OF F OJ	nt w Eng xy of	cant		ook A rmit:	n No
	lication nit No.	ROP TER	rume State ' d	appli		in be er Pe	Basi.