D Page 1337

MAY 171976
WATER RESOURCES DEPT
SALEM, OREGON

Permit No. G- G 6839

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, William J. Masters, Lig Lag Properties, Inc. (Name of applicant)
of 601 Corbett Building, Portland, Oregon 97205 , county of Multnomah
state of Oregon , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Sandy River (Name of stream)
tributary of Columbia
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 250 gallons per minute.
3. The use to which the water is to be applied islocal water system for domestic
and residential use for 85 units
1/30 4. The well or other source is located
corner of Section 26, T.2 S., R7 E., W.M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the N.W. 1 of S.E. 1 of N.W. 1 of Sec. 26, Twp. 2.S., R. 7.E.,
W. M., in the county of Clackamas
5. The Pipe Line to be 0.04 miles
in length, terminating in the N.W. 1 of Sec. 26 , Twp. 25.
R. 7 E. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Zig Zag Village 1976, Well No. 2
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of 8 inches and an estimated depth of 200 feet. It is estimated that 200
feet of the well will require welded steel casing. Depth to water table is estimated

G 6899

(b) At	idule. Al Rea	dante midth on to	(at anator 1	line)	teet: width on boti
sand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water file feet fall per one thousand feet. (c) Length of pipe, feet fall per one thousand feet. (c) Length of pipe, fit; size at intake in,; in size at ninake in,; in size at minake in,; size at place of use in; difference in elevation between the amd place of use, sec. ft. 10. If pumps are to be used, give size and type 250 GPM. Tubine Pump, 250 TDH Give horsepower and type of motor or engine to be used 20 HP Electric Motor 11. If the location of the well, tunnel, or other development work is less than ane-fourth mile fairful stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of such channels difference in elevation between the stream bed and the ground surface at the source of such channels difference in elevation between the surface of the nearest point of the nearest point of the nearest point of the				i i	
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water file feet fill per one thousand feet. (c) Length of pipe, ft.; size at intake in.; in size at intake in.; in size at intake in.; difference in elevation between the and place of use, ft. Is grade uniform? Estimated capacities and place of use, sec. ft. 10. If pumps are to be used, give size and type 250 GPM Tubine Pump, 250 TDH Give horsepower and type of motor or engine to be used 20 HP Electric Motor. 11. If the location of the well, tunnel, or other development work is less than que-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than que-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than que-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than que-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of the nearest point on each of such channels of		feet; depth of w	ater	Jeet, grade	jeet jan per
feet; width on bottom feet; depth of water fide feet feet fall per one thousand feet. (c) Length of pipe, fit; size at intake in.; in size at finitive in.; in size at finitive in.; size at place of use in.; difference in elevation between the and place of use, fit. Is grade uniform? Estimated capacing sec. ft. 10. If pumps are to be used, give size and type 250 GPM Tuhine Pump, 250 TDH Give horsepower and type of motor or engine to be used 20 HP Electric Motor. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development for the surface at the source of development to the feet feet feet feet feet feet feet	usand feet.		y		
(c) Length of pipe,	(b) At	mil	es from head	dgate: width on top (at wat	ter line)
m intake in.; size at place of use in.; difference in elevation betw like and place of use, ft. Is grade uniform? Estimated capace sec. ft. 10. If pumps are to be used, give size and type 250 GPM Tubine Pump, 250 TDH. Give horsepower and type of motor or engine to be used 20 HP Electric Motor. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm 12. Location of area to be irrigated, or place of use Township N as 2 Wullmente Metridian Section Porty-scre Tract Number Acres 2 S. 7E. 26 S.E. 1 of N.W. 1 group dom. S.W. 1 of N.W. 1 group dom.		feet; width on b	ottom	feet; depth of	water f
n intake in.; size at place of use in.; difference in elevation between the and place of use, ft. Is grade uniform? Estimated capacing sec. ft. 10. If pumps are to be used, give size and type 250 GPM. Tuhine Pump, 250 TDH. Give horsepower and type of motor or engine to be used 20 HP Electric Motor. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm to the control of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Township No. 2 William Section Forty-scre Tract Number Acres 2 S. 7E. 26 S.E. 1 of N.W. 1 Group dom. 14. S.W. 2 of N.W. 1 Group dom.	de	feet fall p	er one thous	and feet.	
sec. ft. 10. If pumps are to be used, give size and type	(c) Length	r of pipe,	ft.; s	size at intakei	n.; in size at
sec. ft. 10. If pumps are to be used, give size and type	n intake	in.; size	e at place of	use in.; d	ifference in elevation betw
10. If pumps are to be used, give size and type	ike and place	of use,	ft.	Is grade uniform?	Estimated capac
10. If pumps are to be used, give size and type		sec. ft.			
Give horsepower and type of motor or engine to be used			ive size and	tupe 250 GPM Tubine	Pump, 250 TDH
Give horsepower and type of motor or engine to be used	20. 2, p				
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated, or place of use 15. Township 16. Range 17. Williamette Meridian 17. Section 18. S.E. ½ of N.W. ½ 19. Group dom. 19. S.W. ½ of N.W. ½ 19. Group dom.					•
11. If the location of the well, tunnel, or other development work is less than one-fourth mile f atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated, or place of use 15. Township Renae E or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated S. S. W. 4 of N.W. 4 group dom. 16. S.W. 4 of N.W. 4 group dom.	Give nors	epower and type o	j motor or	engine to be used	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm 12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian 25. 7E. 26 S.E. ¼ of N.W. ¼ group dom. S.W. ¼ of N.W. ¼ group dom.					
Township N. or S. Williamette Meridian Section Forty-acre Tract To Be Irrigated 2 S. 7E. 26 S.E. \(\frac{1}{4}\) of N.W. \(\frac{1}{4}\) group dom. S.W. \(\frac{1}{4}\) of N.W. \(\frac{1}{4}\) group dom.					
S.W. ¼ of N.W. ¼ group dom.	12. Locate		rigated, or p	lace of use	
	Township	Range E. or W. of			Number Acres
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
	Township N. or S.	Range E. or W. of Willamette Meridian	Section 26	Forty-acre Tract S.E. \(\frac{1}{4} \) of N.W. \(\frac{1}{4} \) S.W. \(\frac{1}{4} \) of N.W. \(\frac{1}{4} \)	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated
	Township N. or S.	Range E. or W. of Willamette Meridian	Section	S.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	Number Acres To Be Irrigated

G 6899

in	county, having	a present population of
and an estimated popu	lation of	in 19
	ANSWER QUESTIONS 14,	15, 16, 17 AND 18 IN ALL CASES
14. Estimated c	ost of proposed works, \$	
	n work will begin on or be	
		on or before October 1, 1977
17. The water u	vill be completely applied	to the proposed use on or before October 1, 1977
18. If the groun cation for permit, per	nd water supply is supple mit, certificate or adjud	emental to an existing water supply, identify any a licated right to appropriate water, made or held by
	·····	ZigiZeg (Oli LOMINIVANS, OLigh By Millian Just Mach
		By Mlean I Mad
		(Signature of applifant)
		7
	•••••••••••••••••••••••••••••••••••••••	
	,	
		······································
		:
		······
STATE OF OREGON	,)	
County of Marion,)	
S S is to certify	ı that I have examined th	ne foregoing application, together with the accompan
<u>`</u>	•	
maps yna data, and ret	urn the same for	ection and completion.
<u> </u>		·
In order to retain	n its priority, this applicat	tion must be returned to the State Engineer, with cor
₹	October 26	
	± ≰	, A
WITNESS my ho	end this 26th day of	August , 19 76
	1	
		JAMES E. SEXSON
		Director *********
		By Vestal R. Garner XXXXX

G 6899

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

• " '	herein granted	is limited to the	amount of wat	is and condit er which can	be applied to	o beneficial use
and shall not exc	eed 0.20	cubic feet per	r second measur	ed at the poin	nt of diversion	n from the well
		s equivalent in ca		•		
The use to	which this wat	ter is to be applied	lis group do	mestic for	85 familie	S.e.
If for irrig	ation, this appr	opriation shall be	limited to		of one cubic	foot per second
or its equivalent	for each acre i	rrigated and shall	l be further lim	ited to a dive	ersion of not	to exceed
icre feet per acre	e for each acre	irrigated during t	he irrigation se	eason of each	year;	
			••••••		•••••••••••••••••••••••••••••••••••••••	
			··			
The permit shall keep a com The priorit Actual con	ttee shall instated plete record of the y date of this pustruction work assecuted with restanced to October 15 and	exter level elevation and maintain and maintain and the amount of government is	weir, meter, or round water weir water weir water wate	or other suited ithdrawn. 76 January pleted on or		and shall per 1, 19.78
Complete a						
Complete a		7th day of				77 ب
Complete a			Ja		Serson	