

RECEIVED

JUL - 31976

WATER RESOURCES DEPT  
SALEM, OREGON

Permit No. G- **G 6926**

APPLICATION FOR A PERMIT

"CERTIFICATE NO. 57138"

# To Appropriate the Ground Waters of the State of Oregon

I, Lawrence E. Marsh  
(Name of applicant)  
of Rt. 4 Box 52-C, The Dalles, county of Wasco  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Brown Creek  
(Name of stream)  
tributary of Chenoweth Cr.

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 35 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 2419 ft. N. and 776 ft. W. from the SE corner of Section 11  
(N. or S.) (E. or W.) (Section or subdivision)  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the NE 1/4 of the SE 1/4 of Sec. 11, Twp. 1N, R. 12E, W. M., in the county of Wasco

5. The Pipe Line to be 0.053 miles  
(Canal or pipe line)  
in length, terminating in the NE 1/4 of the SE 1/4 of Sec. 11, Twp. 1N, R. 12E, W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is \_\_\_\_\_

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N/A

8. The development will consist of One Well having a  
(Give number of wells, tunnels, etc.)  
diameter of 10 inches and an estimated depth of 200 feet. It is estimated that 200 feet of the well will require 6" steel casing. Depth to water table is estimated 145  
(Kind) (Feet)

7022

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 280 ..... ft.; size at intake ..... 1 1/2 ..... in.; in size at ..... 280 ..... ft. from intake ..... 1 1/2 ..... in.; size at place of use ..... 1 ..... in.; difference in elevation between intake and place of use, +30 to -60 ..... ft. Is grade uniform? Varies ..... Estimated capacity, ..... 0.08 ..... sec. ft.

10. If pumps are to be used, give size and type 11 Impeller Stages, Submersible, 17.9 gpm at 180' head + 40 psi.

Give horsepower and type of motor or engine to be used 1 1/2 Hp, Electric, Submersible.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Distance - 560 ft.  
Difference in elevation - 260 ft.

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1N	12E	11	NE 1/4 of the SE 1/4	3.75
1N	12E	11	SE 1/4 of the NE 1/4	2.5
				6.25

(If more space required, attach separate sheet)

Character of soil Cherryhill stony loam, 3-25% slopes  
Kind of crops raised Pasture and garden over 1/2 acre.

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3,000—
- 15. Construction work will begin on or before July 8, 1976 (see remarks)
- 16. Construction work will be completed on or before July 8, 1977
- 17. The water will be completely applied to the proposed use on or before July 8, 1978
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. N/A

Lawrence E. Marsh  
(Signature of applicant)

Remarks: .....

Well driller's name - Gilbert Clayton (License No. 129)  
Date - Aug. 9, 1973

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

G 6926  
PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 9, 1976

Actual construction work shall begin on or before January 7, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

Extended to Oct. 1 1980

WITNESS my hand this 7th day of January, 1977

*James E. Larson*  
WATER RESOURCES DIRECTOR

Application No. G-7427  
Permit No. G-6926  
**PERMIT**  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 9 day of July,  
1976, at 11:00 o'clock A.M.

Returned to applicant:  
  
Approved:  
  
Recorded in book No. \_\_\_\_\_ of G 6926  
Ground Water Permits on page \_\_\_\_\_

STATE ENGINEER  
Drainage Basin No. A page 41  
3000