

G 6941

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 450 G.P.M. Jacuzzi Pump
Deep Well Turbine

Give horsepower and type of motor or engine to be used 40 HP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
100 feet to Chenowith Creek Difference in elevation 75 feet.

12. Location of area to be irrigated, or place of use Lower Chenowith Water District

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 N.	13 E.	30	N.E. 1/4, S.W. 1/4	
			N.W. 1/4, S.E. 1/4	
			S.W. 1/4, N.E. 1/4	
			S.W. 1/4, N.W. 1/4	
			S.E. 1/4, N.W. 1/4	
			NW 1/4 SW 1/4	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Lower Chenowith Water District in Wasco county, having a present population of 515 and an estimated population of 600 in 19 96

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5,730.50
15. Construction work will begin on or before Completed
16. Construction work will be completed on or before Completed
17. The water will be completely applied to the proposed use on or before July 1, 1976
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Permit No. G-2127 File No. 2307 1.12 c.f.s.
Webber Well No. 1 = 0.56 c.f.s. & Webber Well No. 2 = 0.56 c.f.s.

Signature of Applicant: John Ripplinger

Remarks: The existing well, Webber Well No. 2, has been reamed out to a 10-inch hole and an 8-inch steel casing has been placed from the bottom (-220) to the top with approximately 460 perforations. A new pump and motor has been installed to pump approximately 400 to 450 gallons per minute.

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion,

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 29, 1976.

WITNESS my hand this 28th day of September, 1976.

JAMES E. SEXSON Director
By Vestal R. Garner

RECEIVED
OCT 04 1976
WATER RESOURCES DEPT
SALEM, OREGON

G 6941

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.7 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Webber Well No. 2.

The use to which this water is to be applied is municipal purposes.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 23, 1976

Actual construction work shall begin on or before January 7, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 7th day of January, 1977.

James E. Larson
WATER RESOURCES DIRECTOR

Application No. G- 7447

Permit No. G- G 6941

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of July, 1976, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of G 6941 Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. A page 41

2500