

RECEIVED

AUG 12 1976

Permit No. G-6961

WATER RESOURCES DEPT. APPLICATION FOR A PERMIT SALEM, OREGON

To appropriate the Ground Waters of the State of Oregon

7509

I, Thomas C. Clemens (Name of applicant)

of 90 West Adams, Burns (Postoffice Address), county of Harney

state of Oregon 97720, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Silves River (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 900 gallons per minute.

3. The use to which the water is to be applied is farm irrigation

4. The well or other source is located ft. and ft. from the corner of (N. or S.) (E. or W.) (Section or subdivision)

2050 feet west of NE corner of section 16 and 1300 feet due south. (If preferable, give distance and bearing to section corner)

Township 25S., Range 31 EWM. (If there is more than one well, each must be described. Use separate sheet if necessary)

being within the of Sec. Twp. R. W. M., in the county of Harney

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Clemens Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 16 inches and an estimated depth of 142 feet. It is estimated that 142 feet of the well will require 1/2 inch steel (Kind) casing. Depth to water table is estimated 142 (Feet)

8429

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type .....

Give horsepower and type of motor or engine to be used approximately 50 horsepower

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Range 31 EWM, Section 16, 120 acres.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25S	31EWM	16		120 acres <i>as follows:-</i>
			NE <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	40
			NW <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	40
			NE <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	40

(If more space required, attach separate sheet)

Character of soil Sand loam

Kind of crops raised Grain and alfalfa

MUNICIPAL SUPPLY—

G 6961

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5,000.00
- 15. Construction work will begin on or before August 1, 1976
- 16. Construction work will be completed on or before August 8, 1976
- 17. The water will be completely applied to the proposed use on or before August 10, 1976
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

*Shirley C. Clemens*  
(Signature of applicant)

Remarks: Enclosed is a map of the property and a well test.

RECEIVED  
NOV 17 1976  
WATER RESOURCES DEPT  
SALEM, OREGON

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 11, 1977

WITNESS my hand this 9th day of November, 1976

JAMES E. SEXSON  
Director  
By *Vestal R. Garner*  
Vestal R. Garner ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

G 6961  
PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.5 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 12, 1976

Actual construction work shall begin on or before January 7, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 7th day of January, 1977

*James E. Sisson*  
WATER RESOURCES DIRECTOR

Application No. G- 7477  
Permit No. G- G 6961

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 12 day of August  
1976, at 8 o'clock A. M.

Returned to applicant:  
  
Approved:

Recorded in book No. G 6961 of  
Ground Water Permits on page

STATE ENGINEER  
Drainage Basin No. 12 page 36  
5700