## RECEIVED

CFP1 01976
CTER RESOURCES DEPT.
TYM. OREGON

"CERTIFICATE NO. 55540 No. G. G 6991

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, MILLIAM H. ENYART (Name of applicant)
of 15227 Stubb Rd. N.E. GERVAIS , county of MARION
state of Orgon 97026, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated
(Name of stream)  tributary of Rudding R.
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied is
4. The well or other source is located 1360ft. S and 2/50ft. E from the NUCCORNEr of Section 13  (Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the SELA NOUSA of Sec. 13, Twp. 55, R. 2W
W. M., in the county of Williams
5. The Pede Me to be 300 miles
n length, terminating in the New Low Land of Sec. 3, Twp. 55,
R
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the upply when not in use must be described.
8. The development will consist of One Wells, tunnels, etc.) having a
iameter of
cet of the well will require (Kind) casing. Depth to water table is estimated (Feet)

(b) At		0. 411	uni A	l+h	ഹൗ	to	n (1	at er	nator	lino	)								fee	et: 1	pid	th .	on l	boi
(b) At								-																
(b) At	t; de	et; c	aez	ptr	n o	j w	ate	r			••••••••	је	et;	graa	е	·,·····	•••••	•••••		•••••	Jee	ι μα	ii p	т
feet; width on bottomfeet; determined feet; deter																4								
e																1								
(c) Length of pipe,	t; w	et; 1	wi	dtl	h o	n b	otte	om .					fe	et; d	ept	h of	wa	er			•		•••••	]
intake	f		fe	eet	fa	ll p	er c	one	thou	sand	feet	•												
Give horsepower and type of motor or engine to be used	pe,	pipe	e,	*****	· • • • • • • • • • • • • • • • • • • •			•••••	ft.;	size	at in	take	<b>:</b>	•••••	••••	1	in.;	n si	ze a	ıt	••	· • • • •		
Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development w tural stream or stream channel, give the distance to the neares lifference in elevation between the stream bed and the ground  12. Location of area to be irrigated, or place of use		•••••	•••••	<b>i</b>	n.;	siz	e at	t plo	исе о	of use	•••••		••••••	•••••	. in	; d	iffe	enc	e in	. el	eva	tio	ı b	etu
Give horsepower and type of motor or engine to be used	е,	se, .	•••••					·	ft	. Is g	rade	uni	fori	n?			•••••		·	Est	imo	iteo	l ca	ра
Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development w tural stream or stream channel, give the distance to the neares lifference in elevation between the stream bed and the ground  12. Location of area to be irrigated, or place of use	ft.	. ft.	t.										_		/					1				
Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development w tural stream or stream channel, give the distance to the neares lifference in elevation between the stream bed and the ground  12. Location of area to be irrigated, or place of use	e to	re to	to b	)e 1	use	ed, g	give	: siz	e and	d typ	3		5		1	<b>)</b> .		5	4	<b>6</b>	M	C		53
11. If the location of the well, tunnel, or other development w tural stream or stream channel, give the distance to the neares difference in elevation between the stream bed and the ground  12. Location of area to be irrigated, or place of use												••••••			•••••	•••••			•••••		•••••			
tural stream or stream channel, give the distance to the neares lifference in elevation between the stream bed and the ground  12. Location of area to be irrigated, or place of use	r ar	er (	ane	<b>d</b> 1	typ	oe c	of n	noto	r or	engi	ne t	o be	use	d		<b></b>		•••••		•••••				
tural stream or stream channel, give the distance to the neares lifference in elevation between the stream bed and the ground  12. Location of area to be irrigated, or place of use																								
	Ra	1	Ran	nge		e ir	riga	ıted	, or 1	place	of u				<del></del>					Nı	ımbe	r Ac	res	
55 2W /3 NE/4 NO NW/4 NO SE/4 NO						ian		Sect	don			F	orty-a	cre Tr	act		,			То	Be I	irrig	ated	
NWG NO SELLA NO	ZV	<u>Z</u>	N			_		13	<u>5                                    </u>		VE	1		N	W	4	8				0	•	<u>5</u>	
Seif M						-	· · ·				<u>Vu</u>	14		N	<u>u</u>	1	7				Z	•	1	
SE/A M						-		<del></del>			W	1	<b>F</b>	N	W	4	2_				0	• (	6	
						_				\	E	14	1	N		4	2_	-			2	• -	0	-
																		<u> </u>						
																			•	1	4	١.		
					<u>.</u>															•				
							L																	
,													,			*								
(If more space required, attach separate shee		_					(1	If mo	re spac	e requi	red, at	tach s	epara	te shee	et)									
Character of soil							(1	If mo	re spac	e requi	red, at	tach s	epara	te shee	et)	<del>-  </del>		Т						

	PAL SUPPLY—  To supply the city of					
				ition of		*******************
ana an es	stimated population of	•				
, r		¥	15, 16, 17 AND 18	IN ALL CASES		
14.	Estimated cost of pro	posed works, \$			. Art o	
15.	Construction work w	ill begin on or be	efore MOS	began	3	
16.	Construction work w	ill be completed	on or before	June	1977	•••••••••••••••••••••••••••••••••••••••
17.	The water will be con	npletely applied	to the proposed	use on or before	10-1-	- 79
18.	If the ground water r permit, cert	supply is supple	emental to an es	cistina water su	pplu, identifu	ı anıı annli.
applicant.				•••••	•••••	•••••
		***************************************				
			- 6/1	(Signature of	5	£
Ren	narks:			(Signature of	applican	
1001				••••••••••••••	••••••	
••••••••••						
	<del></del>	***************************************	•••••••••••••••••••••••••••••••••••••••			•••••••••
	•••••••••••••••••••••••••••••••••••••••	••••••	***************************************			
······································	······································	••••••	***************************************			
•••••		•		•••••	!	•••••••
<u>:</u>					••••••	•••••••••••••••••••••••••••••••••••••••
••••••••••					•••••	•••••
		•••••	••••••	•		•
************		•••••				
*******************			***************************************			
					***************************************	***************
			•••••••••••••••••••••••••••••••••••••••	•••••••		
	OF OREGON, ss.					
•	y of Marion, )					
Thi	s is to certify that I he	ave examined th	e foregoing appl	ication, together	with the acc	ompanying
maps and	data, and return the so	ame for	••••••	•••••••••••••••••••••••••••••••••••••••	:	
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
In o	rder to retain its prior	ity, this applicat	ion must be reti	irned to the Stat	e Engineer, u	ith correc-
tions on or	r before	••••	, 19			
						. •
wii	INESS my hand this	day of				. 19
	• • • • • • • • • • • • • • • • • • •					,
		(				
			***************************************		OTIA A	E ENGINEER
			By		( )	4 ( 1

ß

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The rig		inted is limited to th		£.		to heneficial use
ınd shall not	exceed 0.1	7cubic feet 1	er second m	reasured at the	point of diners	ion from the wall
		or its equivalent in				
The use	to which this	s water is to be appli	ed is ir	rigation.		
If for ir	rigation, this (	appropriation shall	e limited to	, 1/80th	of one cubic	c foot per second
r its equivale	nt for each ac	cre irrigated and she	ıll be furthe	er limited to a d	iversion of not	t to exceed 2½
		icre irrigated during				
			••••••	***************************************		***************************************
			•••••••	·	•	
•••••••••••••••••••••••••••••••••••••••				***************************************		***************************************
••••••••••••	•••••••		••••••	***************************************	••••••	***************************************
d shall be su	bject to such 1	reasonable rotation	system as m	ay be ordered b	y the proper s	tate officer.
o world situal	i inciaue prop	d as necessary in ac er capping and cont	roi vaive to	nronont the ana	ota of amound a	
The worne, adequate The pern all keep a co	ks constructed to determine nittee shall in mplete record	er capping and cont d shall include an a water level elevat estall and maintain of d of the amount of	rol valve to r line and p ion in the war weir, meto ground wate	prevent the war ressure gauge or vell at all times. er, or other sur er withdrawn.	ste of ground i r an access por	water. t for measuring
The worne, adequate The pern all keep a co	ks constructed to determine nittee shall in mplete record	er capping and cont d shall include an a water level elevat estall and maintain of d of the amount of	rol valve to r line and p ion in the war weir, met ground water	prevent the waressure gauge or vell at all times. er, or other surer withdrawn.	ste of ground ar an access por	water. It for measuring Ing device, and
The worne, adequate The pern all keep a co The prion Actual co	ks constructed to determine nittee shall in mplete record rity date of this mstruction wo	er capping and cont of shall include an a water level elevat estall and maintain of d of the amount of is permit is	rol valve to r line and p ion in the war weir, met ground wate	prevent the waressure gauge or vell at all times. er, or other surer withdrawn.  16, 1976	ste of ground ar an access por itable measuri	water. It for measuring Ing device, and Ing and Ingliance
The worne, adequate The pern all keep a co The prion Actual co	ks constructed to determine nittee shall in mplete record rity date of this enstruction wo	er capping and cont d shall include an a water level elevat estall and maintain of d of the amount of is permit is	rol valve to r line and p ion in the w a weir, mete ground wate september before nce and be	prevent the waressure gauge or vell at all times. er, or other surer withdrawn.  16, 1976  Janua completed on o	ste of ground or an access por itable measuri ary 18, 1978 r before Octob	water. It for measuring Ing device, and Ing and shall Ing 19
The worne, adequate The permall keep a co The prion Actual co ereafter be p	ks constructed to determine nittee shall in mplete record rity date of this enstruction wo rosecuted with application of the supplication of the s	er capping and cont of shall include an as water level elevat estall and maintain of d of the amount of is permit isS ork shall begin on or the reasonable diliger of the water to the presented	rol valve to r line and p ion in the w a weir, met ground wate before  nce and be roposed use	prevent the waressure gauge or vell at all times. er, or other surer withdrawn.  16, 1976  Janua completed on or shall be made or	ste of ground or an access por itable measuring 18, 1978 or before October of States of Stat	water. It for measuring Ing device, and Ing and shall Inger 1, 1978 Itober 1, 1979
The worne, adequate The permall keep a co The prion Actual co ereafter be p	ks constructed to determine nittee shall in mplete record rity date of this enstruction wo rosecuted with application of the supplication of the s	er capping and cont d shall include an a water level elevat estall and maintain of d of the amount of is permit is	rol valve to r line and p ion in the w a weir, met ground wate before  nce and be roposed use	prevent the waressure gauge or vell at all times. er, or other surer withdrawn.  16, 1976  Janua completed on or shall be made or	ste of ground or an access por itable measuri ary 18, 1978 r before Octob	water. It for measuring Ing device, and Ing and shall Inger 1, 1978 Itober 1, 1979
The worne, adequate The permall keep a co The prion Actual co ereafter be p	ks constructed to determine nittee shall in mplete record rity date of this enstruction wo rosecuted with application of the supplication of the s	er capping and cont of shall include an as water level elevat estall and maintain of d of the amount of is permit isS ork shall begin on or the reasonable diliger of the water to the presented	rol valve to r line and p ion in the w weir, met ground wate september before nce and be roposed use	prevent the ware ressure gauge or vell at all times. er, or other sure withdrawn.  16, 1976  Januar completed on or shall be made or wary	ste of ground or an access por itable measuring 18, 1978 or before October or before October or before October 19.	water. It for measuring Ing device, and Ing and shall Inger 1, 1978 Itober 1, 1979
The worne, adequate The permall keep a co The prion Actual co ereafter be p	ks constructed to determine nittee shall in mplete record rity date of this enstruction wo rosecuted with application of the supplication of the s	er capping and cont of shall include an as water level elevat estall and maintain of d of the amount of is permit isS ork shall begin on or the reasonable diliger of the water to the presented	rol valve to r line and p ion in the w weir, met ground wate september before nce and be roposed use	prevent the waressure gauge or vell at all times. er, or other surer withdrawn.  16, 1976  Janua completed on or shall be made or	ste of ground or an access por itable measuring 18, 1978 or before October or before October or before October 19.	water. It for measuring Ing device, and Ing and shall Inger 1, 1978 Itober 1, 1979