

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Maude E. Liskey,

(Name of applicant)

of 1041 Eldorado Blvd., Klamath Falls, county of Klamath,

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated None.

(Name of stream)

tributary of Swan Lake.

2. The amount of water which the applicant intends to apply to beneficial use is 10.0 cubic feet per second or 4770 gallons per minute.

3. The use to which the water is to be applied is irrigation.

No. 1

4. The well or other source is located 620 ft. N. and 1374 ft. W. from the S. E. corner of Sec. 16, T. 38 S., R. 10 E., W. M., in the SW 1/4-SE 1/4 of said Sec. 16,

(N or S)

(E or W)

(Section or subdivision)

and No. 2 well is located 213 feet S. and 239 feet east from the N.W. corner of Sec. 16, T. 38 S., R. 10 E., W. M.,

(If preferable, give distance and bearing to section corner)

being within the NW 1/4-NW 1/4 of Sec. 16, T. 38 S., R. 10 E., W. M. in the county of Klamath.

If there is more than one well, each must be described. Use separate sheet if necessary.

No. 1 ditch to be No. 1 - 2.0 miles

No. 2 ditch to be No. 2 - 2.3 miles

in length, terminating in the No. 2 - NE 1/4-SE 1/4 of Sec. 17, T. 38 S., R. 10 E., W. M., the proposed location being shown throughout on the accompanying map.

No. 1 - 2.0  
No. 2 - 2.3 miles  
10  
of Sec. 17, T. 38 S., R. 10 E., W. M.

Maude E. Liskey well No. 1

6. The name of the well or other works is Maude E. Liskey well No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of two wells, each having a diameter of 18 inches and an estimated depth of 200 feet. It is estimated that 40 feet of the well will require 1/4 inch steel casing. Depth to water table is estimated 120 feet.

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 9.0 feet; width on bottom 3.0 feet; depth of water 1.5 feet; grade . 0.5 feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type deep well turbine, capacity 3000 B.P.M.

Give horsepower and type of motor or engine to be used electric motors 100 H.P.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use E<sup>1</sup>/<sub>4</sub> Sec. 9; N<sup>1</sup>/<sub>2</sub>, SW<sup>1</sup>/<sub>4</sub> & W<sup>1</sup>/<sub>2</sub>-SE<sup>1</sup>/<sub>4</sub>, Sec. 17, R. 38 S., R. 10 E. W. 4.

Township N or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township 31 S., Range 10 W., W.M.				
			NE <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	40.0
			NW <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	40.0
			SW <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	40.0
			SE <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	40.0
			NE <sup>1</sup> / <sub>4</sub> -SE <sup>1</sup> / <sub>4</sub>	39.1
			NW <sup>1</sup> / <sub>4</sub> -SE <sup>1</sup> / <sub>4</sub>	40.0
			SW <sup>1</sup> / <sub>4</sub> -SE <sup>1</sup> / <sub>4</sub>	40.0
			SE <sup>1</sup> / <sub>4</sub> -SE <sup>1</sup> / <sub>4</sub>	37.1
"	10		NE <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	39.1
			NW <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	40.0
			SW <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	39.7
			SE <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	39.1
			NE <sup>1</sup> / <sub>4</sub> -NW <sup>1</sup> / <sub>4</sub>	37.7
			NW <sup>1</sup> / <sub>4</sub> -NW <sup>1</sup> / <sub>4</sub>	39.0
			SW <sup>1</sup> / <sub>4</sub> -NW <sup>1</sup> / <sub>4</sub>	41.1
			SE <sup>1</sup> / <sub>4</sub> -NW <sup>1</sup> / <sub>4</sub>	37.3
			NE <sup>1</sup> / <sub>4</sub> -SW <sup>1</sup> / <sub>4</sub>	37.4
			NW <sup>1</sup> / <sub>4</sub> -SW <sup>1</sup> / <sub>4</sub>	14.5
			SE <sup>1</sup> / <sub>4</sub> -SW <sup>1</sup> / <sub>4</sub>	1.5
			NW <sup>1</sup> / <sub>4</sub> -SE <sup>1</sup> / <sub>4</sub>	37.8
			SE <sup>1</sup> / <sub>4</sub> -SE <sup>1</sup> / <sub>4</sub>	14.3
"	17		NE <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	32.7
			SE <sup>1</sup> / <sub>4</sub> -NE <sup>1</sup> / <sub>4</sub>	32.0
			SE <sup>1</sup> / <sub>4</sub> -SE <sup>1</sup> / <sub>4</sub>	4.1

Character of soil Sandy clay loam

Kind of crops raised grains, grasses and row crops.

MUNICIPAL SUPPLY--

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 10,000.00.
- 15. Construction work will begin on or before Oct. 1, 1957.
- 16. Construction work will be completed on or before Oct. 1, 1959.
- 17. The water will be completely applied to the proposed use on or before Oct. 1, 1961.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

(Signature of applicant)

Remarks: The only irrigation water supply available to these lands is from wells, and with irrigation they will more than justify the cost of pumping.

STATE OF OREGON, |  
County of Marion, | ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 9, 19 57.

WITNESS my hand this 9th day of October, 19 57.

LEWIS A. STANLEY

STATE ENGINEER

By James W. Carver, Jr.

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 10.07 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 2 wells.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 20, 1957

Actual construction work shall begin on or before December 30, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 30th day of December, 1957.

[Signature] STATE ENGINEER

Application No. G-762
Permit No. G-700

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the ... day of ... 19 ... at ... o'clock ... M.

Returned to applicant:

Approved:

December 30, 1957

Recorded in book No. 3 of 700

Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 14 page 33