APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, M. A. Buroker (Hame of applicant)
of Reute 2 Bex 110 Milto N. F. ee Wate County of U.Mstille.
state of OFE G a N , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
en e
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Diy Creek (Name of stream)
tributary of NE S-H
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 35 & gallons per minute.
3. The use to which the water is to be applied is
en e
4. The well or other source is located it. and ft. ft. from the NE
corner of Section 26, T. 6 N., R. 34 E., W.M. Brng. is S 0°23' W. (Section or subdivision)
2201.61
(If preferable, give distance and bearing to section corner)
lif there is more than one we' each must be described. Use separate sheet if necessary)
being within the SEINEI of Sec. 26 Twp. 6 N R. 34 E
W. M., in the country of Umatilla
5. The SPEN DITCH UNITED to be miles
in length terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is NE,
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of Line Wells, timpels, etc.) having a
diameter of 12 inches and an estimated depth of 4.3 feet. It is estimated that 36
feet of the well will require D SIECI BALL casing. Depth to water table is estimated to reet of the well will require D SIECI MANNET TEGET SIECTION
The transfer of the Delivery of the But at section

	I OR PIPE LINE— e dimensions at eacl		ıl where materially chan	ged in size, stating 1	miles from
	dgate: width on top			feet; width	•
	feet; depth of water	7	feet; grade	· feet fo	all per one
nousand feet.					
(b) At .	mile:	s from headgat	te: width on top (at wate	r line)	
	feet; width on bo	ottom	feet; depth of w	ater	feet;
rade	feet fall per	r one thousand	feet.		
(c) Length	of pipe,	ft.; size	e at intake,	in.; in size at	ft.
rom intake	in.; siz	e at place of u	se in.; d	ifference in elevatio	on between
itake and place	of use.	ft. Is g	grade uniform?	Estimate	d capacity,
	sec. ft.				,
10. If pum	ips are to be used, gi	ve size and typ	e ARP. 74.	Milly Liber.	MINE _
Give horse 11. If the atural stream of	power and type of r location of the well, or stream channel,	notor or engine tunnel, or othe give the dista	e to be used 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ess than one-fourth on each of such ch	mile from a
Give horse 11. If the atural stream of the difference in	power and type of r location of the well, or stream channel,	notor or engine tunnel, or othe give the dista the stream bed	er to be used 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ess than one-fourth on each of such ch	mile from a
Give horse 11. If the atural stream of the difference in	location of the well, or stream channel, elevation between	notor or engine tunnel, or othe give the dista the stream bed	er to be used 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ess than one-fourth on each of such ch	mile from a annels and evelopment
11. If the atural stream che difference in	location of the well, or stream channel, elevation between to the irri	tunnel, or othe give the distathe stream bed	er to be used 222222222222222222222222222222222222	ess than one-fourth on each of such ch at the source of d	mile from a annels and evelopment
11. If the atural stream che difference in	location of the well, or stream channel, elevation between to the irri	tunnel, or othe give the distathe stream bed	er development work is lence to the nearest point and the ground surface	ess than one-fourth on each of such ch at the source of d	mile from a annels and evelopment
11. If the atural stream che difference in	location of the well, or stream channel, elevation between to the irri	tunnel, or othe give the distathe stream bed	er development work is lence to the nearest point and the ground surface	ess than one-fourth on each of such ch at the source of d	mile from a annels and evelopment
11. If the atural stream che difference in	location of the well, or stream channel, elevation between to the irri	tunnel, or othe give the distathe stream bed	er development work is lence to the nearest point and the ground surface	ess than one-fourth on each of such ch at the source of d	mile from a annels and evelopment
11. If the atural stream of the difference in 12. Location 12.	location of the well, or stream channel, elevation between to the irri	tunnel, or othe give the distathe stream bed	er development work is lence to the nearest point and the ground surface	ess than one-fourth on each of such ch at the source of d	mile from a annels and evelopment
11. If the atural stream of the difference in 12. Location 12.	location of the well, or stream channel, elevation between to the irri	tunnel, or othe give the distathe stream bed	er development work is lence to the nearest point and the ground surface	ess than one-fourth on each of such ch at the source of d	mile from a annels and evelopment

(If more space required, attach separate sheet)

Character of soil		2211.	110	NII	-21:12	×11/2 3	Line je	,		ļ
Kind of crops raised	e.	7	س.	A +	Pres	ent	••	~	· · ·	

II. To supply the city of
in county, having a present population of
and an estimated population of in 19
14. Estimated cost of proposed works, \$
15. Construction work will begin on or before
16. Construction work will be completed on or before 17 x El was Ling 1. The water will be completely applied to the proposed use on or before LUNE 1-175
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. Have Winter Water from Dry Grek B.
Creek 9005 Dry Generally by May 15 M. a. Busz les (Signature of applicant)
Remarks:
•
en de la companya de
e de la companya del companya de la companya de la companya del companya de la co
en de la companya de La companya de la co
e de la companya de La companya de la co
STATE OF OREGON. County of State of St
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 2, 19 58
WITNESS my hand this lst day of November .19 57.

LEVIS A. STANLEY

STATE ENGINEER

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The ri	ght herein granted	is limited to the amo	unt of water wh	ich can be applied to be	reficial use and
shall not exc	eed 0.50	cubic feet per seco	nd measured at	the point of diversion f	rom the well or
source of app	propriation, or its e	quivalent in case of re	otation with othe	er water users, from Bu	roker Well
No. 2					
The u	se to which this we	ater is to be applied i	• ••	tal irrigation	
	·				
If for	irriga d on, this app	propriation shall be lin	nited to 1/	80 of one cubic	foot per second
or its equiv	alent f or each acre	irrigated and shall b	e further limited	I to a diversion of not to	exceed 3
acre feet pe	r acre for each acr	re irrigated during th	e irrigation seas	on of each year; prov	ided further
that the	amount of water	allowed herein,	together wit	h the amount secur	ed under any
other rig	ht existing for	r the same lands	shall not exc	eed the limitation	allowed
herein,					
					.,
and shall b	e subject to such re	easonable rotation sy	stem as may be	ordered by the proper s	tate officer.
the works the The line, adequ	shall include prope works constructed ate to determine t permittee shall ins	er capping and contro shall include an air water level elevation	l valve to preve line and pressur in the well at a veir, meter, or ot	her suitable measuring	rt for measur ing
		is permit is			
Actı	ial con structi on wo	ork shall begin on or	before Dec	ember 30, 1958	and shall
thereafter	be prosecuted wit	th reasonable diligen	ce and be comp	leted on or before Oct	ober 1, 19.59
		of the water to the pr		be made on or before O	57
Application No. G- 788 Permit No. G-	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument wes first received in the office of the State Engineer at Salem. Oregon, on the day of	Returned to applicant:	Approved: December 30, 1957 Recorded in book No. Ground Water Permits on page	Drainage Basin No. 7 page 38