## RECEIVED

FEB- 11977

WATER RESOURCES DEPT

Permit No. G- G 7256

SALEM, OREGON APPLICATION FOR A PERMIT

76354

# To Appropriate the Ground Waters of the State of Oregon

I, OREGON PROPAGATING COMPANY
of Route 1, Box 52E; Brookings , county of Curry
state ofOregon 97415, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
January 28, 1974; State of Oregon
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Unnamed Stream (Name of stream)
tributary of Pacific Ocean
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is Irrigation, supplimental
Irrigation, Temperature Controll & Supplimental Temperature Controll
4. The well or other source is located ft and ft from the ft. (E. or W.)
corner of 1. 215 So., 1450 W. from the N.E. Corner Section 16
2. 20 So., 1610 W. from the N.E. Corner Section 16  (If preferable, give distance and bearing to section corner)
3. 565 So., 1610 W. from the N.E. Corner Section 16  (If there is more than one well, each must be described. Use separate sheet if necessary)
being within the N.W. 4, N.E. 4 of Sec. 16 , Twp. 41 S., R. 13 W.,
W. M., in the county of Curry
5. The Pipeline to be + 1.5 miles
in length, terminating in the N.W. 1. N.W. 1. of Sec. 15, Twp. 41 S. (Smallest legal subdivision)
R. 13 W., W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works isNo Name
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
Does not apply
8. The development will consist of Three Wells having a
diameter of8 inches and an estimated depth of feet. It is estimated that 30-45
feet of the well will require \(\frac{1}{4}\)! Steel casing. Depth to water table is estimated \(\frac{25}{\text{Ft.}}\).  (Feet)
Wells will be gravel packed

NAL SYST	EM OR PIPE LIN	E		e de Maria de la Cal
9. (K) G	ive dimensions at	each point of can	al where materially cha	nged in size, stating mile
adgate. At he	eadgate: width on	top (at water line	2)	feet; width on l
•••••	feet; depth of	water	feet; grade	feet fall p
ousand feet.				en e
( <b>%</b> ) At	m	riles from headga	te: width on top (at ma	ter line)
		a a		water
	feet fall			water
				n.; in size at
•	*			* • •
	•	to a contract of the contract		fference in elevation be
			grade uniform? .th system as not	Estimated car
	sec. ft. #3900	% 5690.	cen system as not	ed under permit
			e	······
	Gould	ds UD 66 ser	ies Submersible	Pumps, 10 stage
Give hors				Electric Submer
atural stream difference in 20-!	n or stream channe	el, give the distan n the stream bed unnamed str	nce to the nearest point and the ground surface	ess than one-fourth mile on each of such channe at the source of develor
atural stream difference in 20-	or stream channer elevation between 500 Ft. from 8' difference	el, give the distann n the stream bed unnamed str	nce to the nearest point and the ground surface eam	on each of such channe at the source of develor
atural stream difference in 20-	or stream channer elevation between 500 Ft. from 8' difference	el, give the distann n the stream bed unnamed str	nce to the nearest point and the ground surface	on each of such channe at the source of develor
atural stream difference in 20- 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor  ACHED SHEET  Number Acres
atural stream difference in 20- 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor  ACHED SHEET  Number Acres
atural stream difference in 20- 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor  ACHED SHEET  Number Acres
atural stream difference in 20- 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor  ACHED SHEET  Number Acres
atural stream difference in 20- 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor  ACHED SHEET  Number Acres
atural stream e difference in 20-: 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor develo
atural stream difference in 20-: 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor  ACHED SHEET  Number Acres
atural stream difference in 20- 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor develo
atural stream difference in 20- 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor develo
atural stream difference in 20- 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor develo
atural stream e difference in 20-: 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor develo
atural stream e difference in 20-: 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor develo
atural stream e difference in 20-: 6 -  12. Locat	or stream channer elevation between 500 Ft. from 8' difference ion of area to be in	el, give the distant the stream bed unnamed street in elevat	ace to the nearest point and the ground surface ream  ion  of use SEE ATT	on each of such channe at the source of develor develo

Character of soil Chetco Loam Kind of crops raised ... Flowers

#### OREGON PROPAGATING COMPANY

#### Application For A Permit

### 12. Location of area to be irrigated

			NUMBER ACRES TO BE IRRIGATED			
RANGE	SECTION	FORTY-ACRE TRACT	WELLS 1, 2 & 3 PRIMARY	WELLS 2 & 3 SUPPLIMENTAL	WELLS 1, 2 & 3 SUPPLIMENTAL	
13 W	9	SE½ SE½	0.3	<b>Q Q</b> .	8.0	
13 W	9				5.0	
13 W	16	NW\ NE\	0.2			
13 W	16	NEZ NEZ		3.3	13.6	
13 W	15	NWZ NWZ			6.6	
		TEMPERATURE	CONTROLL			
13 W	9	SE½ SE½	10.1		8.0	
13 W	9			يعوا عمران	0 • U,	
13 W	16			.1		
13 W	16			<b>10</b> 1	13.6	
13 W	15	NW \ NW \		26 2	6.6	
	13 W 13 W 13 W 13 W 13 W 13 W 13 W	13 W 9 13 W 16 13 W 16 13 W 15  13 W 9 13 W 9 13 W 9 13 W 9 13 W 16 13 W 16	RANGE   SECTION   TRACT	FORTY-ACRE   WELLS 1, 2 & 3	FORTY-ACRE   WELLS 1, 2 & 3   WELLS 2 & 3	

RECEIVED

Application No. 6-7684 Permit No. 6 7156 TEB- 11977 WATER RESOURCES DEPT SALEM, OREGON

		٠.
C	7156	
•	•••••	••
***********		
ASES		
78	#15. - 7	•
	10/01/79	
ter sup	ply, identify any appli	-
e water	r, made or held by the	3
Yock	Josh President	•
	President pulcant) existing wells.	
	owing:	
	in this permit	
	ome Well #10	
ed be	low	
GPM	SUPPLIMENTAL TO	)
31		-
77	GR 1676/1626 G-3900,	
158	G-5690, G-5691	
108		
158	G-5690, G-5691	
<u> </u>		
•	······································	
•		
41	and at a	
	with the accompanying	•
••••••	<del></del>	
he State	Engineer, with correc-	
~ Siuie	Linguiscer, while currec-	

By .....

				C.		
13. To supply the city of						
in county			ion of	••••••	•••••••••••••••••••••••••••••••••••••••	· <b>*****</b>
and an estimated population of	in	19				
ANSWER QUEST	CIONS 14, 15, 16, 1	17 AND 18 1	N ALL C	ASES		
.14. Estimated cost of proposed a	works, \$					
15. Construction work will begin	n on or before	10/0	01/77			
16. Construction work will be c	completed on or	before	10/01/	78	***	
17. The water will be completely	y applied to the	proposed u	se on or	before .	10/01/79	
18. If the ground water supply	is supplementa	l to an exi	sting wa	ter sup	ply, identify any	appli-
cation for permit, permit, certificate	or adjudicated	right to ap	propriat	e water	r, made or held b	y the
applicant. GR 1676/1626, G-					•••••••••••••••••••••••••••••••••••••••	
		— <b>/</b> )	Nu.		Jan J	••••••
	••••	No.rr	oanC.	Yock	President plicant)	
Remarks: State of Oreg				_		
To continue numbering sys	stem now in	use, u	se the	fol1	owing:	
#1 Well in this permit w	ill become v	well #8	; #2 ¹	Well	in this perm	it
will become Well #9; #3	Well in th	is perm	it wil	l bec	ome Well #10	
Water to be pumped equal	ly from well	ls as de	escrib	ed be	1ow	
USE					SUPPLIMENTA	
Irrigation	3 Wells		į	31		
Supplimental Irrigation	2 Wells #2 & #3			77	CD 1676/169	
Supplimental Irrigation	3 Wells	_		158	GR 1676/162 G-3900, G-5690, G-5	.D
Temperature Controll	3 Wells			108	G-2090, G-2	021.
Supplimental Temp. Control				158	0.5600 0.5	
Supprimental remp. Contro	DIT 2 MEILS	20.2	0.33	1728	G-5690, G-5	<u>691</u>
		······································	<u>!</u>	<u> </u>	<u> </u>	•••••
······································	***************************************		••••••	•	***************************************	· <b>****</b>
STATE OF OREGON, ss.						
County of Marion,		W.				
This is to certify that I have exc	amined the fore	going appli	cation, to	gether	with the accompa	nying
maps and data, and return the same for	r				,	
				**********	•	
In order to retain its priority, thi	is application m	ıst be retur	ned to th	he State	Engineer, with co	rrec-
tions on or before	_				<b>3</b> ,	
	·					
WITNESS my hand this	day of				10	
WIIIVESS my nana ons	uuy oj		•••••••		, 19	•
•						
			•••••			

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

Th	ie right herein			- :	water which can	n be applied to b	eneficial use
and shall	not exceed	0.59	cubi feet per s	second me	asured at the po	int of diversion f	rom the well
or source	of appropriati		1. 1.			ater users, from	
tempera	ture control	l, being	0.59 c.f.s. f	or irrig	ation and sun	mental irriga plemental irr	100+10
						of one cubic foo	
or its equ	ivalent for eac	h acre irri	gated and shall b	e further	· limited to a div	ersion of not to e	exceed 2½
acre feet	per acre for ea	ch acre irr	igated during the	e i rrigatio	n season of each	year; provide	d further
that th	e right allo	wed here	in shall be 1	imited t	o any deficie	ncy in the av	ailable
supply	of any prior	right e	xisting for t	he same	land and shal	1 not exceed	the
limitat	ion allowed	herein	1			•	
*************		***************************************	•		••••••	· · · · · · · · · · · · · · · · · · ·	••••••
••••••	•••••••••••••••••••••••••••••••••••••••				<u> </u>		
•••••		***************************************		***************************************	•	11 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1	•
nd shall	be subject to s		able rotation sus		u be ordered bu	the proper state	officer
The hall keep	permittee sha a complete re	ll install a ecord of th	nd maintain a w e amount of gro	eir, mete und wate	ell at all times. r, or other suite r withdrawn. ary 1, 1977	able measuring	device, and
Act	ual constructio	n work sho	ll begin on or be	fore	April 4.	1978	and shall
hereafter	be prosecuted	with reas	onàble diligence	and be	completed on or	before October	1, 19.78
			- 10 C			B Extended to Oct. or before Octobe	1979
	NESS my han			А			
		•.	i de La		Jame &	Lexan	
			nii Nu	WATER	RESOURCES DIR	ECTOR CO ura soos	CICCERCOCOCORORS
	y <sup>t</sup> t.	the	gon,			2	
	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE	OF OREGON  This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the day of the state			U	E ENGINE
3.6	PERMIT APPROPRIATE THE GROWN WATERS OF THE STATE	ceiv	alem T.L.				де ./
7 6	THE ST	ON rst ra	at S			oage	stat page
5 <b>U</b>		OREGON was first	nginee of of			on s	8
Application No.	PERN PRIATE RS OF 1	OF O	te Engi day of	icant		ook I	sin No
Application Permit No.	FROI TER	rume	State d	appl		in bi er Pe	Basi.
pplie	API	inst	the at	d to	, d.	rded Watı	rage
P	2	This	office of th on the 19.27, at	Returned to applicant:	Approved:	Recorded in book NoGround Water Permits on page	Drainage Basin No.
	e 1		on on 19	Rei	Apı	Ş	