TER PESOURCES DEPT.

Permit No. G- G 7167

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

i de la companya de
I, Mrs. Daviel W. Litabield (Name of applicant)
of 3425 Stabbild slace & E. Steen country of narion
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated.
(Name of stream) tributary of Willandte River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is
4. The well or other source is located 1100 ft. N and 300 ft. from the S.E.
corner of
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SE/SE of Sec. 12, Twp. 85, R. 3W,
W. M., in the country of manion
5. The pipeline waved to be approximate miles
in length, terminating in the SE/SE of Sec. 12, Twp. & S.
R. 3. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of One Wells, tunnels, etc.) (Give number of wells, tunnels, etc.)
diameter ofinches and an estimated depth offeet. It is estimated that 100.6
feet of the well will require steel casing. Depth to water table is estimated (Feet)

V AND

				•
	M OR PIPE LINE			ing a makang sample sa Laur da
			nal where materially chan	
			re)	
•••••••••••••••••••••••••••••••••••••••	feet; depth of i	vater	feet; grade	feet fall p
ousand feet.				ri Antonio Arturope
(b) At	mi	iles from headg	ate: width on top (at wate	er line)
			feet; depth of	- + 1 , +
	feet fall p			
(c) Length	of pipe,	ft.; siz	e at intakeir	ı.: in size at
*			sein.; dif	
take and place o	of use	f+ 10	grade uniform?	jerence in elevation bel
		jt. 18	grade unijorm:	Estimated cap
	·			en e
10. If pump	s are to be used, g	give size and ty	pe Battom pumps	5 HP submiredle
***************************************	····	••••••		
Give horser	power and type o	of motor or eng	gine to be used	electric
		28 C		
aturai stream (or stream channel	l, give the dista	er development work is le nce to the nearest point o l and the ground surface o	m each of such channel
iaiurai siream (or stream channel	l, give the dista	nce to the nearest point o	m each of such channel
e difference in e	r stream channel	the stream bed	nce to the nearest point of and the ground surface of	m each of such channel
e difference in e	r stream channel levation between	the stream bed	nce to the nearest point o	m each of such channel
e difference in e	r stream channel	the stream bed	nce to the nearest point of and the ground surface of	m each of such channel
difference in e	r stream channel levation between of area to be irr Range E. or W. of	the stream bed	nce to the nearest point of and the ground surface of the ground s	Number Acres To Be Irrigated
2 difference in e	r stream channel levation between of area to be irr Range E. or W. of	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	n each of such channel at the source of develop Number Acres
12. Location	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of the ground s	Number Acres To Be Irrigated
12. Location	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	Number Acres To Be Irrigated
12. Location	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	Number Acres To Be Irrigated
12. Location	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	Number Acres To Be Irrigated
12. Location	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	Number Acres To Be Irrigated
difference in e	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	Number Acres To Be Irrigated
2 difference in e	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	Number Acres To Be Irrigated
12. Location	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	Number Acres To Be Irrigated
12. Location	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	Number Acres To Be Irrigated
12. Location	r stream channel levation between of area to be irr Range E or W. of Willamette Meridian	igated, or place	nce to the nearest point of and the ground surface of use Forty-acre Tract	Number Acres To Be Irrigated

Character of soil Kind of crops raised

MUNICIPAL SUPPLY—	
13. To supply the city of	
in county, ha	aving a present population of
and an estimated population of	in 19
ANSWER QUESTION	IS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed work	ks, \$
15. Construction work will begin on	or before well completed
17 The spater spill be completely an	oplied to the proposed use on or before Oct 1978
18. If the ground water supply is s cation for permit, permit, certificate or a	supplemental to an existing water supply, identify any apadjudicated right to appropriate water, made or held by
applicant.	
	The David W V. + 11:00)
	mes Daniel W. Vitchfield
Remarks:	
" () well in med on	uly for house hald purposes
	······································
	
•••••••••••••••••••••••••••••••••••••••	
STATE OF OREGON,	
County of Marion, ss.	
This is to certify that I have examin	ned the foregoing application, together with the accompanyi
•	
In and an actual state of the s	
	plication must be returned to the State Engineer, with corre
ons on or before	
WITNESS my hand this do	ay of, 19,
$\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right)$	
	STATE ENGINEE

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed
or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 2.
The use to which this water is to be applied is irrigation
The Country of the Co
If for irrigation, this appropriation shall be limited to1/80th of one cubic foot per second
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed22.
acre feet per acre for each acre irrigated during the irrigation season of each year;
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
Fohmany 10 1977
The priority date of this permit is February 10, 1977
Actual construction work shall begin on or before April 4, 1978 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978
Complete application of the water to the proposed use shall be made on or before October 1, 1979.
WITNESS my hand this 4th day of April 19 77
WATER RESOURCES DIRECTOR AND SCHARE ENGINEERS
PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10 day of 126 19.77, at 3:30 o'clock P. M. Returned to applicant: Returned to applicant: Recorded in book No. of Ground Water Permits on page 6.7167 STATE ENGINEER Brainage Basin No. 2 page 151.