FEB-01977

WATER RESOURCES DEPT SALEM, OREGON Permit No. G- 7210

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, ANNA GRAHAM	
(Name of applicant)	ty er i d
of Heppner , county of Morrow (Postoffice Address)	
state ofOregon 97836 , do hereby make application for a permit to appropria following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	ite the
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of water developm situated	ent is
Situated Willow Cicer (Name of stream)	********
tributary of Columbia River	
2. The amount of water which the applicant intends to apply to beneficial use is 3.39 feet per second or 1.522.1 gallons per minute.	cubic
3. The use to which the water is to be applied issupplemental irrigation	**********
4. The well or other source is located 450 ft. S and 850 ft. W from the corner of Section 20	NE
(Section or subdivision)	••••••
(If preferable, give distance and bearing to section corner)	
(If there is more than one well, each must be described. Use separate sheet if necessary)	
being within the <u>NE½ NE½</u> of Sec. 20 , Twp. 28 , R. 2	6E.,
W. M., in the county of Morrow	
5. The portable main and laterals to be 2	
in length, terminating in the, Twp, Twp	
R, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is Graham #2	
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation c supply when not in use must be described.	
	••••••
8. The development will consist of hav	ing a
diameter of 10." inches and an estimated depth of170." feet. It is estimated that	
eet of the well will requiresteel casing. Depth to water table is estimated20	
(Kind) Castry. Depth to water table is estimated 40	

	jace, wearn on w	op (at water line).		feet; width on bo
			feet; grade	
thousand feet.				는 사람들은 사람들은 현존하는 
오이탈 하루 바람이 나를 가고 있다.	AND THE POST OF TH			
네트 시간 경험에 가장되지 않아 없는 그리고 있다. 는	원에 많아 아이는 그를 가셨다.		: width on top (at water li	
	feet; width on	bottom	feet; depth of wat	er
grade	feet fall 1	per one thousand f	eet.	
(c) Length	of pipe,	ft.; size a	t intake in.; i	n size at
general and the second of the second	e di di ance y applicació	# 344	in.; differ	
			ade uniform?	
	sec. Jt.			
10. If pump	s are to be used,	give size and type		II. V
Give horsep	ower and type	of motor or engin	e to be used 50 h.p.	electric turbin
e di Siling di Santa di Baggia da Le le le le Siling di Siling d				
			***************************************	
e i Nijejena piljetae i 🗀	그는 일본 사이를 위한다.	(1) 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	development work is less	
a natural stream o	or stream channe	el, give the distanc	e to the nearest point on	each of such channels
the difference in e	levation betwee	n the stream bed a	nd the ground surface at	the source of develops
The second secon				************************************
	a Armania Perangan		2.5	
			See Exhib	+ A
12. Locatio	n of area to be i	rrigated, or place o	f use See Exhib	Lt A
12. Locatio  Township N. or S.	n of area to be it  Range E. or W. of Willamette Meridian		f use See Exhib:	Number Acres
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres
Township	Range E. or W. of	Section		Number Acres
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated

## EXHIBIT A

## Supplemental

Township 2 South, Range 26 E.W.M.

Section	40 Acre Tract	Acres Irrigated
17	NWSE SWSE SESE	18.0 20.0 20.0
20	NENE SENE	22.0 2.0
21	NWNW SWNW SENW	16.0 32.0 4.5
	NWSW	3.0
		137.5

Application No. G-8149 Permit No. G 7210

RECEIVED

FES-01977

WATER ELSOURCES DEPT SALEM, OREGON

MUNICIPAL SUPPLY—	"	
13. To supply the city of		
in co	ounty, having a present population	n of
and an estimated population of	in 19	
ANSWER Q	UESTIONS 14, 15, 16, 17 AND 18 IN	ALL CASES
14. Estimated cost of propo	osed works, \$ 20,000.00	
15. Construction work will	begin on or before has star	:ted
16. Construction work will	be completed on or before	10-1-77
	letely applied to the proposed use	
18. If the ground water si	upply is supplemental to an exist	ting water supply, identify any appli- propriate water, made or held by the
applicant. See Remarks		
		U Mahanu (Signature of applicant)
Remarks: This Permi	t will be supplemental	to the Permit which is now
한 경우에 다른 사람들이 되는 것이 되는 것이 되었다.		to Certificate No. 113 whic
is presently in place a	and Certificates 127, 2	204 and 13535 which are bein
transferred to the land	d described herein.	
	et in de komen om blev og er trekke komen de for bleved. De komen i forske i som bleved om er som bleved i sterre	
HHO - 프로마 (1985) - 1984 - 1985 - 1985 - 1985 - 1985 - 1985 - 1985 - 1985 - 1985 - 1985 - 1985 - 1985 - 1985 - 1		그는 이번 살아를 내려고 하십시었다. 그는 그들은 그리는 그들은 그리는 이 그리는 것이다.
		en e
		er a de el plasociale de la colonia de l Colonia de la colonia de l
STATE OF OREGON, )		
County of Marion, ss.		
This is to certify that I have	ne eramined the foregoing applica	ation, together with the accompanying
maps and data, and return the san		
In order to retain its priorit	y, this application must be return	ed to the State Engineer, with correc-
tions on or before	<b>, 19</b>	
WITNESS my hand this	day of	, 19
	······	STATE ENGINEER
A CONTRACTOR		
[146] [148] 11 - 12 - 12 - 13 - 14 - 15 - 15 - 15 - 15 - 15 - 15 - 15	<i>By</i>	

PERMIT

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to chenginus use and shall not exceed 1.12 which feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Graham [Mell No. 2]  The use to which this water is to be applied is supplemental irrigation.  If for trigation, this appropriation shall be limited to 1/80 th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 are feet per acre for each acre irrigated during the irrigation season of each year; pxxxided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,  The works constructed shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an accessory in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water.  The permittee shall include a proper capping and control value to prevent the waste of ground water.  The permittee shall include a proper capping and control value to prevent the waste of ground water.  The permittee shall include a proper capping and control value to prevent the waste of ground water.  The permittee shall include a proper capping and control value to prevent the waste of ground water.  The permittee shall include a proper capping and control value to prevent the waste of ground water.  The permittee shall include an accessory in accordance with good practice and if the flow is artesian the works constructed shall include an access port for measuring fine, adequate to determine unter the waste of ground water.  The priority date of this permit is May 20, 1927  Actual construction work shall begin on or before Quality and the prop	SUBJECT TO EXISTING RIGHTS and the following limitations and conditions
well No. 2  The use to which this water is to be applied is supplemental irrigation.  If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well all times.  The premittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.79.  WITNESS my hand this 14th day of June 14. 1978 and shall be such as the proposed use shall be made on or before October 1, 19.79.  WITNESS my hand this 14th day of June 14.	The right herein granted is limited to the amount of water which can be applied to beneficial use
The use to which this water is to be applied is supplemental irrigation.  If for irrigation, this appropriation shall be limited to 1/89th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; pxoyided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978, and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.79.  WITNESS my hand this 14th day of June 14.	and shall not exceed
The use to which this water is to be applied is supplemental irrigation.  If for irrigation, this appropriation shall be limited to 1/89th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; pxoyided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978, and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.79.  WITNESS my hand this 14th day of June 14.	or source of appropriation, or its equivalent in case of rotation with other water users, from
The use to which this water is to be applied is supplemental irrigation.  If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; pxoxided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawm.  The priority date of this permit is May 20, 1977.  Actual construction work shall begin on or before June 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.79 WITNESS my hand this 14th day of June 14th and on or before October 1, 19.79 WITNESS my hand this 14th day of June 14th and on or before October 1, 19.79	We11 No. 2
If for irrigation, this appropriation shall be limited to	The use to which this water is to be applied is supplemental irrigation.
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3. acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before  June 14, 1978  and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.79.  WITNESS my hand this 14th day of June  WITNESS my hand this 14th day of June	
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed	If for irrigation, this appropriation shall be limited to
further that the right allowed herein shall be limited to any  deficiency in the available supply of any prior right existing for  the same land and shall not exceed the limitation allowed herein,  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is. May 20, 1977  Actual construction work shall begin on or before June 14, 1978, and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79.  WITNESS my hand this 14th day of June 14, 1978.	or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed
deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79  WITNESS my hand this 14th day of June 14	fact per nere for each acre irrigated during the irrigation season of each year; provided
deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.79.  WITNESS my hand this 14th day of June 19.71.	further that the right allowed herein shall be limited to day
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79  WITNESS my hand this 14th day of June 19.71.	deficiency in the available supply of any prior right existing for
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79  WITNESS my hand this 14th day of June 14  STATE ENGINEER	the same land and shall not exceed the limitation allowed herein,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before — June 14, 1978 — and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79  WITNESS my hand this 14th day of June — 19.77.	
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before — June 14, 1978 — and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79  WITNESS my hand this 14th day of June — 19.77.	
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79  WITNESS my hand this 14th day of June 19.71.	
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79  WITNESS my hand this 14th day of June 14. 1978  STATE ENGINEER	
The works constructed shall include an air line and pressure gauge or an access port for measuring The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is May 20, 1977  Actual construction work shall begin on or before June 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79  WITNESS my hand this 14th day of June 19.77.	and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
Actual construction work shall begin on or before	The permittee shall install and maintain a well, motor, shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit isMay 20, 1977
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78  Complete application of the water to the proposed use shall be made on or before October 1, 19.79  WITNESS my hand this	Actual construction work shall begin on or beforeJune 14, 1978 and shall
Complete application of the water to the proposed use shall be made on or before October 1, 19.7.9  WITNESS my hand this 14th day of June  STATE ENGINEER	thereafter he prosecuted with reasonable diligence and be completed on or before October 1, 19.78
WITNESS my hand this 14th day of June 19.77.	Gampleto application of the water to the proposed use shall be made on or before October 1, 19.7.9
STATE ENGINEER	Complete application of the day of June , 19,77.
	Junes C. Allia
ation No. G. & 149.  PERMIT  PREMIT  PROPRIATE THE GROUND TERS OF THE STATE OF OREGON  20 day of May  \$ o'clock AM.  \$ o'clock AM.  \$ applicant:  applicant:  age Basin No. page  \$ state engineer  \$ state engineer  \$ state engineer  \$ o'clock AM.  \$ o'clock AM.	STATE ENGINEER
ation No. G ZIYG  TNo. G ZIYG  TROPERIATE THE GROUND THESTATE OF OREGON  State Engineer at Salem, Oregon  applicant:  applicant:  AM.  State Engineer at Salem, Oregon  State Franits on page  ater Permits on page  ge Basin No. page	
The strength of the strength o	No. GZILG  G. T210  G. T210  G. T210  S. OF THE GROUND  S. OF THE STATE  F. OREGON  It was first received in the standard of
	ation of the state
APPlic at	APP in the conde
Appliu Permi TO AP WA This ins on the Approved: Record Ground W	Tound