

RECEIVED
MAR 4 1977
WATER RESOURCES DEPT
SALEM, OREGON

Permit No. G-7213

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon
"CERTIFICATE NO. 68012"

I, Andrew E. and/or Josephine Owings
(Name of applicant)
of P. O. Box 636, Jacksonville, county of Jackson
(Postoffice Address)
state of Oregon 97530, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

N/A

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Daisy Creek
(Name of stream)

tributary of Griffin Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.04 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation (see remarks)

4. The well or other source is located 260 ft. N. and 710 ft. E. from the SW corner of Section 32
(N. or S.) (E. or W.)
(Section or subdivision)

Well #2 is located 100 feet North and 600 feet East from the SW corner
(If preferable, give distance and bearing to section corner)

Section 32
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the (both) SW 1/4 SW 1/4 of Sec. 32, Twp. 37 S., R. 2 W., W. M., in the county of Jackson.

5. The pipeline to be 900 feet miles
(Canal or pipe line)
in length, terminating in the SW 1/4 SW 1/4 of Sec. 32, Twp. 37 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Owings Well #1 and #2.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of two wells both having a diameter of 6 inches and an estimated depth of 34 feet. It is estimated that 20 feet of the well will require 0.250 gage steel casing. Depth to water table is estimated #1 - 20' & #2 - 10 feet.
(Give number of wells, tunnels, etc.) #1 - 18 ft. #2 - 40 ft.
(Kind) (Feet)

9550

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 900 ft.; size at intake 2 in.; in size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, +10 ft. Is grade uniform? Yes. Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Well #1 2" submersible pump; Well #2 1 1/2" submersible pump.

Give horsepower and type of motor or engine to be used Well #1 1.5 H.P. electric motor; Well #2 1 H.P. electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well #1 is located 340 feet East of Daisy Creek.

Well #2 is located 240 feet East of Daisy Creek, both with a difference of elevation of +10 feet.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
37 S.	2 W.	32	SW 1/4 SW 1/4	3.0 acres

(If more space required, attach separate sheet)

Character of soil sandy clay loam.

Kind of crops raised garden, lawn, fruit trees.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$...2,500.00.....
- 15. Construction work will begin on or before ...one year from date of priority.....
- 16. Construction work will be completed on or before ...October 1, 1978.....
- 17. The water will be completely applied to the proposed use on or beforeOctober 1, 1979.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

Remarks:

x Josephine Owings
(Signature of applicant)
+ Andrew E. Brown

Any deficiency in supply from Well #1 will be made up from Well #2.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 4, 1977

Actual construction work shall begin on or before June 27, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 27th day of June 1977.

James E. Serna
Water Resources Director

Application No. G-7881
Permit No. G-7213

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4 day of March 1977, at 8 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of

Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 15 page 108