

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Chehalem Park and Recreation District
(Name of applicant)
of 1802 Haworth Ave, Newberg, county of Yamhill
(Postoffice Address)
state of Oregon **97132**, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated North Fork of Hess Creek
(Name of stream)

a north side tributary tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 40 gallons per minute.

to irrigate

3. The use to which the water is to be applied is General use in public park, including 3 acres of grass & shrubs, drinking water and misc. park use

4. The well or other source is located 3013 ft. S and 970 ft. W from the NE
(N. or S.) (E. or W.)
corner of Section 28
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE ¼, SE ¼ of Sec. 28, Twp. 3S, R. 3W
W. M., in the county of Yamhill

5. The pipeline to be 630 feet miles
(Canal or pipe line)
in length, terminating in the NE ½, SE ¼ of Sec. 28, Twp. 3S
(Smallest legal subdivision)
R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Crabtree Park Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 6 inches and an estimated depth of 190 feet. It is estimated that 60
feet of the well will require steel casing. Depth to water table is estimated 60
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 630 ft.; size at ~~intake~~ ^{pump} 2 in.; in size at = = = ft. from intake = = = in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, -10 ft. Is grade uniform? yes. Estimated capacity, 1/10 sec. ft.

10. If pumps are to be used, give size and type 3 H.P. submersible

Give horsepower and type of motor or engine to be used 3 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is 140 feet from North Ness Creek. At the well the ground surface is 21 feet higher than the stream bed.

12. Location of area to be irrigated, or place of use Crabtree Park

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3S	3W	28	NE 1/4 of SE 1/4	3 Park use

(If more space required, attach separate sheet)

Character of soil silty clay, Jory

Kind of crops raised grass, shrubs and shade trees

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 9,715.00
- 15. Construction work will begin on or before 9/1/76
- 16. Construction work will be completed on or before 10/15/76
- 17. The water will be completely applied to the proposed use on or before 10/30/76

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant.

M. Key
(Signature of applicant)

Remarks: (we have permit #35364 for appropriation of spring water on
this property, but it was found to be inadequate to irrigate the park,
may someday be used, but not in the foreseeable future.)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction and completion.....

..... order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before November 22, 19 76
May 31 77

WITNESS my hand this 20th day of September, 19 76
29th March 77

JAMES E. SEXSON
Director

By *Vestal R. Garner*
Vestal R. Garner

RECEIVED
SEP 23 1976
WATER RESOURCES DEPT
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Crabtree park well,

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 12, 1976

Actual construction work shall begin on or before June 30, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 30th day of June 1977.

James E. Serna
Water Resources Director

Application No. G-7428
Permit No. G-7218

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 12 day of July
1976, at 9:00 o'clock P.M.

Returned to applicant:

Approved:

Recorded in book No. _____ of
Ground Water Permits on page _____

STATE ENGINEER

Drainage Basin No. 2 page 149

30.00
500
500