

RECEIVED

CERTIFICATE NO. 11972-1

FEB - 6 1976

7219

WATER RESOURCES DEPT.
SALEM, OREGON

Permit No. G.....

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Sylvester & May Gayles
(Name of applicant)
of 2395 Meadow Lane Woodburn
(Postoffice Address) Oregon, county of Marion
state of Oregon 97071, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pudding River
(Name of stream) tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 120 gallons per minute.

3. The use to which the water is to be applied is growing alfalfa and like farm crops

4. The well or other source is located 304 ft. N and 193 ft. W from the SE 1/4 corner of Lot 32 Section 9 T. 5S R. 1W W.M.
(Section or subdivisions)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NE 1/4 SW 1/4 of Sec. 9, Twp. 5S, R. 1W W. M., in the county of Marion

5. The to be miles
(Canal or pipe line) in length, terminating in the of Sec., Twp., R., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Meadow Lane Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one having a diameter of 8 inches and an estimated depth of 120 feet. It is estimated that 119 feet of the well will require steel casing. Depth to water table is estimated 68
(Kind) (Feet)

0643 4866

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6000⁰⁰
- 15. Construction work will begin on or before J. Beck - June 1975
- 16. Construction work will be completed on or before Oct 1976
- 17. The water will be completely applied to the proposed use on or before Oct 1976
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Remarks: Sylvester Hayken & May Hayken
(Signature of applicant)
We should like to leave 5 1/2 acres with water permit # 9 1030 Vol 3 page 216 and cancel the remaining 37 1/2 acres on that permit. These 5 1/2 acres would be left with the building area of Lot 23. These 5 1/2 acres would include all of Lot 24 that we own, and that part of Lot 23 to just past the east side of the well.

RECEIVED

APR 22 1976

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 3, 1976

WITNESS my hand this 4th day of March, 1976

James E. Sexson
Director
By Thomas E. Shook
Thomas E. Shook

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.19..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Meadow Lane well.

The use to which this water is to be applied is ...irrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed2 1/2..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isFebruary 6, 1976.....

Actual construction work shall begin on or beforeJune 30, 1978..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.....

Complete application of the water to the proposed use shall be made on or before October 1, 1979.....

WITNESS my hand this30th..... day ofJune....., 1977.....

James E. Serna Water Resources Director
STATE ENGINEER

Application No. G-7252
Permit No. G-7219

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
Water Resources Director
office of the ~~State Engineer~~ at Salem, Oregon,
on the 6 day of February
1976, at 11 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of

Ground Water Permits on page

Water Resources Director

Drainage Basin No. 2 page 147

4200
Salem, Oregon