

RECEIVED

JUL 16 1976

WATER RESOURCES DEPT
SALEM, OREGON

CERTIFICATE NO. 51702 & 76352

Permit No. G 7258

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, George Harth
(Name of applicant)

of Route #3 Box 37 The Dallas, Oregon, county of Wasco
(Postoffice Address)

state of Oregon 97058, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Fifteen mile creek
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1,064 gallons per minute.

3. The use to which the water is to be applied is irrigating wheat and pasture

4. The well or other source is located 1,500 ft. N. and 1,500ft. E. from the S.W. corner of Section 26
(N. or S.) (E. or W.) (Section or subdivision)

Beginning at the S.W. corner of Sec 26, bearing North Easterly
(If preferable, give distance and bearing to section corner)

direction App 2,220' of the S.W. 1/4 of the S.W. 1/4 of Sec 26
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the S.W. 1/4 of the S.W. 1/4 of Sec. 26, Twp. 1N, R. 14E,
W.M., in the county of Wasco
NEX SW 1/4

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. 26, Twp. 1N,
(Smallest legal subdivision)
R. 14E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Geo. Harth Well # 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one _____ having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 500' feet. It is estimated that 150'
feet of the well will require steel casing. Depth to water table is estimated 360'
(King) (Feet)
to hit first trace of water, it increases with depth

0 2529117

T-9288
A Paul

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tuñnel, or other dedvelopment work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1N	R 14E	26	SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ South of the Emerson loop Rd.	App 30
1N	R 14E	26	NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ South of the Emerson loop Rd.	3
1N	R 14E	26	NE $\frac{1}{4}$ of the SE $\frac{1}{4}$	80
1N	R 14E	26	SE $\frac{1}{4}$ of the SE $\frac{1}{4}$	30
1N	R 14E	35	350' M/L strip laying in the Nth half of the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of Sec 35	App 20
				93

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 15,000-
- 15. Construction work will begin on or before April 26, 1977
- 16. Construction work will be completed on or before July 1, 1977
- 17. The water will be completely applied to the proposed use on or before Oct 1, 1977
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

George Barth
(Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 22, 19.77..

WITNESS my hand this ...22nd... day of February 1977, 19.....

JAMES E. SEXSON
Director

By *Vest R. Garner*
Vestal R. Garner

RECEIVED
APR 20 1977
WATER RESOURCES DEPT.
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.37 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Harth well No. 2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer,

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 16, 1976

Actual construction work shall begin on or before July 21, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 21st day of July, 1977

James E. Sexton
Water Resources Director

Application No. G-7438
Permit No. G 7258

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 16 day of July
1976, at 11 o'clock A. M.

Returned to applicant: _____

Approved: _____

Recorded in book No. _____ of _____
Ground Water Permits on page _____

STATE ENGINEER

Drainage Basin No. 4 page 4
78 20

pc