

CERTIFICATE NO. 66708 & 72940
52219

EXAM - 20.00
REC. - 46.75
66.75

RECEIVED

ASSIGNED. See Misc. Rec., Vol. 6 Page 122

MAR 4 1977
WATER RESOURCES DEPT
OREGON

Permit No. G- 7296

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, ROBERT A. DUDA
(Name of applicant)

of RT. BOX 14, MT. ANGEL
(Postoffice Address), county of MARION

state of OREGON 97362, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated S. ZOLLNER CR.
(Name of stream)

tributary of PUDDING RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 1.91 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is IRRIGATION & SOPAL.
IRRIGATION OF 152 1/2 AC.

4. The well or other source is located 830 ft. S and 15' ft. E from the N 1/4 corner of SEC 11
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NE 1/4 of Sec. 11, Twp. 6S, R. 1W, W. M., in the county of MARION

5. The _____ (Canal or pipe line) to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of A WELL having a diameter of 8 inches and an estimated depth of 305 feet. It is estimated that 132' feet of the well will require STEEL casing. Depth to water table is estimated 112' S.W.L.
(Give number of wells, tunnels, etc.) (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used 30 H.P. SUBM.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

800' W. of S. ZOLLNER CR., APPROX 30' ELEV. DIFF.

12. Location of area to be irrigated, or place of use

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------|---------------------------------------|---------|------------------|------------------------------|
| | | | | PRIM. SUPPL. |
| 6S | 1W | 2 | NE SW | 130 |
| | | | SE SW | 00 282 |
| | | 11 | NE NE | 20 |
| | | | NW NE | 320 |
| | | | SW NE | 360 |
| | | | NE NW | 220 |
| | | | SE NW | 100 |
| | | | | 530 902 |
| | | | | 1525 |

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before COMPLETE
- 16. Construction work will be completed on or before COMPLETE
- 17. The water will be completely applied to the proposed use on or before 1980

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. TO APPL. G-1148 & GR-181

Robert A. Duda
(Signature of applicant)

Remarks:

ALL LAND FILED SUPPL. ~~SEE~~ IN
SEC. 11 IS CLAIMED UNDER GR. CERT. 168
SEE L.D. IN APPL. G-1148

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.91 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 4, 1977

Actual construction work shall begin on or before July 21, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 21st day of July 1977

James E. Selman
Water Resources Director STATE ENGINEER

Application No. G- 7083
Permit No. G- 7296

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 4 day of MARCH,
19 77, at 1:25 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of
Ground Water Permits on page _____

STATE ENGINEER

Drainage Basin No. 2 page 155

86690
sheet 15A