

RECEIVED

CERTIFICATE NO.

57926

MAR 16 1977

WATER RESOURCES DEPT.
OREGON

Permit No. G-7316

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Joe Breitenstein

(Name of applicant)

of 7903 Cascade Highway S. E., Sublimity, county of Marion

(Postoffice Address)

state of Oregon 97385, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Beaver Creek

(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1.2 cubic feet per second or 550 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located ft. and ft. from the corner of

(N. or S.)

(E. or W.)

(Section or subdivision)

2126 feet North 64° 09' West from the Southeast corner of the Southwest quarter of Section 27, T8S, R1W, W. M.

(If preferable, give distance and bearing to section corner)

being within the SW $\frac{1}{4}$, SW $\frac{1}{4}$ of Sec. 27, Twp. 8S, R. 1W, W. M., in the county of Marion

(If there is more than one well, each must be described. Use separate sheet if necessary)

5. The to be miles in length, terminating in the of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is None

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 12 inches and an estimated depth of 400 feet. It is estimated that 78 feet of the well will require steel casing. Depth to water table is estimated 60

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) None feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type One 8" submersible and one lineshaft turbine in series

Give horsepower and type of motor or engine to be used Two 50 hp electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Over 1/4 mile

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8S	1W	27	NE $\frac{1}{4}$, SW $\frac{1}{4}$	6.32
8S	1W	27	NW $\frac{1}{4}$, SW $\frac{1}{4}$	15.37
8S	1W	27	SW $\frac{1}{4}$, SW $\frac{1}{4}$	37.39
8S	1W	27	SE $\frac{1}{4}$, SW $\frac{1}{4}$	18.07
8S	1W	28	NE $\frac{1}{4}$, SE $\frac{1}{4}$	5.88
8S	1W	28	SE $\frac{1}{4}$, SE $\frac{1}{4}$	14.09
				<u>77.12</u>

(If more space required, attach separate sheet)

Character of soil Clayey loam

Kind of crops raised Beans, corn, row crops

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 16,000
- 15. Construction work will begin on or before May, 1976
- 16. Construction work will be completed on or before June, 1977
- 17. The water will be completely applied to the proposed use on or before August 1977

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Dorothy Bratenstein
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER
By _____
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.2 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 16, 1977

Actual construction work shall begin on or before July 21, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 21st day of July, 1977

James E. Severson
Water Resources Director

Application No. G-7929
Permit No. G-7316

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 16 day of March
1977 at 10:20 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Ground Water Permits on page

STATE ENGINEER
Drainage Basin No. 2 page 156

80