## Permit No. G. 732

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

. Falch Adams. Jr							
of 1165 Columbia St., Salom , country of 11870							
state of Crandon Assembly and the state of Oregon, SUBJECT TO EXISTING RIGHTS:							
If the applicant is a corporation, give date and place of incorporation							
1. Give name of nearest stream to which the well, tunnel or other source of water development is							
Situated COR MILE MILE CT PROPERTY OF CONTROL OF CONTRO							
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 75 gallons per minute.							
3. The use to which the water is to be applied is Irrigoton by 1990 11							
Destable processed spronther							
4. The well or other source is located —it. and ft. from the corner of (Section or subdivision)  (Section or subdivision)  (If preferable, give distance and bearing to section corner)							
being within the of Sec							
W. M., in the county of A. A. C. C.							
5. The to be miles							
in length, terminating in the Of Sec. , Twp.							
R W. M., the proposed location being shown throughout on the accompanying map.							
6 The name of the well or other works is							
DESCRIPTION OF WORKS							
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.							
8. The development will consist of Give number of wells, tunnels, etc.)							
diameter of inches and an estimated depth of 1997 feet. It is estimated that 1997							
feet of the well will require casing. Depth to water table is estimated							

ndgate. At headgate: width on top (at water line)				feet; width on bottom	
			feet; grade	feet fall per one	
wand feet.	,		·		
	mile	s from headgat	e: width on top (at water line)		
fe	et; width on bo	ottom	feet; depth of water	feet	
ie					
	pipe,			size at	
m intake				nce in elevation betwee	
ake and place of u				. Estimated capacit	
_	<b>4</b>			,	
10. If pumps (	are to be used, g	ive size and typ	e 662 Tuil	THE	
				and the second second second second	
	ver and type of	motor or engin	e to be used 300 5 /	P Elictor	
Give horsepor	rer and type of	motor or engin	e w oc acca		
		t annual an ath	or development work is less the	an one-jourth mile from	
	stream channel, evation between	, give the distontion the stream became be	er development work is less the ince to the nearest point on ead and the ground surface at the	ne source of developme	
atural stream or s ne difference in ele	stream channel, evation between	, give the disto	d and the ground surface at the	ne source of developme	
ntural stream or s ne difference in ele	stream channel, evation between	, give the disto	d and the ground surface at th	ne source of developme	
ntural stream or s ne difference in ele	stream channel, evation between	, give the disto	d and the ground surface at the	ne source of developme	
ntural stream or see difference in electrons  12. Location	of area to be in	the stream bed	d and the ground surface at the	Number Acres	
ntural stream or see difference in electrons  12. Location	of area to be in	the stream bed	rorty-acre Tract	Number Acres	
e difference in ele  12. Location	of area to be in	give the distant the stream beautiful the stream be	rorty-acre Tract	Number Acres	
ntural stream or see difference in electrons  12. Location	of area to be in Range Range Range Range Range Range	rrigated, or place	rorty-acre Tract	Number Acres	
e difference in ele  12. Location	of area to be in Range 2 or W of Willamette Meridian	rrigated, or place	rorty-acre Tract	Number Acres	
e difference in ele  12. Location	of area to be in Range 2 or W of Willamette Meridian	rrigated, or place	rorty-acre Tract	Number Acres	
ntural stream or see difference in electrons  12. Location	of area to be in Range 2 or W of Willamette Meridian	rrigated, or place	rorty-acre Tract	Number Acres	
e difference in ele  12. Location	of area to be in Range 2 or W of Willamette Meridian	rrigated, or place	rorty-acre Tract	Number Acres	
e difference in ele  12. Location	of area to be in Range 2 or W of Willamette Meridian	rrigated, or place	rorty-acre Tract	Number Acres	
ntural stream or see difference in electrons  12. Location	of area to be in Range 2 or W of Willamette Meridian	rrigated, or place	rorty-acre Tract	Number Acres	
ntural stream or see difference in electrons  12. Location	of area to be in Range 2 or W of Willamette Meridian	rrigated, or place	rorty-acre Tract	Number Acres	
ntural stream or see difference in electrons  12. Location	of area to be in Range 2 or W of Willamette Meridian	give the distant the stream beautiful the stream be	rorty-acre Tract	Number Acres	

ASSISTANT

	nty, having a present population of
ANSWER G	CRESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of propos	egin on or before 30 days after permit is using
	e completed on or before The Symmer St.
•	etely applied to the proposed use on or before Add. Sugaras in the control of the
28. If the ground water sugnition for permit, permit, certific	oply is supplemental to an existing water supply, identify any applate or adjudicated right to appropriate water, made or held by the
pplicent.	
	Ralph adomo J.
Remerks:	(Signature of applicant)
	······································
, <b>,</b> , , , , , , , , , , , , , , , , ,	
	• 
	<u></u>
STATE OF OREGON, (ss. County of Marion,	
	ve examined the foregoing application, together with the accompany
	me for
	•
	ity, this application must be returned to the State Engineer, with corr
tions on or before	
WITNESS my hand this	day of
	_

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed							
·	ts equivalent in case of rotati			WOTT :			
	s water is to be applied is						
The use to which the	water is to be approximate						
If for irrigation this	appropriation shall be limite	d to 1/80	of one cubic	foot per second			
	scre irrigated and shall be fu		diversion of not to	exceed 21			
_	acre irrigated during the ir						
			······································				
and the second s							
and shall be subject to su	ch reasonable rotation system	n as may be order	red by the proper s	state officer.			
The priority date of Actual construction thereafter be prosecuted	install and maintain a weir the amount of ground wate this permit is unork shall begin on or before with reasonable diligence to on of the water to the propo	December Jarman	er 23, 1957 ry 27, 1959 d on or before Oct	and shall cober 1, 19.59			
	d this 27th day of	January /	19	58.			
	•	Lu	wio a Ila	STATE ENGINEER			
		, .		STATE ENGINEER			
• III = •	OF OREGON  This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of DECEMBER  1952, at 11:30 o'clock A.M.	Returned to applicant:	Approved: January 27, 1958. Recorded in book No. 3 of Ground Water Permits on page 7332	Drainage Basin No. 2 page 92 E			