

RECEIVED  
WATER RESOURCES DEPT.  
SALEM, OREGON

"CERTIFICATE NO. 54945"

Permit No. G-7332

APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, Willett E. and/or JoAnne K. White  
(Name of applicant)  
of 5313 Highway 66 Ashland, county of Jackson,  
(Postoffice Address)  
state of Oregon 97520, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

N/A

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Brushy Gulch  
(Name of stream)

a tributary Neil Creek tributary of Bear Creek

2. The amount of water which the applicant intends to apply to beneficial use is .07 cubic feet per second or \_\_\_\_\_ gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 475 ft. N and 200 ft. E from the S $\frac{1}{4}$   
(N. or S.) (E. or W.)  
corner of Sec. 19  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$  SE $\frac{1}{4}$  of Sec. 19, Twp. 39 S, R. 2 E,  
W. M., in the county of Jackson

5. The pipeline to be 1200 feet miles  
(Canal or pipe line)  
in length, terminating in the SW $\frac{1}{4}$  SE $\frac{1}{4}$  of Sec. 19, Twp. 39 S,  
(Smallest legal subdivision)  
R. 2 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is White sump

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of well (sump) having a  
(Give number of wells, tunnels, etc.)  
diameter of 73'x20' inches and an estimated depth of 8 feet. It is estimated that 0  
feet of the well will require none casing. Depth to water table is estimated 1  
(Kind) (Feet)

9831

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake 2 in.; in size at ..... ft. from intake ..... in.; size at place of use 2 in.; difference in elevation between intake and place of use, +40 ft. Is grade uniform? yes Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 2" x 1.5" cent. pump

Give horsepower and type of motor or engine to be used 3 H.P. gasoline motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development sump is located 80' SW of Brushy Gulch with a difference in elevation of +3 feet

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
39 S.	2 E	19	SW $\frac{1}{4}$ SE $\frac{1}{4}$	5.48 acres

(If more space required, attach separate sheet)

Character of soil clay loam  
 Kind of crops raised garden, lawn, fruit trees, pasture

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 600.00
- 15. Construction work will begin on or before one year from date of priority
- 16. Construction work will be completed on or before October 1, 1979
- 17. The water will be completely applied to the proposed use on or before October 1, 1980
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

Remarks: .....

x *Walter E. White*  
(Signature of applicant)  
 x *Gloria K. White*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a sump well.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 25, 1977.

Actual construction work shall begin on or before July 21, 1978 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978  
Extended to Oct. 1 1980 ~~Extended to Oct. 1979~~

Complete application of the water to the proposed use shall be made on or before October 1, 1979  
Extended to Oct. 1 1980

WITNESS my hand this 21st day of July, 1977.

*Jama E. Severson*  
Water Resources Director

Application No. G- 7954  
Permit No. G- 7332

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25 day of March, 1977, at 8 o'clock A. M.

Returned to applicant: \_\_\_\_\_  
Approved: \_\_\_\_\_  
Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_  
Ground Water Permits on page \_\_\_\_\_

STATE ENGINEER  
Drainage Basin No. 15 page 108  
3022