

ASSIGNED, See Misc. Rec., Vol. 6 ~~Page~~ 1547

RECEIVED
JUN 2 1974
STATE ENGINEER
SALEM, OREGON

Permit No. G-7339

APPLICATION FOR A PERMIT
"CERTIFICATE NO. 76298"

To Appropriate the Ground Waters of the State of Oregon

I, W. C. Farms (Name of applicant)
of Star Route Box 82 Union, county of Union,
(Postoffice Address)
state of Oregon 97803, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Catherine Creek
(Name of stream)
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 37 cubic
feet per second or gallons per minute.

3. The use to which the water is to be applied is primary & supplemental
irrigation

4. The ³⁰well, or other source ^{is} located see supporting sheet ft. and ft. from the
(N. or S.) (E. or W.)
corner of
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the of Sec. 25, 26, 27 Twp. 35, R. 39E,
also 1, 2, 3, 11 T4S R39E W1W
W. M., in the county of Union

5. The (Canal or pipe line) to be miles
in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. ,
R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is #1-38

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 39 ~~38~~ wells (Give number of wells, tunnels, etc.)
having a
diameter of 14 inches and an estimated depth of 200 feet. It is estimated that 200
feet of the well will require steel casing. Depth to water table is estimated 6
(Kind) (Feet)

ASSIGNED, See Misc. Rec., Vol. 7
from
2948 + 49

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *100 hp electric*

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Catherine Creek

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>35</i>	<i>39E</i>	<i>25</i>		
		<i>26</i>		
		<i>27</i>		
		<i>34</i>		
		<i>35</i>		
		<i>36</i>		
<i>45</i>	<i>39E</i>	<i>1</i>	<i>See supporting sheet</i>	
		<i>2</i>		
		<i>3</i>		
		<i>11</i>		

(If more space required, attach separate sheet)

Character of soil *volcanic ash*

Kind of crops raised *grain*

RECEIVED
 NOV 18 1974
 STATE ENGINEER
 SALEM, OREGON

Application No. G-6578
 Permit No. G 7339

Well #2
 tie 3773' west NE corner of section 11, T4S, R39EWM; in NENW $\frac{1}{4}$
 59' south
 to irrigate;

Supplemental
 " NWNW 17.70 Ac. Section 11
 " SNNW 18.00 Ac. "
 " SWSW 38.80 Ac. Section 2
 " NWSW 40.0 Ac. Section 2

Supplemental to
 " NENW 35.2 Ac. "
 " SENW 32.0 Ac. "
 Well #9
 tie 341' east NW corner of section 1, T4S, R39EWM; in SNNW $\frac{1}{4}$
 1331' south
 " NWNW 38.2 Ac. Section 1, T4S, R39EWM
 * 32.09 Ac. NENW 40.0 Ac.

Well #17
 tie 41.0' north south west corner Section 36, T3S, R39EWM in SWSW $\frac{1}{4}$
 44' east.

" SWSW 38.20 section 36 T3S, R39EWM
 " SESW 39.09 "
 supplemental to;
 SWSE 40 Section 26 T3S, R39EWM
 NWSE 40 " "
 SWNE 40 " "

Well #20
 tie: 1334' north SW corner of Section 36, T3S, R39EWM ; in NWSW $\frac{1}{4}$
 50' east.;

" NWSW 39.09 Ac. Section 36, T3S, R39EWM.
 " NESW 40.00 Ac. " "

supplemental to;
 SWSE 40 Ac. Section 26 T3S, R39EWM
 NWSE 40 " "
 SWNE 40 " "

Well #21-A *59' east from the*
 tie: 2628' north SW corner of Section 36, T3S, R39EWM in NWSW $\frac{1}{4}$
 " SWNE 39.09 Ac. Section 35, T3S, R39EWM
 " NWNE 40.00 Ac.

Well # 21
 tie: 3635' north SW corner of section 36 T3S, R39EWM with SW $\frac{1}{4}$ NW $\frac{1}{4}$
 39' east

Primary SWNW 39.09 ac. Section 36, T3S, R39EWM
Supplemental SENE 38.20 Ac. Section 35, T3S, R39EWM

Well #27
 tie: 4998' north of SW corner section 36, T3S, R39EWM ; in NWNW Section 36
 39' east

Primary NWNW 39.09 Ac. Section 36, T3S, R39EWM
Supplemental NENE 39.09 Ac. " 35, T3S, R39EWM

Well #28 6444' north & 33.5 east of SW corner of Section 36, T3S, R39EWM
Primary SWSW 39.09 Ac. Section 25, T3S, R39EWM (in SWSW $\frac{1}{4}$ section 25,
Supplemental SESE 39.09 Ac. Section 26, T3S, R39EWM T3S, R39EWM)

RECEIVED
NOV 13 1974
STATE ENGINEER
SALEM, OREGON

Application No. G-6578
Permit No. G 7339

Well #35
tie.; 7792 north
39' east of SW corner of Section 36, T3S, R39EWM
located in NWSW section 25, T3S, R39EWM

Primary NWSW 39.09 Ac. Section 25, T3S, R39EWM
Supplemental SESE 39.09 Ac. Section 26, T3S, R39EWM
NE

Well #36
tie. 9191 north of SW corner of section 36, T3S, R39EWM
35' east
located in SNNW $\frac{1}{4}$ of Section 25, T3S, R39EWM

Primary SWNW . 39.09 Ac. Section 25, T3S, R39EWM
Supplemental SENE 39.09 Ac. Section 26, T3S, R39EWM

Well #15
tie: 1400' north of south $\frac{1}{4}$ corner Section 34, T3S, R39EWM (in NWSE $\frac{1}{4}$)
47' east.
" SESW 17.5 Ac. Section 34
" SWSE 38.2 Ac. "
" SESE 39.09 Ac. "

Well #16
tie' 2603 north of South $\frac{1}{4}$ corner of Section 34, T3S, R39EWM
35' East.; *within NW $\frac{1}{4}$ SE $\frac{1}{4}$*
" NESW 7.0 Ac. Section 34
" ~~SWSE~~ ~~38.20~~ Ac.; 39.09 " "
" ~~SESE~~ ~~39.09~~ Ac. 40.0 " "

Well #24
tie.; 4596.5 north of south $\frac{1}{4}$ corner Section 34, T3S, R39EWM (in NWNE $\frac{1}{4}$)
44.0 east
" SENW 31.0 Ac. Section 34
" NWNE 39.09 Ac.;

Well #31
Tie; 5977' north of south $\frac{1}{4}$ corner of section ~~34~~ T3S, R39EWM
55' east located in SWSE $\frac{1}{4}$ of Section 27, T3S, R39EWM
" SWSE 39.09 Ac. Section 27
SESE 39.09 Ac. "

Well #32
tie; 7323.5 north of South $\frac{1}{4}$ corner of Section 34, T3S, R39EWM
57' east. (located in NWSE $\frac{1}{4}$ of Section 27, T3S, R39EWM)
" NWSE 38.20 Ac. Section 27
" NESE 38.20 Ac. "

Township	Range	Section	40	Aeres	
35	39E	25	Primary		
			- SW/4 NW/4	39.09	
			SE/4 NW/4	40.00	
			NE/4 SW/4	40.00	
			- NW/4 SW/4	39.09	
			- SW/4 SW/4	39.09	
			SE/4 SW/4	40.00	
			Supplemental		
			- SW/4 NE/4	40.00	
			- SE/4 NE/4	39.09	
		S 1/2 NW/4	80.00		
		NE/4 SW/4	40.00		
		NW/4 SW/4	39.09		
		SW/4 SW/4	39.09		
		SE/4 SW/4	40.00		
		- NE/4 SE/4	39.09		
		- NW/4 SE/4	40.00		
		- SW/4 SE/4	40.00		
		- SE/4 SE/4	39.09		
		27	- NE/4 SE/4	38.20	
			- NW/4 SE/4	38.20	
			- SW/4 SE/4	39.09	
			- SE/4 SE/4	39.09	
			34	- NW/4 NE/4	39.09
				- SE/4 NW/4	31.00
				- NE/4 SW/4	7.00
				- SE/4 SW/4	17.50
				- NE/4 SE/4	40.00
				- NW/4 SE/4	39.09

RECEIVED
 JUN 24 1974
 STATE ENGINEER
 SALEM, OREGON

Application No. G-6578
 Permit No. G 7339

Township	Range	Section	Acres		
35	39E	Supplemental			
		34	40		
				- SW ¹ / ₄ SE ¹ / ₄	38.20
				- SE ¹ / ₄ SE ¹ / ₄	39.09
			35	- NE ¹ / ₄ NE ¹ / ₄	39.09
				- NW ¹ / ₄ NE ¹ / ₄	40.00
				- SW ¹ / ₄ NE ¹ / ₄	39.09
				- SE ¹ / ₄ NE ¹ / ₄	38.20
				NE ¹ / ₄ NW ¹ / ₄	40.00
				NW ¹ / ₄ NW ¹ / ₄	39.09
				SW ¹ / ₄ NW ¹ / ₄	38.20
				SE ¹ / ₄ NW ¹ / ₄	39.09
			36	- NE ¹ / ₄ SW ¹ / ₄	40.00
				- NW ¹ / ₄ SW ¹ / ₄	39.09
				- SW ¹ / ₄ SW ¹ / ₄	38.20
				- SE ¹ / ₄ SW ¹ / ₄	39.09
				NE ¹ / ₄ SE ¹ / ₄	40.00
				NW ¹ / ₄ SE ¹ / ₄	40.00
				SW ¹ / ₄ SE ¹ / ₄	39.09
				SE ¹ / ₄ SE ¹ / ₄	39.09
				Primary	
				36	
				E ¹ / ₂ NW ¹ / ₄	80.00
				- NW ¹ / ₄ NW ¹ / ₄	39.09
				- SW ¹ / ₄ NW ¹ / ₄	39.09

RECEIVED
 JUN 21 1974
 STATE ENGINEER
 SALEM, OREGON

Application No. G-6578
 Permit No. G 7339

Township	Range	Section	Acres
4S	39E	1	40 Supplemental NW ¹ / ₄ NE ¹ / ₄ 39.09
			SW ¹ / ₄ NE ¹ / ₄ 40.00
			- NE ¹ / ₄ NW ¹ / ₄ 39.09
			- NW ¹ / ₄ NW ¹ / ₄ 38.20
			SW ¹ / ₄ NW ¹ / ₄ 39.09
			SE ¹ / ₄ NW ¹ / ₄ 40.00
			NE ¹ / ₄ SW ¹ / ₄ 40.00
			NW ¹ / ₄ SW ¹ / ₄ 39.09
			NE ¹ / ₄ SE ¹ / ₄ 40.00
			NW ¹ / ₄ SE ¹ / ₄ 40.00
			SW ¹ / ₄ SE ¹ / ₄ 38.80
		SE ¹ / ₄ SE ¹ / ₄ 38.80	
		2	NE ¹ / ₄ NE ¹ / ₄ 38.20
			NW ¹ / ₄ NE ¹ / ₄ 38.80
			SW ¹ / ₄ NE ¹ / ₄ 40.00
			SE ¹ / ₄ NE ¹ / ₄ 39.09
			NE ¹ / ₄ NW ¹ / ₄ 38.4
			NW ¹ / ₄ NW ¹ / ₄ 39.09
			SW ¹ / ₄ NW ¹ / ₄ 40.00
			SE ¹ / ₄ NW ¹ / ₄ 39.40
			- NW ¹ / ₄ SW ¹ / ₄ 40.00
			- SW ¹ / ₄ SW ¹ / ₄ 38.80
			3
		SW ¹ / ₄ SE ¹ / ₄ 31.00	
		SE ¹ / ₄ SE ¹ / ₄ 38.80	
		11	- NE ¹ / ₄ NW ¹ / ₄ 38.80
			- NW ¹ / ₄ NW ¹ / ₄ 17.70
			- SW ¹ / ₄ NW ¹ / ₄ 18.00
			- SE ¹ / ₄ NW ¹ / ₄ 38.00

RECEIVED
 JUN 28 1974
 STATE ENGINEER
 SALEM, OREGON

Application No. G-6578
 Permit No. G 7339

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1 1/2 million
- 15. Construction work will begin on or before started
- 16. Construction work will be completed on or before Oct 76
- 17. The water will be completely applied to the proposed use on or before Oct 77
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. certificates: 6151, 6237, 6239, 6364, 6389, 6390, 12A31,
33238 & 36299

W.C. Harris by William H. Cooper
(Signature of applicant) partner

Remarks: _____

This application for a permit is based on one well supplying water for 80 acres of land; however, if the initial drilling indicates one well will be adequate for 160 acres, all 38 wells will not be drilled on this project, but the amount of water requested will not be decreased.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction and completion _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 15, 1974.

RECEIVED
NOV 13 1974
STATE ENGINEER
SALEM OREGON

my hand this 16th day of September, 19 74.

CHRIS L. WHEELER
STATE ENGINEER
By *Thomas E. Shook*
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 37.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 39 wells...

The use to which this water is to be applied is irrigation and supplemental irrigation...

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; Provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 24, 1974

Actual construction work shall begin on or before August 5, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978...

Extended to Oct. 1 1981 Extended to Oct. 1, 1983
Complete application of the water to the proposed use shall be made on or before October 1, 1979...

Extended to Oct. 1 1981 Extended to Oct. 1, 1983
WITNESS my hand this 5th day of August 1977

Janet E. Seaman
Water Resources Director

Application No. G-6578
Permit No. G-7339

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of June, 1974, at 9:32 o'clock A. M.

Returned to applicant:
Approved:
Recorded in book No. of
Ground Water Permits on page

STATE ENGINEER
Drainage Basin No. B page 43

757
Sheet 251