APPLICATION FOR A PERMIT

~ ~	111	(Name of applicant)	NC.
F MO. BOX	166, CULVER,	97734 county	of DESCHUTES,
ate of OREGON	/, do h	ereby make applicati	on for a permit to appropriate the
llowing described ground a	waters of the state of (Oregon, SUBJECT To	O EXISTING RIGHTS:
If the applicant is a con	rporation, give date an	d place of incorpora	tion
1. Give name of neare	est stream to which th	e well, tunnel or othe	er source of water development is
tuated DEEP	CANYON	CR.	
			DESCHUTES RI
and the second of the second o			
2. The amount of water per second or 26.96.	er which the applicant gallons per minute 3 c/s # 6 - · 53 (t intends to apply to l . WELL #3— . TS #8— • 78. C	peneficial use is 5.99 cubic
3. The use to which the	he water is to be appl	ied is IRR!	GATION of
479 5 A	c.		
			ft from the
orner of	C F Feeting	or subdivious FOA	DATE SHEA
	ے کے <u>ت</u>		MAP MAP
	s more than one well, each must	be described. Use separate she	et if necessary)
aima suithin tha	- 	of Sec	, Twp, R,
	8 1 4	•	, , , , , , , , , , , , , , , , , , , ,
	inschutes		
V. M., in the county of	rschutzs •	to	be miles
V. M., in the county of	rschutzs •	to	be miles
7. M., in the county of	(Canal or pipe line) (Smalfest legal sub	to of Se	be miles
5. Then length, terminating in the	(Canal or pipe line) (Smalker legal suboposed location being s	of Sections to to	be, Twp, the accompanying map.
V. M., in the county of	(Canal or pipe line) (Smalker legal suboposed location being s	of Sections to to	be, Twp, the accompanying map.
V. M., in the county of	(Canal or pipe line) (Smalkest legal sut oposed location being s ll or other works is	of Sections to to	be, Twp, the accompanying map.
V. M., in the county of	(Canal or pipe line) (Smalfest least subspoosed location being subspoo	to of Se hown throughout on CLUS ON OF WORKS	be, Twp, the accompanying map.
V. M., in the county of	(Canal or pipe line) (Smalkest least subspoosed location being s ll or other works is	to of Se hown throughout on CLUS ON OF WORKS	be miles cc, Twp, the accompanying map. 5, 6, E, 8, 4
n length, terminating in the R, W. M., the pro 6. The name of the wel	(Canal or pipe line) (Smalfest legal subspoosed location being s ll or other works is	to of Se hown throughout on CLUS ON OF WORKS	be miles cc, Twp, the accompanying map. 5, 6, E, 8, 4
5. The	(Canal or pipe line) (Smalkest least subspoosed location being s ll or other works is	to of Se hown throughout on CLUS ON OF WORKS	be miles cc, Twp, the accompanying map. 5, 6, E, 8, 4
V. M., in the county of	(Canal or pipe line) (Smalkest least subspoosed location being s ll or other works is	to of Se hown throughout on CLUS ON OF WORKS	be miles cc, Twp, the accompanying map. 5, 6, E, 8, 4
V. M., in the county of	(Canal or pipe line) (Smalfest legal subspoosed location being s ll or other works is	to of Se hown throughout on CLUS ON OF WORKS	be miles cc, Twp, the accompanying map. 5, 6, E, 8, 4
5. The	(Canal or pipe line) (Smalfest legal subspoosed location being s ll or other works is	to of Se hown throughout on CLUS ON OF WORKS	be miles cc, Twp, the accompanying map. \$ \begin{align*} \beta & \beta & \\ \end{align*} e control and conservation of the having a
V. M., in the county of	(Canal or pipe line) (Smalfest leght sut opposed location being s ll or other works is	of Se hown throughout on ON OF WORKS This to be used for the ON OF WORKS	be miles cc, Twp, the accompanying map. \$ \begin{align*} \beta & \beta & \\ \end{align*} e control and conservation of the having a
V. M., in the county of	(Canal or pipe line) (Smalkest lead sut opposed location being sold or other works is	of Sections of Sec	be

	M OR PIPE LINE- ve dimensions at ea		nal where materially chang	ed in size, stating 1
eadgate. At hec	adgate: width on to	p (at water lin	e) / / /	feet; width
	feet; depth of w	ater	feet; grade	feet fo
housand feet.				
(b) At	mil	les from headg	ate: width on top (at wate	r line)
	feet; width on b	oottom	feet; depth of u	vater
rade	feet fall p	er one thousan	d feet.	
			e at intake 10" Main in	.; in size at
			se in.; dif	
			grade uniform?	. 📆
		*		
	•	rine size and tu	pe TURBINES W	eu #3 - 25
			P. ; #8-125	
			gine to be used	
Give nors	epower and type o	of motor or en	gine to be used	
the difference in	n or stream channel	l, give the dist. the stream be	ance to the nearest point of d and the ground surface of	m each of such ch at the source of de
natural stream	or stream channel elevation between ion of area to be irr	l, give the dist. the stream be	ance to the nearest point c	m each of such ch at the source of de
natural stream	n or stream channel	l, give the dist. the stream be	ance to the nearest point of d and the ground surface of the groun	m each of such cha at the source of de Number Ac To Be Irrig
n natural stream the difference in 12. Locat	ion of area to be irr	l, give the dist	ance to the nearest point of d and the ground surface of the groun	m each of such cha at the source of de
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the control of the control	l, give the dist. the stream be	re of use Forty-acre Tract NE & SE &	nn each of such chu at the source of de Number Ac To Be Irriga O 4 3 4 9 6 2
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist	re of use Forty-acre Tract NE & SE &	Number Ac To Be Irrigi
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist	re of use Forty-acre Tract NE SE	Number At To Be Irrig. O 4 3 4 2 6 2 9 6 3 1 1 7 6 2
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist. the stream be rigated, or place section 17	re of use Forty-acre Tract NE & SE &	Number A To Be Irrig. O 4 340 62 83/:
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist. the stream be rigated, or place section 17	re of use Forty-acre Tract NE SE	Number Aro Be Irrig
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist. the stream be rigated, or place section 17	Forty-acre Tract NE SE	Number Ad To Be Irriging 62 31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist. the stream be rigated, or place section 17	re of use Forty-acre Tract NE & SE &	Number A To Be Irrig. O 4 3 4 9 6 2 9 8 9 3 1 - 16 2 3 5 6 3 8 9 2 0 - 40 -
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist. the stream be rigated, or place section 17	re of use Forty-acre Tract NE SE	Number At To Be Irrig. O 4 349 62 349 162 356 388 395 062 402 376 328
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist. the stream be rigated, or place section 17	re of use Forty-acre Tract NE SE SE SE SE SE NE NE SE NW NE SW NW SE NW NW SW SW SW SW SW SW SW SW SW SW SW SE SW	Number At To Be Irriging 1 1 2 2 3 5 6 3 8 8 3 4 9 5 0 6 2 4 0 6 3 7 6 3 2 6 3 2 6 3 2 6 3 2 6 2 6
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist. the stream be rigated, or place section 17	re of use Forty-acre Tract NE & SE &	Number A To Be Irris O 4 349 62 98 3/- /62 356 388 200 400 378 325 418
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	rigated, or place section 17 20	re of use Forty-acre Tract NE & SE & SE & SE & NE &	Number A To Be Irris O 4 349 62 388 395 202 325 325 325 325 325 325 32
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	l, give the dist. the stream be rigated, or place section 17	re of use Forty-acre Tract NE & SE & SE & SE & NE NE NE NW NE SW NW SE NW NW SW NW SW SW SW NW SE NW SE NW SE NW SW NW SE NW SE NW SE NW SE	Number A To Be Irris O 4 349 62 98 3/- /62 356 388 200 400 378 325 418
natural stream the difference in 12. Locat Township N. or S.	or stream channel elevation between ion of area to be irresponding to the irresponding	rigated, or place section 17 20	Forty-acre Tract NE & SE & SE & SE & NE &	Number Aron Be Irrig O 4 340 62 98 3/- /62 356 388 395 02 200 400 378 322 331 375 675 57
12. Locat Township N. or S.	or stream channel elevation between to stream of area to be irresponding to the irresp	I, give the dist. the stream be rigated, or place section 17 19 20 30 35	re of use Forty-acre Tract NE & SE & SE & SE & NE & NE & SE &	Number Ac To Be Irriging Nu
12. Locat Township N. or S.	or stream channel elevation between to stream of area to be irresponding to the irresp	I, give the dist. the stream be rigated, or place section 17 19 20 30 35	Forty-acre Tract NE & SE & SE & SE & NE &	Number Ac To Be Irriging O A 3 A O C C C C C C C C C C C C C C C C C C

IUNICIPAL SUPPLY—				
13. To supply the city of				
ı c	ounty, having a present pop	ulation of		
nd an estimated population of	fn 19	1		200 - 200 - 224 3
ANSWER (QUESTYONS 14, 14, 16, 17 AND	8 N ALL CASES		
14. Estimated cost of prop	osga works	74	estate and the second	
15. Construction work wil	Vbegin on or before			·
	l be completed on or before			·····
	pletely applied to the propos		COMPLETE	0
	supply is supplemental to an			
eation for permit, permit, certi	ficate or adjudicated right	to appropriate water	, made or held by	the
pplicant.				
		DESCHUTES VALLEY	FARMS INC	
	X		8d/p	<u> </u>
Remarks:pasef.ca		The Signature of an	las	-
	PRIMARY SO		EP CANY	'0N
R. PERMIT 32	•	-		
HE AREA DES				
	\ \/\\ \\\\ \\\\\ \\\\\\\\\\\\\\\\\\\\	26 / 0		400/
WEEC SAAN TO		· ·	•	
N THIS AREA	DESCRIBED	BY PERM	IT 6-1396	,E
N THIS AREA	DESCRIBED	BY PERM	IT 6-1396	,E
N THIS AREA MAKES IT NE	DESCRIBED CESSARY TO	By PERM RE-file :	17 6-1396 FOR PRIM	F
N THIS AREA MAKES IT NEO IRR. FROM WE	DESCRIBED CESSARY TO US 4,5,6,5	By PEAM RE-file : B. WEU	17 G-1396 FOR PRIMI *3 WA	F ARY S
N THIS AREA MAKES IT NEW IRR. FROM WE OVER- ACREAGE	DESCRIBED CESSARY TO US 4,5,6,5	By PEAM RE-file: B. WELL MIT G-4	17 6-1396 for Primi #3 WA 396	FORY
N THIS AREA TAKES IT NEC PR. FROM WED OVER- ACREAGE THE PORT	DESCRIBED CESSARY TO UNDER PER ON OF THIS	By PEAM RE-file: B. WELL MIT G-A APPL. DE	17 6-1396 for Prim #3 WA 396 SCRIBED	e e e e e e e e e e e e e e e e e e e
N THIS AREA MAKES IT NEW PR. FROM WED OVER- ACREAGE THE PORTA OPL. ON DEEP	DESCRIBED LESS ARY TO LS 4, 5, 6, 9 LNDER PER LNDER THIS CANYON CREEK	By PEAM RE-FILE: B. WELL MIT G-A APPL. DE	17 G-1396 FOR PRIMI *3 WA 396 SCRIBED LL BE IR	S By
M THIS AREA MAKES IT NEC VIR. FROM WEI OVER- ACREAGE THE PORTI OPPL. ON DEEP FROM THE CREEK	DESCRIBED LESS ARY TO LLS 4, 5, 6, 9 LNDER PER LNDE	By PEAM RE-FILE: B. WELL MIT G-A APPL DE CONG AS	FOR PRIMA FOR PRIMA	S By
N THIS AREA MAKES IT NEW IRR. FROM WED OVER- ACREAGE THE PORTI OPPL. ON DEEP FROM THE CREEK VAILABLE IN TO	DESCRIBED LESS ARY TO LLS 4, 5, 6, 9 LNDER PER LNDE	By PEAM RE-FILE: B. WELL MIT G-A APPL DE CONG AS	FOR PRIMI FOR PRIMI 396 SCRIBED LL BE IR WATER IS	S By
N THIS AREA MAKES IT NEW MAKES IN THE MAILABLE IN TO MAKES IN THE MAILABLE IN TO MAKES IN THE MAKES IN TO MAKES MAKES IN THE MAILABLE IN TO MAKES MAKE	DESCRIBED LESS ARY TO LLS 4, 5, 6, 9 LNDER PER LNDE	By PEAM RE-FILE: B. WELL MIT G-A APPL DE CONG AS	FOR PRIMI FOR PRIMI 396 SCRIBED LL BE IR WATER IS	5 By R.
THIS AREA MAKES IT NEW PR. FROM WER OVER- ACREAGE THE PORTA OPPL. ON DEEP FROM THE CREEA VAILABLE IN TO STATE OF OREGON, County of Marion, SS.	DESCRIBED CESSARY TO US 4, 5, 6, 9 UNDER PER ON OF THIS CANYON CREEK CERES. AS HE INTEREST	By PERM RE-file B. WELL MIT G-9 APPL. DE S' RES. WI LONG AS AF CONSER	FOR PRIMI FOR PRIMI 396 SCRIBED LL BE IR WATER IS WING GRO WA	By R. UND
THIS AREA MAKES IT NEO THE PORTO MATTERIAL PORTO STATE OF OREGON, County of Marion, This is to certify that I had	DESCRIBED CESSARY TO CLS 4, 5, 6, 5 UNDER PER CON OF THIS CANYON CREEK E PES. AS HE INTEREST	By PEAM RE-file: B. WELL MIT G-9. APAL. DE S' RES. WI CONG AS AF CONSER	FOR PRIMI 396 SCRIBED LL BE IR WATER IS WING GRO with the accompan	By R. U. NO U. NO U. NO
MAKES IT NEW MAKES	DESCRIBED CESSARY TO KLS 4, 5, 6, 5 WOER PER CANYON CREEK K FRES. AS WE INTEREST we examined the foregoing when for	By PEAM RE-file: B: WELL MIT G-4. APPL: DE S' RES. WI CONG AS AF CONSER	FOR PRIMI 396 SCRIBED LL BE IR WATER IS WING GRO with the accompan	By R. U. NO U. NO U. NO
THIS AREA MAKES IT NEO THE PORTO MATTERIAL PORTO STATE OF OREGON, County of Marion, This is to certify that I had	DESCRIBED CESSARY TO KLS 4, 5, 6, 5 WOER PER CANYON CREEK K FRES. AS WE INTEREST we examined the foregoing when for	By PEAM RE-file: B: WELL MIT G-4. APPL: DE S' RES. WI CONG AS AF CONSER	FOR PRIMI 396 SCRIBED LL BE IR WATER IS WING GRO with the accompan	By R. U. NO U. NO U. NO
MAKES IT NEW MA	DESCRIBED CESSARY TO CLS 4, 5, 6, 5 CLNDER PER CON OF THIS CANYON CREEK CRES. AS HE INTEREST ave examined the foregoing time for	By PEAM RE-file: B. WELL MIT G-4. APPL. DE S' RES. WI CONG AS AF CONSER application, together	FOR PRIMI 3 WA 396 SCRIBED WATER IS WING GRO with the accompan	BY R. U.L.O UTER
THIS AREA TAKES THE PORT THE PORT	DESCALAD CESSARY TO CLS 4, 5, 6, 9 CANDER PER CANDON CREEK CANDON C	By PEAM RE-file: B. WELL MIT G-4. APPL. DE S' RES. WI CONG AS AF CONSER application, together	FOR PRIMI 3 WA 396 SCRIBED WATER IS WING GRO with the accompan	BY R. U.L.O UTER
THIS AREA TAKES TRE OVER- ACREAGE THE PORT OPPL. ON DEEP FROM THE CREEA VAILABLE IN TO STATE OF OREGON, County of Marion, This is to certify that I had naps and data, and return the so In order to retain its prior	DESCALAD CESSARY TO CLS 4, 5, 6, 9 CANDER PER CANDON CREEK CANDON C	By PEAM RE-file: B. WELL MIT G-4. APPL. DE S' RES. WI CONG AS AF CONSER application, together	FOR PRIMI 3 WA 396 SCRIBED WATER IS WING GRO with the accompan	BY R. U.L.O UTER
MAKES IT NEW MAKES THE PORT MAKES	DESCAVACO CESSARY TO CLOSER PER CON OF THIS CANYON CREEK CANYON CRE	By PEAM RE-file: B. WELL MIT G-4. APPL. DE S' RES. WI CONG AS AF CONSEA application, together returned to the State	FOR PRIMI 3 WA 396 SCRIBED WATER IS WING GRO with the accompan	BY R. U.L.O UTER
MAKES IT NEW MAKES THE PORT MAKES	DESCALAD CESSARY TO CLS 4, 5, 6, 9 CANDER PER CANDON CREEK CANDON C	By PEAM RE-file: B. WELL MIT G-4. APPL. DE S' RES. WI CONG AS AF CONSEA application, together returned to the State	FOR PRIMI 3 WA 396 SCRIBED WATER IS WING GRO with the accompan	BY R. U.L.O UTER
MAKES IT NEW MAKES THE PORT MAKES	DESCAVACO CESSARY TO CLOSER PER CON OF THIS CANYON CREEK CANYON CRE	By PEAM RE-file: B. WELL MIT G-4. APPL. DE S' RES. WI CONG AS AF CONSEA application, together returned to the State	FOR PRIMI 3 WA 396 SCRIBED WATER IS WING GRO with the accompan	BY R. U.L.O UTER

STATE OF OREGON, county of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right h	rerein grante	d is limit	ed to the an	ount of wate	er which can	be applied to be	eneficial use
and shall	not exce	eed 5.99	cu b	ic feet per s	econd measur	ed at the poi	nt of diversion fr	om the well
or source	of appre	opriation, or i	ts equivo	ılent in case	of rotation u	vith other wo	ater users, from .	
5 wells,	being	0.15 c.f.	. from	well # 3,	4.00 from	well # 4,	0.53 from wel	1 # 5,
0.53 from	m well use to	# 6 and 0. which this wo	.78 from ater is to	n well # 8 be applied i	s irrigation	on		
						A CONTRACTOR	• • • • • • • • • • • • • • • • • • • •	
If fo	or irrige	ation, this app	ropriatio	n shall be li	mited to	1/80th	of one cubic foo	t per second
							ersion of not to e	
							year;	and the second
							F	
		•						
							4:	
and chall	ha subii						, the proper state	
						*	e and if the flou	
the works	shall in	nclude proper	capping	and control	valve to pres	vent the wast	te of ground wate	er.
The	works	constructed s determine u	shall incl	ude an air l el elevation	ine and press in the well	ure gauge or at all times.	an access port fo	r measuring
The	permit	ttee shall inst	all and n	naint <mark>ain a u</mark>	eir, meter, e	or other suit	table measuring	device, and
shall keep	a com	plete record	of the an	nount of gro	ound water w	nthdrawn.		
The	priorit	y date of this	permit is	Decembe	r 15, 1976			
Act	ual con	struction wor	k shall b	egin on or b	efore Sep	tember 12,	1978	and shall
							r before October	
							n or before Octob	
							, 19.77	
,,,,,					Our	re B	lexin	
				(Water Res	ources Dir	ector xx	CHICKNESSER
			he he				of of	#
		Q Z	in t	. .				age 49
20		SOU!	ived	1 2 3				7 E
% 5°	_	E GI STA	rece	34			a6	page
7367	 	PRIATE THE SS OF THE SOF OREGON	first	ð			n pa	8
ن ي ه	M M	ATE OF T	was	of	nt:		c No.	No.
on N o. G-	PERMIT	APROPRIATE THE GROI WATERS OF THE STATE OF OREGON	rent	hap ——	plica		bool	Basin No
icatic		PRO	trum	5 6	o apl		ed in	re Bo
Application No. G. 76 09 Permit No. G. 7360		TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the	at ,	ned t	ved:	Recorded in book No ound Water Permits on	Drainage Basin No
, , ,)IT	Th	on the 15 day of Decendar , 19 76 at 1 o'clock A M.	Returned to applicant:	Approved:	Recorded in book No.	Ď
	ļ	ŀ	7	9 2	∥ 64	. 4		: 1