RECEIVED

CERT

FEB 14 1977
FER RESOURCES DEPT
SALEM, OREGON

7367

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

· I,			(Name of applicant)
			, county of Umatilla
		(Postoffice Address)	
ıta of	Oregon	97826	, do hereby make application for a permit to appropriate th
ie oj Impina	described ar	ound waters of the s	tate of Oregon, SUBJECT TO EXISTING RIGHTS:
owing	accentecta g.	· · · · · · · · · · · · · · · · · · ·	
If th	ie applicant	is a corporation, give	date and place of incorporation
•	• •		
1. (Give name of	f nearest stream to u	which the well, tunnel or other source of water development
	Umatill	a River	,
ıated		***************************************	(Name of stream)
			tributary of Columbia River
2. T t per se	The amount of2	of water which the o 24 gallons per	applicant intends to apply to beneficial use is $\frac{0.50}{1000}$ cub r minute.
3 7	The use to u	hich the water is to	be applied is Primary Irrigation
0			••
		other source is locate 27, Township 3N	d 1300 ft. S and 1230 ft. E from the NW (Section or subdivision)
			(800000
	••••••••••••	(If preferable,	give distance and bearing to section corner)
	•••••		
		If there is more than one wel	il, each must be described. Use separate sheet if necessary)
ing witl	in the	If there is more than one wel	il, each must be described. Use separate sheet if necessary)
	in the	If there is more than one wel	of Sec. 27, Twp. 2N, R. 29E
	in the	If there is more than one wel	of Sec. 27, Twp. 2N, R. 29E
M., in	the county o	If there is more than one well NW/4 NW/4 Of Umatilla	of Sec. 27 , Twp. 3N , R. 29E
M., in 5. 7	the county of	If there is more than one well NW/4 NW/4 Umatilla Mainline (Canal or pipe lir	of Sec. 27, Twp. 3N, R. 29E
M., in 5. 7	the county of	If there is more than one well NW/4 NW/4 Umatilla Mainline (Canal or pipe lir	of Sec. 27, Twp. 3N, R. 29E
M., in 5. I	the county of the	If there is more than one well NW/4 NW/4 Of Umatilla Mainline (Canal or pipe lir in the (Smal)	to be 1300° to be 1300° to be lessel legal subdivision)
M., in 5. I	the county of the	If there is more than one well NW/4 NW/4 Of Umatilla Mainline (Canal or pipe lir in the (Smal)	to be 1300° to be 1300° to be lessel legal subdivision)
M., in 5. I length,	the county of the county of the terminating	If there is more than one well NW/4 NW/4 If Umatilla Mainline (Canal or pipe lir in the (Smal)	of Sec. 27, Twp. 2N, R. 29E to be 1300° me) of Sec, Twp, Twp to be, Twp ne) of Sec, Twp ne) of Sec, Twp ne) ne) of Sec, Twp ne) ne) nes being shown throughout on the accompanying map.
M., in 5. I length,	the county of the county of the terminating	If there is more than one well NW/4 NW/4 If Umatilla Mainline (Canal or pipe lir in the (Smal)	to be 1300° to be 1300° to be lessel legal subdivision)
M., in 5. I length,	the county of the county of the terminating	If there is more than one well NW/4 NW/4 If Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wo	to be 1300° mes of Sec
M., in 5. I length,	the county of the county of the terminating	If there is more than one well NW/4 NW/4 If Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wo	of Sec. 27, Twp. 2N, R. 29E to be 1300° me) of Sec, Twp, Twp to be, Twp ne) of Sec, Twp ne) of Sec, Twp ne) ne) of Sec, Twp ne) ne) nes being shown throughout on the accompanying map.
M., in 5. 7 length, 6. 7	the county of the county of the the flow to	If there is more than one well NW/4 NW/4 NW/4 If	to be 1300
M., in 5. 7 length, 6. 7	the county of the county of the the flow to	If there is more than one well NW/4 NW/4 NW/4 If Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wood DES) be utilized is artesia	to be 1300
M., in 5. 7 length, 6. 7	the county of the county of the the flow to	If there is more than one well NW/4 NW/4 NW/4 If Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wood DES) be utilized is artesia	to be 1300
M., in 5. 7 length, 6. 7	the county of the county of the the flow to	If there is more than one well NW/4 NW/4 NW/4 If Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wood DES) be utilized is artesia	to be 1300
M., in 5. 7 length, 6. 7	the county of the county of the the flow to	If there is more than one well NW/4 NW/4 NW/4 If Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wood DES) be utilized is artesia	to be 1300
M., in 5. 1 length, 6. 5	the county of the county of the terminating, W. M., The name of the flow to the not in us	If there is more than one well NW/4 NW/4 NW/4 NW/4 NW/4 Of Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wood DES) be utilized is artesial e must be described.	to be 1300° to be
M., in 5. 1 length, 6. 7	the county of the county of the terminating, W. M., The name of the flow to the not in us	If there is more than one well NW/4 NW/4 NW/4 NW/4 NW/4 Of Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wood DES) be utilized is artesial e must be described.	to be 1300° to be
M., in 5. 1 length, 6. 1 7. 1 pply wh	the county of the county of the the flow to the not in us	If there is more than one well NW/4 NW/4 Of Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wo DES) be utilized is artesial to must be described.	of Sec. 27, Twp. 3N, R. 29E
M., in 5. 1 length, 6. 1 7. 1 pply wh	the county of the county of the the flow to the not in us	If there is more than one well NW/4 NW/4 Of Umatilla Mainline (Canal or pipe lir in the (Smal the proposed location the well or other wo DES) be utilized is artesial to must be described.	to be 1300° to be
M., in 5. 1 length, 6. 1 7. 1 oply wh	the county of th	If there is more than one well NW/4 NW/4 NW/4 NW/4 NW/4 NW/4 NW/4 NW/4	of Sec. 27, Twp. 3N, R. 29E
M., in 5. 1 length, 6. 2 7. 1 opply wh	the county of th	If there is more than one well NW/4 NW/4 NW/4 NW/4 NW/4 NW/4 NW/4 NW/4	of Sec. 27, Twp. 3N, R. 29E

igate. At hea	dgate: width on to	p (at water line		feet; width on bot
	feet; depth of w	ater	feet; grade	feet fall per
ısand feet.				
(b) At	mil	es from headga	te: width on top (at water	line)
	feet; width on b	ottom	feet; depth of wo	ate r
le	feet fall p	er one thousand	l feet.	
(c) Lengtl	h of pipe,	ft.; size	at intakein.;	in size at
ı intake	in.; siz	e at place of us	2 in.; diffe	erence in elevation betw
ke and place	of use,	ft. Is	grade uniform?	Estimated capa
	sec. ft.			· ·
10. If pum	ips are to be used, g	ive size and typ	e Turbine	
	· .	•••••		e
Give horse	epower and type o	f motor or eng	ine to be used 25 HP I	Electric
difference in	elevation between	the stream bed	and the ground surface at	
difference in	elevation between	the stream bed	and the ground surface at	t the source of developm
difference in	elevation between	the stream bed	and the ground surface at	t the source of developm
difference in	on of area to be irr	igated, or place	and the ground surface at	t the source of developm
12. Locati Township N. or S.	on of area to be irr	igated, or place	of use	Number Acres
12. Locati Township N. or S.	on of area to be irr Range E. or W. of Willamette Meridian 29E	igated, or place	of use Forty-acre Tract NEX NW/	Number Acres To Be Irrigated
12. Locati Township N. or S. 3N	on of area to be irr Range E. or W. of Willamette Meridian 29E 29E	igated, or place Section 27 27	of use	Number Acres To Be Irrigated 0.5 1.0
12. Locati Township N. or S. 3N 3N	on of area to be irr Range E. or W. of Williamette Meridian 29E 29E 29E	igated, or place Section 27 27 27	of use Forty-acre Tract NE¼ NW¼ SE¼ NW¼ SW¼ NE¼	Number Acres To Be Irrigated 0.5 1.0 5.0
12. Locati Township N. or S. 3N 3N	on of area to be irr Range E. or W. of Williamette Meridian 29E 29E 29E	igated, or place Section 27 27 27	of use Forty-acre Tract NE¼ NW¼ SE¼ NW¼ SW¼ NE¼	Number Acres To Be Irrigated 0.55 1.0 5.0
12. Locati Township N. or S. 3N 3N	on of area to be irr Range E. or W. of Williamette Meridian 29E 29E 29E	igated, or place Section 27 27 27	of use Forty-acre Tract NE¼ NW¼ SE¼ NW¼ SW¼ NE¼	Number Acres To Be Irrigated 0.55 1.0 5.0
12. Locati Township N. or S. 3N 3N	on of area to be irr Range E. or W. of Williamette Meridian 29E 29E 29E	igated, or place Section 27 27 27	of use Forty-acre Tract NE¼ NW¼ SE¼ NW¼ SW¼ NE¼	Number Acres To Be Irrigated 0.55 1.0 5.0
12. Locati Township N. or S. 3N 3N	on of area to be irr Range E. or W. of Williamette Meridian 29E 29E 29E	igated, or place Section 27 27 27	of use Forty-acre Tract NE¼ NW¼ SE¼ NW¼ SW¼ NE¼	Number Acres To Be Irrigated 0.55 1.0 5.0
12. Locati Township N. or S. 3N 3N	on of area to be irr Range E. or W. of Williamette Meridian 29E 29E 29E	igated, or place Section 27 27 27	of use Forty-acre Tract NE¼ NW¼ SE¼ NW¼ SW¼ NE¼	Number Acres To Be Irrigated 0.55 1.0 5.0
12. Locati Township N. or S. 3N 3N	on of area to be irr Range E. or W. of Williamette Meridian 29E 29E 29E	igated, or place Section 27 27 27	of use Forty-acre Tract NE¼ NW¼ SE¼ NW¼ SW¼ NE¼	Number Acres To Be Irrigated 0.55 1.0 5.0
12. Locati Township N. or S. 3N 3N	on of area to be irr Range E. or W. of Williamette Meridian 29E 29E 29E	igated, or place Section 27 27 27	of use Forty-acre Tract NE¼ NW¼ SE¼ NW¼ SW¼ NE¼	Number Acres To Be Irrigated 0.55 1.0 5.0

	To supply the city of
n	county, having a present population of
	imated population of in 19
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
Ĩa	Estimated cost of proposed works, \$ 15,000
4 /4	Construction work will begin on or before February 1, 1977
	Construction work will be completed on or before April 1, 1977
	The water will be completely applied to the proposed use on or before Cctober 1, 1977
ation for	If the ground water supply is supplemental to an existing water supply, identify any appl permit, permit, certificate or adjudicated right to appropriate water, made or held by the
pplicant.	
	Ban Walana
	Of on Holenan (Signature of applicant)
Ren	tarks: It is intent that the water in my well flows from the Southerly.
	dirrection and that the Umatilla River has no bearing on my well.
•	
	, , , , , , , , , , , , , , , , , , ,
TATE O	
TATE O	F OREGON, of Marion,
TATE O	F $OREGON$, $\}$ ss. of Marion, $\}$ ss. \S is to certify that I have examined the foregoing application, together with the accompanyin
TATE O	F OREGON, and serious states of Marion, serious states are serious serious states and serious serious states are serious serio
County	F $OREGON$, S ss. of Marion, S ss. is to certify that I have examined the foregoing application, together with the accompanying
TATE O County This	FOREGON, $\left. \right\}$ ss. of Marion, $\left. \right\}$ ss. is to certify that I have examined the foregoing application, together with the accompanyin data, and return the same for
TATE O County This naps and	F OREGON, ss. of Marion, ss. is to certify that I have examined the foregoing application, together with the accompanyin data, and return the same for correction and completion.
TATE O County This caps and	FOREGON, $\left. \right\}$ ss. of Marion, $\left. \right\}$ ss. is to certify that I have examined the foregoing application, together with the accompanyin data, and return the same for
TATE O County This caps and	F OREGON, and second of Marion, and second of Marion, something of Marion, something of Marion, something of Marion, correction and completion. From the same for correction and completion. From the same for correction and completion. From the same for correction and completion.
TATE O County This naps and In o	F OREGON, ss. of Marion, ss. is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for correction and completion.
This naps and In o	F OREGON, and May 31 ss. F OREGON, and St. of Marion, are stated as a second state of the foregoing application, together with the accompanying data, and return the same for correction and completion.
This naps and In o	F OREGON, and May 31 ss. F OREGON, and St. of Marion, are stated as a second state of the foregoing application, together with the accompanying data, and return the same for correction and completion.
This naps and In o	F OREGON, and March sis to certify that I have examined the foregoing application, together with the accompanying data, and return the same for correction and completion. correction and completion. reder to retain its priority, this application must be returned to the State Engineer, with correction and some many of the state Engineer and
This naps and In o	F OREGON, of Marion, ss. It is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for correction and completion. Therefore May 31 1977. Therefore May 30th day of March 1977.
This naps and In o	F OREGON, of Marion, ss. is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for correction and completion. reder to retain its priority, this application must be returned to the State Engineer, with correction may 31 may 377 may 31 m

RECEIVED

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:	
The right herein granted is limited to the amount of water which can be applied to beneficial u	se
and shall not exceed	:11
or source of appropriation, or its equivalent in case of rotation with other water users, froma. well	
The use to which this water is to be applied is _irrigation	·•
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second	
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed3	·
acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be fur	ther
limited to appropriation of water only to the extent that it does not impair or	
substantially interfere with existing surface water rights of others,	·····

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.	
The well shall be cased as necessary in accordance with good practice and if the flow is artesic the works shall include proper capping and control valve to prevent the waste of ground water.	
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.	ıg
The permittee shall install and maintain a weir, meter, or other suitable measuring device, as shall keep a complete record of the amount of ground water withdrawn.	ıd
snatt keep a complete record of the amount of ground water withdrawn.	
The priority date of this permit is February 14, 1977	
Actual construction work shall begin on or before September 12, 1978 and sha	ıll
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978	-
Complete application of the water to the proposed use shall be made on or before October 1, 197.	9
WITNESS my hand this 12th day of September 7, 19 77	
Jame & Serrar	
Water Resources Director #MOTE PROPERTY NAMED IN THE PROPERTY NAME	x
the control of of .	
GROUND GROUND TATE Cecived in the Salem, Oregon A	
ATE ATE Lem, C. L. C. L. ATE	
AIT AIT AIT THE STAGON GON LASA Co ch n page	
Ock.	
Permit No. G.— 7367 Permit No. G.— 7367 PERMIT DAPPROPRIATE THE GROW WATERS OF THE STATE OF OREGON is instrument was first receive of the State Engineer at Salem, of the State Engineer at Salem, of the State Prince of the State at 91.000 clock med to applicant: reed: red: at Water Permits on page aimage Basin No. 7. page . E	
PERR Permit No. G DAPPROPRIATIVATERS OF OF OF OF OF OF Aday of	1726
APPI WAT The S of to c	r.,
PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon, on the [A] day of ASA. 19.7), at A. Oo'clock A. Returned to applicant: Recorded in book No. Ground Water Permits on page STATE Drainage Basin No. 7. page 8/	
A P Ret 139	

This instrument was first red office of the State Engineer at So on the 14 day of Les