

48931

42-60

RECEIVED
MAY 22 1977
WATER RESOURCES
SALEM, OREGON
Permit No. G-7394

WATER RESOURCES DIVISION
DEPT. OF GEOLOGY
SALEM, OREGON

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Carl Lovelady
(Name of applicant)
of Route 3, Box 357-B, Corvallis
(Postoffice Address), county of Benton
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
no

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River
(Name of stream)
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is .89 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 20 ft. N and 220 ft. E from the SW corner of Section 1
(N. or S.) (E. or W.) (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 SW 1/4 of Sec. 1, Twp. 13S, R. 5W, W. M., in the county of Benton

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Hahn well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one having a diameter of 12 inches and an estimated depth of 35 feet. It is estimated that _____ feet of the well will require all casing. Depth to water table is estimated 15
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type matching centrifugal

Give horsepower and type of motor or engine to be used 30 HP electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

..... one mile plus to river

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13S	5W	12	NW $\frac{1}{4}$ NW $\frac{1}{4}$	Prim. 13.0 SUPPL.
"	"	12	SW $\frac{1}{4}$ NW $\frac{1}{4}$	1.6
"	"	1	SW $\frac{1}{4}$ SW $\frac{1}{4}$	23.0
"	"	"	NW $\frac{1}{4}$ SW $\frac{1}{4}$	3.5 27.5 21.0
"	"	"	NE $\frac{1}{4}$ SW $\frac{1}{4}$	6.0 6.0 9.0
				41.1
			TOTAL	71.1 30.0

(If more space required, attach separate sheet)

Character of soil silt loam

Kind of crops raised horticulture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6,000
- 15. Construction work will begin on or before complete
- 16. Construction work will be completed on or before complete
- 17. The water will be completely applied to the proposed use on or before summer 1978

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. not known to be SUPPL. TO APPL. 47441 & 43751

Carl Sevelby
(Signature of applicant)

Remarks: If any of the acres identified in this application already have a water right from another source, this application and well is meant to be supplemental on those acres.

~~SEAL~~

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 29, 1977

WITNESS my hand this 29th day of April, 1977.

JAMES E. SEXSON Director
By *Vestel R. Garner*
Vestel R. Garner

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.89 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Hahn well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 17, 1977

Actual construction work shall begin on or before September 12, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 12th day of September 1977

James E. Saxon
Water Resources Director STATE ENGINEER

Application No. G-7239
Permit No. G-7394

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17 day of March, 1977, at 11 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 156