WATER RESOURCES DEPT Permit No. G-7425

SALEM, OREGON APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Lloyd Logan	(Name of appli			
of 3595 Redwood Hwy (Postoffice Address)	<ul> <li>A control of the contro</li></ul>	The Control of the Co	Josephine	<b></b>
	, do hereby mak state of Oregon, SU	e application for a BJECT TO EXIS	permit to approp	riate the
If the applicant is a corporation, give	e date and place of	incorporation		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	* 1 mm 1		<u></u>
Give name of nearest stream to a  tuatedSand Creek		nel or other source	e of water develop	oment is
	(Name of stream)	ributary ofR	ogue River	
2. The amount of water which the set per second or gallons pe	r minutø. being	.06 from we	11 #1 & .08	from #2
being 5.0 acres from well	1 #1 and 6.6	acres from w	ell #2	41
4. The well or other source is locate		and 150' ft.	W from W from the	Center
orner ofsection 27	(Section or subdivision)			
	give distance and bearing to	***************************************		ing also and a second
맛있는 그를 취하기를 제하는 것				
(If there is more than one we eing within the SEINW	· ·	•		6 W
.M., in the county ofJosephine	engal of August 1900 g			
5. The pipeline (Canal or pipe line	na)	to be		miles
length, terminating in the SE4NW4	ilest legal subdivision)	of Sec. 27	, Twp. 36	S,
. 6 W , W. M., the proposed locatio				
6. The name of the well or other wo				***
The second of th	SCRIPTION OF W	ORKS		
7. If the flow to be utilized is artesia pply when not in use must be described.		ised for the contr	ol and conservatio	n of the
		tati (tati jarin) Valendari kantatata		
	A Comment of the Comm	- 2000		
				The second second
8. The development will consist of	2 drilled	Wells		raving a
ameter of6inches and an est	imated depth of	feet. It	is estimated that .	
		and the second of the second o		
et of the well will require(Kind)			(1	reet)

	OR PIPE LINE	The second secon			
하는 사람들이 가수도 하는				30 B	in size, stating miles f
그 그 사람들은 바다 하나 없다.					feet; width on bot
	feet; depth of u	vater	feet; grade		feet fall per
thousand feet.					
(b) At	mi	iles from head	gate: width on top (d	it water lir	1e)
		bottom	feet; de	oth of wate	7
grade			nd feet.		
(c) Length	of pipe,	ft.; si	ze at intake	in.; in	size at
		指6000000000000000000000000000000000000			nce in elevation betu
	-in the second water	garage entre de la companya de la c	$T_{ij} = T_{ij} = T_{ij}$	4. 24. 4. 4. 4. 4. 4.	Estimated capa
angari Agama angaringan	an and	The same of the		nangatin basa sa sa angah pakatan	
Carlos de Carlos	The state of the s	need to the second of the seco			
10. If pump.	s are to be used,	give size and t	ype		
	•••••				
1.1.1.1			ngine to be used		*
			se <u>lamaga. Mes egy septe</u> sa di si Senting di selamaga di se		
11. If the lo	cation of the wel	ll, tunnel, or of	ther development wo	rk is less t	han one-fourth mile f ach of such channels
the difference in e	levation betweer	n the stream b	ed and the ground so	ırface at tl	he source of developm
	and Mark and an	rigated or pla	ce of use		
12. Location	ı of area to be ir		ce of use		
12. Location  Township N. or S.	and Mark and an		ce of use		Number Acres To Be Irrigated
Township	ı of area to be ir	rigated, or pla			Number Acres
Township N. or S.	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Trace		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Trace		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Trace		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Track		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Track		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract SEINWI TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Trace SE-1/4NW-1/4 TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Trace SE-1/4NW-1/4 TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.	Range Willamette Meridian  6 W	rigated, or pla	Forty-acre Trace SE-1/4NW-1/4 TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.	Range of Williamette Meridian  6 W	Section 27	Forty-acre Track SE-18NW-18		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.  36 S	Range Willamette Meridian  6 W	rigated, or pla	Forty-acre Trace SE-1/4NW-1/4 TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.  36 S	Range of Williamette Meridian  6 W	Section  27	Forty-acre Track SEINWI TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.  36 S	Range of Williamette Meridian  6 W	Section  27	Forty-acre Track SE\NW\forall TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.  36 S	Range E. or W. of Willamette Meridian  6 W	Section  27  (If more space re	Forty-scre Track SE-NW- TOTAL TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.  36 S	Range E or W. of Willamette Meridian  6 W	Section  27  (If more space re	Forty-acre Track SE\NW\\\ TOTAL  TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (
Township N. or S.  36 S	Range E or W of Willamette Meridian  6 W  soil	Section  27  (If more space re	Forty-acre Track SE\NW\\\ TOTAL  TOTAL		Number Acres To Be Irrigated  5.0 acres ( 6.6 acres (

ŧ

and the second second					G 74	25
			e de la companya de La companya de la co	and the second		reactive graph beams
MUNICIPAL S						
13. To su	pply the city	of	at piller and dis	Control of the Contro		
in				population of		
and an estimate				en og myski med i skalenter. Det en skalenter	ar de la companya di Arrico de la companya de la c La companya de la co	
				AND 18 IN ALL CAS	re	
	ANSW	ER QUESTION	15 14, 15, 16, 17	AND IO IN ALL CAS		
		R 517 , 3 . t	ks, \$	그는 그는 배우를 다 하나 됐었습니다.		
15. Const	truction work	will begin or	n or before	pril 1, 1978		
			the state of the s	fore April 1,	1979	
STATE OF THE STATE		of the contract of the con-	coming the second of the second of the	oposed use on or be	paradia transferiore de la completa	1 1. 1980
1.0	4 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		10 pt			
18. If the cation for pern	e ground wat nit, permit, c	ter supply is certificate or	supplemental t adjudicated ri	o an existing water ght to appropriate t	supply, identify vater, made or	any appli- held by the
applicant				Company Nation 1 (Sept. 1997)	enter de la companya	
		A PAR				
- VI					× * 15	
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	i grande en 1995 de Tipologia de la companio	Orania de la comoción	ā.	loyd C. Rog	e of applicant)	William Control
Remarks:	Bat s	E Cor	of the s	E/4 NW/4 0	f Sec 27	T345
				of s SE14		121
m/1 to ]	the Six	$r/\omega$	li 05 1	eloc Redw	ood Hwy;	
4.00	And the second second	e, 11	AC 5d	relac Redu	and Hary &	501
th s p	211 with	the E	11 08 5	d SE/4 NW SE/4 NW/4	14 of S	ec 27
th 5 p	011 with 10 to t	the E	11 of 5	d SE/4 Nu	of Sec	ec 27, 27;
th 5 p	011 with 10 to t	the E	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
th 5 p	011 with 10 to t	the E	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
th 5 p	011 with 10 to t	the E	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
900' m/	011 with 10 to t	the E	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
th 5 p	011 with 10 to t	the E	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
th 5 p	011 with 10 to t	the E	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
th 5 p	011 with 10 to t	the E	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
th 5 p	011 with 10 to t	the E	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
th s ; 900' m/ th E s	egon,	the E he S S li s	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
th s ; 900' m/ th E s	Degon, ss	the E he S S li s	11 of 5	d SE/4 NW/4 SE/4 NW/4	of Sec	ec 27, 27;
th S p	LEGON, Ss.	the E he S S Ii S	// os s // os 45' m//	d SE/4 Na SE/4 Na/4 to the p	)4 of S ογ Sec Pob.	ec 27, 27,
th S p  900' m/  th E s  STATE OF OR  County of M  This is to	REGON, ss. arion, certify that	the E he S S li s	// of S	d SE/4 Na SE/4 Na/4 to the p	of Sec 20b	ec 27, 27;
This is to maps and data,	EEGON, ss. certify that	the E  he S  S Ii 5  I have exam he same for	lios s	SE/4 NW/4  to the p	of Sec 20b.	ec 27, 27,
This is to maps and data,	REGON, ss. arion, certify that	the E  he S  S Ii 5  I have exam he same for	lios s	d SE/4 Na SE/4 Na/4 to the p	of Sec 20b.	ec 27, 27,
th s p  900' m/  th E s  STATE OF OR  County of M  This is to  maps and data,	LEGON, ss. certify that	the E he S S Ii S I have exam he same for	// of S	d SE/4 Na SE/4 Na/4 to the p	of Sec ob.	ec 27, 27, companying
th S p  700' m/  th E s  STATE OF OR  County of M  This is to maps and data,	LEGON, ss. certify that and return the correction of the correctio	the E he S S Ii S I have exam he same for	// of s // of m// 45' m//	d SE/4 Na SE/4 Na/4 to the p	of Sec ob.	ec 27, 27, companying
th s p  900' m/  th E s  STATE OF OR  County of M  This is to  maps and data,	LEGON, ss. certify that and return the correction of the correctio	The E  he S  S Ii 5  I have exam  the same for a same f	// of s // of m// 45' m//	d SE/4 Na SE/4 Na/4 to the p	of Sec ob.	ec 27, 27, companying
th S p  700' m/  th E s  STATE OF OR  County of M  This is to maps and data,	LEGON, ss. certify that and return the correction of the correctio	The E  he S  S Ii 5  I have exam  the same for a same f	// of s // of m// 45' m//	d SE/4 Na SE/4 Na/4 to the p	of Sec ob.	ec 27, 27, companying
The Second of Manager and data.  In order to tions on or before the second of the seco	EGON, ss. arion, ss. certify that and return the correction its pre	the E he S S li s I have exam he same for maiority, this a	ined the forego	SE/4 Na/4  SE/4 Na/4  to The p	of Sec ob.	ec 27, 27, companying
The Second of Manager and data.  In order to tions on or before the second of the seco	EGON, ss. arion, ss. certify that and return the correction its pre	the E he S S li s I have exam he same for maiority, this a	// of s // of m// 45' m//	SE/4 Na/4  SE/4 Na/4  to The p	of Sec ob.	ec 27, 27, companying
The Second of Manager and data.  In order to tions on or before the second of the seco	EGON, ss. arion, ss. certify that and return the correction its pre	the E he S S li s I have exam he same for maiority, this a	ined the forego	SE/4 Na/4  SE/4 Na/4  to The p	of Sec ob.	ec 27, 27, companying
The Second of Manager and data.  In order to tions on or before the second of the seco	EGON, ss. arion, ss. certify that and return the correction its pre	the E he S S li s I have exam he same for maiority, this a	ined the forego	SE/4 Na/4  SE/4 Na/4  to The p	of Sec ob.	ec 27, 27, companying

## PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The r	<ol> <li>Question</li> </ol>	A think was now					aims of d	improjen f	rom the mall
and the second			200	The State of St	200			ولانتخاذ أنبأ كناكسات	rom the well
and the state of the state of		San	er of mark	and the state of t	100000000000000000000000000000000000000	all messions and	de programme de la	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	two wells:
4.5			11, # 1 . ar	and the second second		The second section of the second			
The u	ise to w	hich this wa	ter is to be ap	oplied is	irriga	tion		1000 (1000) 1000 (1000)	
A CONTRACTOR	or ke r M	and the second	land (1807)		-194 - Y 1947 - 195	en de de la companya			
If for	irrigati	on, this appr	opriation sh	all be limi	ted to	1/80th	of one	cubic foo	ot per second
· its equiv	alent fo	r each acre	ः rrigated and	shall be	further li		iversion	of not to	exceed .21/2
and the second	4.5	4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	1. 18 mg		a the sewarts of	professional and the		1.00	1.3.4.18 (Apr. 1) P
		.***							
			1945 1945 1945			u najska (1964) nuka ja da (1964)			2 (1 mm)
	1.1.20	tid in the plant		44.144.6	Ad 30 4 1	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	499	A Comment	¥ 20
48.44.4				and the second of the		make a last of the same	e contra contra	we come, and co	
Zer.						- A			
**************************************		e er jegin gij						, a la l	A STATE OF S
ne works s The n ne, adequ	shall inc works c ate to c	lude proper onstructed s letermine w se shall inst	is necessary capping and hall include	in accorde control ve an air line levation in tain <b>a</b> wei	alve to pres and pres n the well ir, meter,	event the w sure gauge at all time or other s	aste of g or an acc s. uitable 1	rouna wa ess port f	w is artesian ter. for measuring g device, and
ne works s The g ne, adequ The g nall keep	shall inc works c ate to c permitte a compl priority	lude proper onstructed s letermine w ee shall inste lete record o date of this	is necessary capping and hall include ater level el all and main of the amoun permit is	in accorde control ve an air line levation is tain a wei t of groun	ince with alve to present the well in, meter, and water 13, 197	event the ware gauge at all time or other swithdrawn.	aste of g or an acc s. uitable 1	round wa ess port f neasuring	ter. for measuring device, and
ne works s The s ne, adequ The s hall keep The s Actu	shall incomorks contact to complete a complete priority al const	lude proper onstructed s letermine we shall instellete record of date of this ruction work	is necessary capping and hall include ater level el all and main of the amoun permit is	in accorde control ve an air line levation is tain a wei t of groun April	ince with alve to pro- e and pres n the well ir, meter, nd water  13, 197	event the w sure gauge at all time or other s withdrawn.	aste of g or an acc s. uitable 1	rouna wa less port f neasuring	ter. for measuring g device, and and shal
ne works s The c ne, adequ The c hall keep  The c Actu	shall incomorks content to complete a complete a complete a construction al construction be prosented.	lude proper onstructed s letermine we shall institute record of date of this ruction work ecuted with	as necessary capping and hall include ater level el all and main of the amoun permit is	in accorde control ve an air line levation in tain a weit t of ground April on or befolkiligence of	ance with alve to prove and press the well ar, meter, and water 13, 197	event the wasure gauge at all time or other swithdrawn.	aste of g or an acc s. uitable 1 2, 1978 or befor	ress port f neasuring	or measuring device, and and shal
ne works s The s ne, adequ The s hall keep  The s Actu nereafter	shall inc works c ate to c permitte a compl priority al const be prose	lude proper onstructed s letermine we shall institute record of date of this ruction work ecuted with plication of	as necessary capping and hall include ater level el all and main of the amound the amound the amound the water to	in accorded control ve an air line levation in tain a weit of ground April on or befolklingence of the proposition of the propo	ince with alve to pro- e and pres- n the well ir, meter, nd water  13, 197  ore Se  and be co  sed use sh	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable 1 2. 1978 or befor	ress port f neasuring re Octobe	ter. for measuring device, and and shal 1, 19.78
The part of the pa	shall inc works c ate to c permitte a compl priority al const be prose	lude proper onstructed s letermine we shall institute record of date of this ruction work ecuted with plication of	as necessary capping and hall include ater level el all and main of the amoun permit is	in accorded control ve an air line levation in tain a weit of ground April on or befolklingence of the proposition of the propo	ince with alve to pro- e and pres- n the well ir, meter, nd water  13, 197  ore Se  and be co  sed use sh	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable 1 2. 1978 or befor	ress port f neasuring re Octobe	ter. for measuring device, and and shal 1, 19.78
he works s The s ne, adequ The s hall keep  The s Actu hereafter	shall inc works c ate to c permitte a compl priority al const be prose	lude proper onstructed s letermine we shall institute record of date of this ruction work ecuted with plication of	as necessary capping and hall include ater level el all and main of the amound the amound the amound the water to	in accorded control ve an air line levation in tain a weit of ground April on or befolklingence of the proposition of the propo	ince with alve to pro- e and pres- n the well ir, meter, nd water  13, 197  ore Se  and be co  sed use sh	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable 1 2. 1978 or befor	ress port f neasuring re Octobe	ter. for measuring device, and and shal 1, 19.78
he works s The s ine, adequ The s hall keep  The s Actu hereafter	shall inc works c ate to c permitte a compl priority al const be prose	lude proper onstructed s letermine we shall institute record of date of this ruction work ecuted with plication of	as necessary capping and hall include ater level el all and main of the amoun permit is c shall begin reasonable of the water to 12th 6	in accorded control ve an air line levation in tain a weit of ground April on or befolklingence of the proposition of the propo	ince with alve to pro- e and pres- n the well ir, meter, nd water  13, 197  ore Se  and be co  sed use sh	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable 1 2. 1978 or befor	ress port f neasuring re Octobe	ter. for measuring device, and and shal 1, 19.78
ne works s The s ne, adequ The s hall keep  The s Actu nereafter	shall inc works c ate to c permitte a compl priority al const be prose	lude proper onstructed s letermine we shall instellete record of date of this ruction work ecuted with plication of my hand this	as necessary capping and hall include ater level el all and main of the amoun permit is c shall begin reasonable of the water to 12th 6	in accorded control ve an air line levation in tain a weit of ground April on or before the proposition according to the proposition of the proposition of the proposition of the proposition are according to the proposition and the proposition are according to the proposition and the proposition are according to the proposition are according to the proposition and the proposition are according to the proposition accordi	ince with alve to pro- e and pres- n the well ir, meter, nd water  13, 197  ore Se  and be co  sed use sh	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable 1 2. 1978 or befor	ress port f neasuring re Octobe	ter. for measuring device, and and shal 1, 19.78
he works s The s ne, adequ The s hall keep  Actu hereafter Com WIT	shall inc works c ate to c permitte a compl priority al const be prose	lude proper onstructed s letermine we shall instellete record of date of this ruction work ecuted with plication of my hand this	as necessary capping and hall include ater level el all and main of the amoun permit is c shall begin reasonable of the water to 12th 6	in accorded control ve an air line levation in tain a weit of ground April on or before the proposition according to the proposition of the proposition of the proposition of the proposition are according to the proposition and the proposition are according to the proposition and the proposition are according to the proposition are according to the proposition and the proposition are according to the proposition accordi	ince with alve to pro- e and pres- n the well ir, meter, nd water  13, 197  ore Se  and be co  sed use sh	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable 1 2. 1978 or befor	ress port f neasuring re Octobe	ter. for measuring device, and and shal 1, 19.78
The part of the control of the contr	shall inc works c ate to c permitte a compl priority al const be prose	lude proper onstructed s letermine we shall instellete record of date of this ruction work ecuted with plication of my hand this	as necessary capping and hall include ater level el all and main of the amoun permit is c shall begin reasonable of the water to 12th 6	in accorded control ve an air line levation in tain a weit of ground April on or before the proposition according to the proposition of the proposition of the proposition of the proposition are according to the proposition and the proposition are according to the proposition and the proposition are according to the proposition are according to the proposition and the proposition are according to the proposition accordi	ince with alve to pro- e and pres- n the well ir, meter, nd water  13, 197  ore Se  and be co  sed use sh	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable 1 2. 1978 or befor	round wa ress port f neasuring e Octobe fore Octo	ter. for measuring device, and and shal 1, 19.78
he works s The s ne, adequ The s hall keep  Actu hereafter Com WIT	shall inc works c ate to c permitte a compl priority al const be prose	lude proper onstructed s letermine we shall instellete record of date of this ruction work ecuted with plication of my hand this	is necessary capping and hall include ater level el all and main of the amount permit is	in accorded control ve an air line levation in tain a weit tof ground April on or befolklingence of the propositive propositiv	ince with alve to pro- e and pres- n the well ir, meter, nd water  13, 197  ore Se  and be co  sed use sh	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable 1 2. 1978 or befor	round wa ress port f neasuring e Octobe fore Octo	ter. for measuring device, and and shal 1, 19.78
he works s The s The s ine, adequ The s hall keep  Actu hereafter Com WIT	shall inc works c ate to c permitte a compl  priority al const be pross plete ap	lude proper onstructed s letermine we shall instellete record of date of this ruction work ecuted with plication of my hand this	is necessary capping and hall include ater level el all and main of the amount permit is	in accorded control ve an air line levation in tain a weit tof ground April on or befolklingence of the propositive propositiv	ince with alve to prove and present the well ir, meter, and water  13, 197  ore Second be conseduse shaptem	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable n or before on or be	round wa ress port f neasuring e Octobe fore Octo	ter. for measuring device, and and shal 1, 19.78
he works s The s ne, adequ The s hall keep  Actu hereafter  Com WIT	shall inc works c ate to c permitte a compl  priority al const be pross plete ap	lude proper onstructed s letermine we shall instellete record of date of this ruction work ecuted with plication of my hand this	is necessary capping and hall include ater level el all and main of the amount permit is	in accorded control ve an air line levation in tain a weit tof ground April on or befolklingence of the propositive propositiv	ince with alve to prove and present the well ir, meter, and water  13, 197  ore Second be conseduse shaptem	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable n or before on or be	round wa ress port f neasuring e Octobe fore Octo	ter. for measuring device, and and shal 1, 19.78
The part of the control of the contr	shall inc works c ate to c permitte a compl priority al const be prose	lude proper onstructed s letermine we shall instellete record of date of this ruction work ecuted with plication of my hand this	is necessary capping and hall include ater level el all and main of the amount permit is	in accorded control ve an air line levation in tain a weit tof ground April on or befolklingence of the propositive propositiv	ince with alve to prove and present the well ir, meter, and water  13, 197  ore Second be conseduse shaptem	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable n or before on or be	round wa ress port f neasuring e Octobe fore Octo	ter. for measuring device, and and shal 1, 19.78
The part of the pa	shall inc works c ate to c permitte a compl  priority al const be pross plete ap	lude proper onstructed s letermine we shall installete record of date of this ruction work ecuted with plication of my hand this	is necessary capping and hall include ater level el all and main of the amount permit is	in accorded control ve an air line levation in tain a weit of ground to of ground to on or before the proposed ay of	ince with alve to pro- e and pres- n the well ir, meter, nd water  13, 197  ore Se  and be co  sed use sh	event the wasure gauge at all time or other swithdrawn.  Otember 1  mpleted on all be made	aste of g or an acc s. uitable 1 2. 1978 or befor	e Octobe fore Octo	ter. for measuring device, and and shal 1, 19.78