| 108<br>108<br>108<br>108<br>108<br>108<br>108<br>108<br>108<br>108   | WATER RESOURCE Permit No. C. 7426  |
|--|--|
| History<br>- 1997<br>- 1998  | APPLICATION FOR A PERMIT   |
|  | To Appropriate the Cround Weters of the State of Oregon  |
| . ***<br>**^**:  | To Appropriate the Ground Waters of the State of Oregon  |
|  | Forest L. MILLS  |
|  | of Boy 87 orgon 97002 (fire at (Name of applicant) of Boy 87 orgon 97002 (204 main st), county of MAYON,   |
| 1  | state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS: |
|  | If the applicant is a corporation, give date and place of incorporation  |
|  | 1. Give name of nearest stream to which the well, tunnel or other source of water development is   |
|  | situated MILL Cree K (Name of stream)  |
|  | tributary of Puddin's Riker  |
|  | 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 3.0 gallons per minute.                          |
|  | 3. The use to which the water is to be applied is frigular   |
|  | 4. The well or other source is located 160 ft. 5 and 1240 ft. E from the 11 W  |
|  | corner of Section 14 (Section or subdivision)  |
| 1,23.41  | (If preferable, give distance and bearing to section corner)   |
| 13. 13. 13.<br>17. 13. 17.<br>17. 13. 17.  | being within the NF/4 9 W 1/4 of Sec. 14, Twp. 45, R. 120.   |
| ि इ.ह.<br>-  | W. M., in the county of Mayion   |
|  | 5. The POY 136LE SYSIEM to be miles  (Canal or pipe line)  in length, terminating in the of Sec. Two.  |
| ار برای از این از ا<br>این از این ا   | In tength, terminating in the  |
|  | 6. The name of the well or other works is Williamette Dulling Company  |
|  | DESCRIPTION OF WORKS   |
| Province of the  | I If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.           |
| Sign American State (Section 2015)   |  |
|  |  |
|  | 8. The development will consist of 2 Vell having a Give number of wells, tunnels, etc.)  |
|  | diameter of inches and an estimated depth of/28feet. It is estimated that  |
|  | feet of the well will require / casing. Depth to water table is estimated  |
|  | U 14:00 ° 0  |
| The state of the s | P708-10  |

|  |   | op (at water lis                                | ne)  |  | fe                                       | et; width  | on bottom   | i in itself          |
|--|---|---|--|--|--|--|---|----------------------|
| 3 122  | feet; depth of t  | water   | jeet;  | grade                                  | a la | feet fo  | ll per one  |                      |
| thousand feet.   |   |   |  |  |  | 200  | 4 m   |                      |
| (b) At   | m.  | iles from heads                                 | N  | top (at wa                             | ter line)                                |  | A SA  |                      |
| tilita alata kalendari da kalenda  | ar and the second   | bottom  | and the second of                                    | The state of the state of the state of |  | TO YOUR TO LEVE  | Well-back Late  |                      |
| e general program in register fiftyre opphyre fiftyr o register fi | rando en las professiones de la companya de la comp | A CANADA SANTE A SANTE OF                       |  |  |  |  |   |                      |
| grade  | 10 m  | 12 15 To 18 18 18 18 18 18 18 18 18 18 18 18 18 | in the fields  | in the second                          |  |  |   |                      |
| (c) Length o   | pipe,   | ft.; si:  | ze at intake 🕍                                       | A                                      | in.; In size                             | at   | ft.   |                      |
| from intakeintake and place of   | in.; si   | ize at place of t                               | 138  | in.; d                                 | ifference i                              | n elevatio   | n between   |                      |
| intake and place of  | use,  | ft. I   | s grade unifor                                       | m?                                     |  | Estimate   | i capacity,   |                      |
| s  |   |   |  |  |  |  |   |                      |
| 10. If numps   | are to be used.   | give size and to                                | Jpe 3 H.P.   | 8                                      | stag                                     | e Fo   | irba  | nks                  |
| A  | و بده ال  | <u>ن</u>  | R CAN  |  | 🕶 🗸                                      | مناب منابع المسورة<br>الرابع المنابع المرابع المرابع   |   | eg e skille<br>G     |
| submeric   | an of the same  | give size and to                                |  | a FAT.                                 | - h 0-                                   | CI.  | J.)-  | L                    |
| Give horsepo   | wer and type  | of motor or er                                  | ngine to be us                                       | eu y seleta                            |  |  | ~~~~  |                      |
| molos  | <u>Charles de la comp</u>   | A CONTRACTOR OF SEC.                            | <u>an an an an Airtí an</u><br>Bhaile an airtí Airtí |  |  | <u></u>  |   |                      |
| 11. If the loc   | ation of the we   | ell, tunnel, or ot                              | her developme  | ent work is                            | less than                                | ne-fourth  | mile from   |                      |
| a natural stream or<br>the difference in ele   | evation betwee  | en the stream be                                | ed and the gro                                       | ound surface                           | e at the so                              | urce of de   | velopmen <b>t</b>   |                      |
| 11. + 0  | on Et   | Fian m  | 1:00 15  | ab -                                   | 70                                       |  |   |                      |
| about 90 differen  | <u>/                                    </u>  | LAUTH II  | 7-   |  | ,  | 30   | Ap  |                      |
|  | 00 1  | · ecer  | $\alpha \sim \sim$                                   | الاستكراف المتعد                       | NO. 34 12 12                             | Service of the   | on the last of the second   | • F (1) 11 1 2       |
| ayperen  | $\sim \sim$   |   |  |  | 73. 133. 3                               | \$ 100   |   |                      |
| afferen  |   |   |  |  |  | i de la companya de l | 3.4%  |                      |
|  |   |   |  |  |  |  |   |                      |
| 12. Location   | of area to be i   | rrigated, or pla                                | ce of use  |  |  | Number A   |   |                      |
|  |   | rrigated, or pla                                | ce of use  |  |  | Number A<br>To Be Irrig  | res<br>ated   |                      |
| 12. Location   | of area to be i   | rrigated, or pla                                | ce of use  |  |  | Number A To Be Irrig   | ores<br>ated  |                      |
| 12. Location   | of area to be i   | rrigated, or pla                                | ce of use  |  | 4  | Number A<br>To Be Irrig  | res<br>ated   |                      |
| 12. Location   | of area to be i   | rrigated, or pla                                | ce of use  |  | 4 3 C                                    | Number A To Be Irrig   |   |                      |
| 12. Location   | of area to be i   | rrigated, or pla                                | re of use  Porty- NW 1/4 NE 1/4                      |  |  | Number A. To Be Irris 4, (6, (10, 10, 10, 10, 10, 10, 10, 10, 10, 10,  | )   |                      |
| 12. Location  Township N or B.   | of area to be i   | rrigated, or pla                                | ce of use  |  | 4  | To Be Irrig 4, (   | )   |                      |
| 12. Location  Township N or B.   | of area to be i  Range E. or W. of Williamette Meridian   | rrigated, or pla                                | re of use  Porty- NW 1/4 NE 1/4                      | nere Tract  NW /4  NW /                | 4  | To Be Irrig 4, (   | )   |                      |
| 12. Location  Township N or B.   | of area to be i   | rrigated, or pla                                | reruse  NW/4  NE/4  ToTa                             | ncre Tract  NW /  NW /                 | 4  | To Be living 4, ( 6, (   | 2 · · · · · · · · · · · · · · · · · · ·   |                      |
| 12. Location  Township N. or B.  | of area to be i  Range I. or W. of  Williams the Meridian   | rrigated, or pla                                | ce of use  Forty-  NW 14  ME 1/4  ToTa               | ecre Tract  NW // NW //                | 4  | To Be large 4, ( 6, (  | onted   | will and the         |
| 12. Location  Township N. or S.  | of area to be i  Range E. or W. of Williamette Meridian   | rrigated, or pla                                | ce of use  Forty- NW 1/4  ME 1/4  ToTa               | acre Tract  NW/ NW/                    | 4  | To Be large 4, ( 6, (  | 2 \ 4 \ 4 \ 7 \ 2   | an saige             |
| 12. Location  Township N. or B.  | of area to be i  Range E. or W. of Williamette Meridian   | rrigated, or pla                                | ce of use  Forty-  NW 14  ME 1/4  ToTa               | acre Tract  NW/ NW/                    | 4  | To Be laring 4, ( 6, (   | 2 \ \frac{1}{2} | en antico<br>Argenta |
| 12. Location  Township N. or S.  | of area to be i  Range E. or W. of Williamette Meridian   | rrigated, or pla                                | ce of use  Forty  NW 1/4  ME 1/4  ToTa               | ecre Tract  NW // NW //                | 4  | To Be laring 4, ( 6, (   | 2   | wa sagar<br>Sagar    |
| 12. Location  Township  N. or S.  H/S  | of area to be i  Range Lor W. of Williamette Meridian    W  | rrigated, or pla                                | rorty  NW 14  ME 14  ToTa                            | acre Tract  NW/ NW/                    |  | To Be laring 4, ( 6, (   | 2   | wa sagar<br>Sagar    |
| 12. Location  Township  N or 8.  | of area to be i  Range E. or W. of Willamette Meridian    W   | rrigated, or pla                                | ce of use  Forty  NW 14  NE 14  ToTa                 | ncre Tract  NW/                        |  | To Be living 4, ( 6, 0   | 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -   |                      |
| 12. Location  Township N. or B.  | of area to be i   | rrigated, or pla                                | ce of use  NW 14  NE 14  ToTa                        | acre Tract  NW/ W/ W/  Marcheet        |  | To Be living 4, ( 6, (   | 2   |                      |
| 12. Location  Township  N. or S.  H/S  | of area to be i  Range E. or W. of Willamette Meridian  / W   | rrigated, or pla  Section  14                   | ce of use  NW 14  NE 14  ToTa                        | acre Tract  NW/ W/ W/  Marcheet        |  | To Be living 4, ( 6, (   | 2 \ \frac{1}{2} |                      |
| 12. Location  Township N or 8.  H S  | of area to be i  Range Willametre Meridian    W   | rrigated, or pla  Section  14                   | ce of use  Forty- NW /4  ME /4  ToTa                 | acre Tract  NW/ W/ W/  Marcheet        |  | To Be living 4, ( 6, (   | 2   |                      |
| 12. Location  Township  N. or S.  H/S  | of area to be i   | rrigated, or pla  Section  14                   | ce of use  Forty- NW 1/4  ME 1/4  ToTa               | acre Tract  NW/ W/ W/  Marcheet        |  | To Be living 4, ( 6, (   | 2   |                      |

| چەمچى دەسە <u>ر چ</u>  |  |
|--|--|
| રાષ્ટ્રી.  | G 7426   |
|  |  |
|  | MUNICIPAL SUPPLY—  |
| 1  | 13. To supply the city of  |
|  | in county, having a present population of  |
| ngayasa <del>a</del><br>ngayasa <del>a</del><br>an L   | and an estimated population ofin 19  |
| ્રેસ્  |  |
|  | ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES  |
|  | 18. Estimated cost of proposed works, \$ 2000,02   |
|  | 15. Construction work will begin on or before starled  |
|  | 16. Construction work will be completed on or before Completed   |
|  | 17. The water will be completely applied to the proposed use on or before Oct 1, 1977  |
|  | and the first of the  |
| 2000 a 200<br>1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2  | 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the  |
|  | applicant.   |
| **************************************   |  |
|  | · · · · · · · · · · · · · · · · · · ·  |
|  | Tolls & Mills  |
|  | Remarks:   |
| المهارات المتحديد<br>المهارات المتحديد   |  |
| الله الله الله الله الله الله الله الله  |  |
|  |  |
|  |  |
| 21 A.  |  |
| to state the second  |  |
| មាននៅ<br>គ   | the state of the s |
|  |  |
|  |  |
|  |  |
| وني.   |  |
| n de maria<br>Temporario   |  |
|  |  |
| <i>t</i>   |  |
|  |  |
| A Section of the sect | STATE OF OREGON,   |
|  | County of Marion,  |
|  | This is to certify that I have examined the foregoing application, together with the accompanying  |
|  | more and data and return the come for  |
|  | map and cate, and retain the same joi  |
| 7 (1 ) (1 ) (3 ) (4 ) (4 ) (4 ) (4 ) (4 ) (4 ) (4  |  |
|  | In order to retain its priority, this application must be returned to the State Engineer, with correc-   |
|  | tions on or before, 19   |
| <b>*</b>   |  |
| الأربي أرجي أنا  | WITNESS my hand thisday of   |
|  |  |
|  | A District Control of the Control of |
|  |  |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  | STATE ENGINEER   |
|  | ByASUITANT   |
| verify (V)   | ASSITANT   |
| The section of the section of  |  |

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the well California de la compacta de la com or source of appropriation, or its equivalent in case of rotation with other water users, from ...a. well The use to which this water is to be applied is ... irrigation. or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 212 Barrer Commission Commission Commission Commission Commission Commission Commission Commission Commission Comm acre feet per acre for each acre irrigated during the irrigation season of each year; grafie og arte er bereken and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The state of the s The priority date of this permit is April 13, 1977. The state of the s Actual construction work shall begin on or before ... September. 12, 1978. thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.78. Complete application of the water to the proposed use shall be made on or before October 1, 1979. ontografica egalgerezád Resources Di APPROPRIATE THE GROUND WATERS OF THE STATE instrument was first received office of the State Engineer at Salem, OF OREGON Recorded in book No. applicant: 2