Permit No. G- 1 7446

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, H. Duane Diller (Name of applicant)	
of 150 Aquarius Way, Cave Junction, county of Josephine	
(Postoffice Address)	-
state of Oregon 97525, do hereby make application for a permit to appropriate	the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of water developmen	ıt is
situated Kelly Creek (Name of stream)	
tributary of Fast Fork Illinois	Kiver
2. The amount of water which the applicant intends to apply to beneficial use is06	ubic
3. The use to which the water is to be applied is irrigation	
4. The well or other source is located 320 ftS and 2560 ft. W from the N.E.	
corner of Section 36 (Section or subdivision)	
(If preferable, give distance and bearing to section corner)	
(If there is more than one well, each must be described. Use separate sheet if necessary)	
being within the NW4. NF½ of Sec. 36, Twp. 39'S, R. 8	V
-	,
W. M., in the county of Josephine	
5. The preline to be 600 feet m	iles
(Canal or pipe line)	
in length, terminating in the NW NF4 of Sec. 36 , Twp. 39 S. (Smallest legal subdivision)	,
R, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is	•••••
DESCRIPTION OF WORKS	
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described.	the
8. The development will consist of 1 sump well havin (Give number of wells, tunnels, etc.)	
diameter of $\frac{50}{10}$ feet, inches and an estimated depth of $\frac{15}{10}$, feet. It is estimated that	
feet of the well will require casing. Depth to water table is estimated feet (Feet)	t

10075

				G 7446
CANAL SYSTEM				
9. (a) Give	dimensions at e	ach point of	canal where materially char	nged in size, stating miles from
headgate. At headg	ate: width on t	op (at water	line)	feet; width on botton
	feet; depth of a	vater	feet; grade	feet fall per on
housand feet.				
(b) At	mi	iles from hea	dgate: width on top (at wat	er line)
	feet; width on	bottom	feet; depth of	water fee
rade	feet fall 1	per one thous	and feet.	
(c) Length o	f pipe, 600)ft.; 8	rize at intake3 i	n.; in size at600f
				fference in elevation between
				Estimated capacity
s	_			
	•		4	
	•			
Give norsepo			•	
11. If the loc natural stream or ne difference in ele 100' S of Ke	ation of the wel stream channe evation between elly Creek	l, tunnel, or o l, give the dis the stream b	ther development work is lestance to the nearest point and the ground surface feet difference in	ess than one-fourth mile from on each of such channels and at the source of developmen elevation
11. If the loce natural stream or he difference in ele	ation of the wel stream channe evation between ally Creek	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface seet difference in	ess than one-fourth mile from on each of such channels and at the source of developmen elevation
11. If the loce natural stream or the difference in ele 100' S of Ke	ation of the wel stream channel evation between ally Creek	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface seet difference in	ess than one-fourth mile from on each of such channels and at the source of developmen elevation
11. If the locinatural stream or e difference in ele 100' S of Ke	ation of the wel stream channe evation between ally Creek	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface seet difference in	ess than one-fourth mile from on each of such channels and at the source of development elevation Number Acres To Be Irrigated
11. If the locinatural stream or e difference in ele 100' S of Ke	ation of the wel stream channel evation between elly Creek	l, tunnel, or o l, give the dis the stream b - 3 f	ther development work is lestance to the nearest point and the ground surface eet difference in	ess than one-fourth mile from on each of such channels and at the source of development elevation
11. If the locinatural stream or e difference in ele 1001 S of Ke	ation of the wel stream channel evation between elly Creek of area to be irr	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface feet difference in the state of use	ess than one-fourth mile from on each of such channels and at the source of developmen elevation Number Acres To Be Irrigated
11. If the locinatural stream or e difference in ele 100' S of Ke	ation of the wel stream channel evation between elly Creek of area to be irr	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface feet difference in the state of use	ess than one-fourth mile from on each of such channels and at the source of developmen elevation Number Acres To Be Irrigated
11. If the locinatural stream or e difference in ele 100' S of Ke	ation of the wel stream channel evation between elly Creek of area to be irr	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface feet difference in the state of use	ess than one-fourth mile from on each of such channels and at the source of developmen elevation Number Acres To Be Irrigated
11. If the locinatural stream or e difference in ele 100' S of Ke	ation of the wel stream channel evation between elly Creek of area to be irr	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface feet difference in the state of use	ess than one-fourth mile from on each of such channels and at the source of developmen elevation Number Acres To Be Irrigated
11. If the loce natural stream or see difference in ele 100' S of Ke	ation of the wel stream channel evation between elly Creek of area to be irr	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface feet difference in the state of use	ess than one-fourth mile from on each of such channels and at the source of developmen elevation Number Acres To Be Irrigated
11. If the loce natural stream or ne difference in ele 100° S of Ke	ation of the wel stream channel evation between elly Creek of area to be irr	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface feet difference in the state of use	ess than one-fourth mile from on each of such channels and at the source of developmen elevation Number Acres To Be Irrigated
11. If the loce natural stream or the difference in election 100° S of Ke	ation of the wel stream channel evation between elly Creek of area to be irr	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface feet difference in the state of use	ess than one-fourth mile from on each of such channels and at the source of development elevation Number Acres To Be Irrigated
11. If the loce natural stream or ne difference in ele 100° S of Ke	ation of the wel stream channel evation between elly Creek of area to be irr	l, tunnel, or o l, give the dis the stream b - 3 1	ther development work is lestance to the nearest point and the ground surface feet difference in the state of use	ess than one-fourth mile from on each of such channels and at the source of development elevation Number Acres To Be Irrigated

Character of soil sandy clay the sandy clay Kind of crops raised pasture, garden, lawn

(If more space required, attach separate sheet)

G 7446

MUNICIP.	AL SUPPLY—
13.	To supply the city of
in	county, having a present population of
and an est	imated population of in 19
e e e e e e e e e e e e e e e e e e e	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
74.	Estimated cost of proposed works, \$
15.	Construction work will begin on or before April 1, 1978
16.	Construction work will be completed on or before April 1, 1979
	The water will be completely applied to the proposed use on or before April 1, 1980
	If the ground water supply is supplemental to an existing water supply, identify any applipermit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant.	
	ALLY Starmature of Mobileship
Rem	arks:
	•
•	

STATE O	F OREGON, ss.
County	of Marion,
This	is to certify that I have examined the foregoing application, together with the accompanying
maps and d	lata, and return the same for
	,,,
In or	der to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or	before, 19
	en e
WIT	NESS my hand this day of
	ANATH BULLISTED
	STATE ENGINEER

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, $SUBJECT\ TO\ EXISTING\ RIGHTS$ and the following limitations and conditions:

	right herein granted				
or source	of appropriation, or its	s equivalent in case	of rotation wi	ith other water users,	fromonesump.
The	use to which this wat	er is to be applied is	irrigation	<u> </u>	······································
	or irrigation, this appro			4	
or its equi	valent for each acre in	rrigated and shall be	further limi	ted to a diversion of n	ot to exceed2½.
	per acre for each acre i				
	limited to approp				
or subst	antially interfer	e.with.existing	surface wat	er rights of othe	rs,
			······································		•••••••••••••••••••••••••••••••••••••••
					······································
					••••••
ınd shal' l	be subject to such reas	onable rotation syste	em as may be	ordered by the proper	r state officer.
the works The ine, adequ The	well shall be cased as shall include proper c works constructed sh uate to determine wa permittee shall instal a complete record of	apping and control t all include an air lir ter level elevation : I and maintain a we	valve to preve ne and pressur in the well at eir, meter, or	nt the waste of ground re gauge or an access p all times. other suitable meast	d water. Port for measuring
The	priority date of this pe	ermit isApr.i.l	11. 1977		
	ial construction work				
	be prosecuted with re				
Com	plete application of th	e water to the propo	sed use shall	be made on or before	October 1, 19.79
WIT	NESS my hand this	1.4th day of	September	······································	19.77
	, and the second		Qu	me, E. Sey	new
			Water Res	ources Director	SX X XXX XX X
Application No. Gr. 2010.	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the ce of the State Engineer at Salem, Oregon, the	urned to applicant:	proved: Recorded in book No. of and Water Permits on page	STATE ENGINEER Drainage Basin No. // page //

K.