

CERTIFICATE NO. **53183**

Application No. **G-8040**

Permit No. **G 7453**

RECEIVED STATE OF OREGON WATER RESOURCES DEPARTMENT

APR 10 1977

Application for a Permit to Appropriate Ground Water

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
WATER RESOURCES DEPT
SALEM, OREGON

I, City of Athena

(Name of Applicant)

of P.O. Box 265

(Mailing Address)

Athena

(City)

State of Oregon, 97813 Phone No. 566-3862 do hereby
(Zip Code)

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of One Well

(Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of 8 inches and an estimated depth of 746 feet.

2. The well or other source is to be located 7.5 ft. South and 7.5 ft. West

(N. or S.)

(E. or W.)

from the N.E. corner of the Southwest Quarter of

(Public Land Survey Corner)

Section 30

(If there is more than one well, each must be described)

being within the N.E. $\frac{1}{4}$ of the S.W. $\frac{1}{4}$ of

Sec. 30 Tp. 4 North R. 35 East, W. M., in the county of Umatilla

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
4 North	35 East	18	SE $\frac{1}{4}$ SW $\frac{1}{4}$	Municipal
4 North	35 East	19	W $\frac{1}{2}$ NE $\frac{1}{4}$	Municipal
4 North	35 East	19	NW $\frac{1}{4}$	Municipal
4 North	35 East	19	N $\frac{1}{2}$ SW $\frac{1}{4}$	Municipal
4 North	35 East	19	W $\frac{1}{2}$ SE $\frac{1}{4}$	Municipal
4 North	34 East	24	SE $\frac{1}{4}$ SE $\frac{1}{4}$	Municipal

4. It is estimated that 520 feet of the well will require 8" Steel casing.
(Kind)

5. Depth to water table is estimated 170' Well drilled by R.J. Strasser Drilling Co.
(Feet)

6. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 554 gallons per minute.

7. The use to which the water is to be applied is Municipal use within the City of Athena.

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N.A.

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

N.A.

10. DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

The pumping works consist of a Layne & Bowler vertical turbine pump run by a 60 H.P. U.S. Motor. This equipment is housed in a weather proof metal pumphouse with a concrete slab and floor drain. The pump discharges into a 6" steel pipe which is metered. The pipe passes into the floor slab within the building and into a 6" buried transmission line running north into the City. About 150 feet northwest of the well is a 500,000 gallon steel storage reservoir which tees off of the 6" transmission line. The pump is controlled by a pressure switch within the pumphouse which measures the reservoir level.

11. Construction work will begin on or before Completed

12. Construction work will be completed on or before N.A.

13. The water will be completely applied to the proposed use on or before Completed

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. The City of Athena presently has two additional wells upon

which water rights were filed in 1941

Application No. G-8040

Permit No. G 7453

G 7453

Remarks: The City of Athena has been under the impression that the Engineer who supervised the construction of this well in 1970 had taken care of this application. They have since found that this has not been done. That is the reason that this application is being made at this time.

C. B. Dugger

Signature of Applicant

C.B. Dugger, City Recorder

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before.....August 24....., 19 77.....
September 12, 77

WITNESS my hand this 24th day of June, 19 77
13th day of July 77

James E. Sexson Water Resources Director

By *Vesta R. Garner*
Vestal R. Garner

RECEIVED

JUL 25 1977

WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 19 day of April, 19 77, at 11 o'clock A.M.

Application No. G-8040

Permit No. G 7453

Permit to Appropriate the Public Waters of the State of Oregon

0 5125

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.23 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from one well

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;


*and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.*

The priority date of this permit is April 19, 1977

Actual construction work shall begin on or before September 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 78

Complete application of the water to the proposed use shall be made on or before October 1, 19 79

WITNESS my hand this 14th day of September, 19 77


Water Resources Director