		- 10	$C \cap A$
Permit No	r)	•	601
Permii No	_	-	

STATE OF OREGON WATER RESOURCES DEPARTMENT Application for a Permit to Appropriate Ground Water

With the second	est 21st	iling Address)	•••••••••••••••••••••••••••••••••••••••	(0)
State of Or	egon	97058	Phone No	-9.17.7 do herel
nake applicatio	on for a permit i	(Zip Code) to appropriate	the following described grou	nd waters of the State of Oregon
1. The de	velopment will c	onsist of	One well (Give number of wells, tile line	to Chambion and Variance
aving a diamet	er of4	feet	and an estimated depth of	
2. The we	ll or other source	e is to be locate	ed 3,305.36ft S.	. and 263.11 ft
rom the N	• 1/4 cor	ner of Sec	etion 6, T. 2 S., R.	10 E., W.M. (Oregon
		ystem Nor	th Zone Grid) ore than one well, each must be described)	vey Corner)
•••••	•			4 of the S.W 4
				M., in the county of Hood Riv
			r place of use if use other th	
Township	Range	Section	List ¼ ¼ of Section	List use and/or number of acres to be irrigated
Township	Range	Section 6	List ¼ ¼ of Section Government Lot 2	
				of acres to be irrigated
2 S.	10 E.	6	Government Lot 2	of acres to be irrigated -23.4 Domestic
2 S.	10 E.	6	Government Lot 2 Government Lot 3	of acres to be irrigated -23.4 Domestic -12.0 "
2 S.	10 E.	6	Government Lot 2 Government Lot 3 SW ½ of the NE ½	of acres to be irrigated -23.4 Domestic -12.0 '' -25.8 ''
2 S	10 E.	11	Government Lot 2 Government Lot 3 SW ½ of the NE ½ SE ¼ of the NW ½	of acres to be irrigated -23.4 Domestic -12.0 " -25.8 " -13.0 "
2 S	10 E.	11	Government Lot 2 Government Lot 3 SW \(\frac{1}{4}\) of the NE \(\frac{1}{4}\) SE \(\frac{1}{4}\) of the NW \(\frac{1}{4}\) NW \(\frac{1}{4}\) of the SE \(\frac{1}{4}\)	of acres to be irrigated -23.4 Domestic -12.0 " -25.8 " -13.0 " -2.1 "
2 S	10 E.	6 "1"	Government Lot 2 Government Lot 3 SW ½ of the NE ½ SE ¼ of the NW ¼ NW ¼ of the SE ¼ NE ¼ of the SW ¼	of acres to be irrigated -23.4 Domestic -12.0 '' -25.8 '' -13.0 '' -2.1 '' -7.9 ''
2 S	10 E. "" "" "" "10 E.	6 " " " " " " " " " 31	Government Lot 2 Government Lot 3 SW \(\frac{1}{4}\) of the NE \(\frac{1}{4}\) SE \(\frac{1}{4}\) of the NW \(\frac{1}{4}\) NW \(\frac{1}{4}\) of the SE \(\frac{1}{4}\) NE \(\frac{1}{4}\) of the SW \(\frac{1}{4}\) NW \(\frac{1}{4}\) of the NE \(\frac{1}{4}\)	of acres to be irrigated -23.4 Domestic -12.0 " -25.8 " -13.0 " -2.1 " -7.9 " 10.0 "
2 S	10 E. "" "" "" 10 E. ""	6 " " " " 31 31	Government Lot 2 Government Lot 3 SW \(\frac{1}{4}\) of the NE \(\frac{1}{4}\) SE \(\frac{1}{4}\) of the NW \(\frac{1}{4}\) NW \(\frac{1}{4}\) of the SE \(\frac{1}{4}\) NE \(\frac{1}{4}\) of the NW \(\frac{1}{4}\) NW \(\frac{1}{4}\) of the NE \(\frac{1}{4}\) NE \(\frac{1}{4}\) of the NE \(\frac{1}{4}\) NE \(\frac{1}{4}\) of the NW \(\frac{1}{4}\)	of acres to be irrigated -23.4 Domestic -12.0 " -25.8 " -13.0 " 2.1 " 7.9 " -10.0 "

6. The amount of water which the applicant intends to apply to beneficial use is56
per second or250 gallons per minute.
7. The use to which the water is to be applied isdomestic water supply and fire protection
29 families immediately — additional 100 in the future.
8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. Not artesian. Controlled by float valve in storage reservoir on system.
9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development. Approximately 40 feet from the channel of Doe Cree
tributary of the Stream of Hood River. Surface elevation 8 to 10 above stream bed.
10. DESCRIPTION OF WORKS
Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.
48" diameter precast concrete section used as an infiltration type gallery
for subterranean ground water. Gravity flow through 4" PVC pipe extending
3,775' North and along Cooper Spur Road to connect with the existing transmission
main of the Mt. Shadows Utility Company at the crossing of Tilly Jane Creek.
solpany at the crossing of fifty Jane Creek.

11 Construction work will be Sentember 15 1077
11. Construction work will begin on or before September 15, 1977
12. Construction work will be completed on or before January 1, 1979
13. The water will be completely applied to the proposed use on or before
14. If the ground water supply is supplemental to an existing supply, identify the supply and existing
water right. Supply will interconnect with Mt. Shadows transmission main from
Tilly Jane Creek as additional source.
Application No. 5501

C SCUL

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can	be applied to beneficial use and
shall not exceed	t the point of diversion from the
well or source of appropriation, or its equivalent in case of rotation with other w	vater users, from .a well
The use to which this water is to be applied is domestic system for	or 129 families.
If for irrigation, this appropriation shall be limited to	of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited	d to a diversion of not to exceed
acre feet per acre for each acre irrigated during the irrigatio	on season of each year;
and shall be further limited to appropriation of water only	to the extent that it
does not impair or substantially interfere with existing su	urface water rights of
others.	
otners.	· · · · · · · · · · · · · · · · · · ·
and shall be subject to such reasonable rotation system as may be ordered. The well shall be constructed in accordance with the General Stand Maintenance of Water Wells in Oregon.	by the proper state officer.
The works constructed shall include an air line and pressure gauge or a adequate to determine water level elevation in the well at all times.	n access port for measuring line,
The permittee shall install and maintain a weir, meter, or other suital keep a complete record of the amount of ground water withdrawn.	ble measuring device, and shall
The priority date of this permit isAugust 3, 1977	
Actual construction work shall begin on or before December 2.	1978 and shall
thereafter be prosecuted with reasonable diligence and be completed on or be tended to Oct. 1, 1993 Extended to Oct. 1, 1993 Extended to October 1, 1990	efore October 1, 1979
Complete application of the water to the proposed use shall be made on or Extended to Oct. 1, 1983 Extended to Oct. 1, 1983 Extended to Oct. 1, 1983	before October 1, 1980
WITNESS my hand this 2nd day of December	19 77

Water Resources Director