Application for a Permit to Appropriate Ground Water I. W. J.
I, White Decrees the policy of the state of
I. White Section of the source is to be located \$2.0 ft. No. and 1.2.3. ft. (If there is more than one well, each must be described) (Name of Applicant) (City) (Cit
City) Cate of Malling Address) City Code) Aske application for a permit to appropriate the following described ground waters of the State 1. The development will consist of MELL (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (Give number of wells, tile lines, infiltration galleries, etc.) (If there is not than one well, each must be described) (If there is more than one well, each must be described) (If there is more than one well, each must be described) (If there is more than one well, each must be described) (If there is more than one well, each must be described)
City (City) Tate of Maling Address) The development will consist of Maling a diameter of Ma
tate of
1. The development will consist of
1. The development will consist of ONE WELL (Give number of wells, tile lines, infiltration galleries, etc.) and an estimated depth of S. 2. The well or other source is to be located \$20 ft. N. and 1238 ft. (N. or S.) om the S.W. corner of N.W. 4 S.E. (Public Land Survey Corner) (If there is more than one well, each must be described) being within the S.W. 4 of the N.W. cc. 5. Tp. 235 R. 33 E. W. M., in the county of M.
(Give number of wells, tile lines, infiltration galleries, etc.) aving a diameter of
2. The well or other source is to be located \$10.0 ft. N. and \$1.3.8 ft. (N. or S.) om the \$5.00 corner of \$1.00 ft. N. \$5.00 corner) (If there is more than one well, each must be described) being within the \$5.00 ft. N. W. \$4.00 ft. N
om the SW corner of NW 4 SEC (Public Land Survey Corner) (If there is more than one well, each must be described) being within the SW 4 of the NW CC S Tp. 23 S R. 33 E W. M., in the county of M.
om the S.W. corner of N.W. 4 S.E.C. 5 (Public Land Survey Corner) (If there is more than one well, each must be described) being within the S.W. 4 of the N.W. Tp. 23.5 R. 33.E., W.M., in the county of N.
(If there is more than one well, each must be described) being within the 5
(If there is more than one well, each must be described) being within the 5 w 4 of the N.W. Tp. 23.5 R. 33.E , W.M., in the county of N.
being within the 5 w 4 of the N.W. Tp. 23.5 R. 33.E , W.M., in the county of M.
c. 5. W.M., in the county of!.
我们的一直接着她们的身体,只是一个人的人,只是一个人,只是一个人的人,只是这个人的人,只是一个人的人,
我们的一直接着她们的身体,只是一个人的人,只是一个人,只是一个人的人,只是这个人的人,只是一个人的人,
3. Location of area to be irrigated, or place of use if use other than irrigation.
Township Range Section List ¼ ¼ of Section List use and/or not of acres to be irri
23.5 33E 5 SN # NW # 40
J. 4. / W +
23.5 33E 5 SET NW \$ 40

	$(\mathbf{r}_{i},\mathbf{r}_{i}) = (\mathbf{r}_{i},\mathbf{r}_{i}) \cdot \mathbf{r}_{i}$					
	hich the water is				RIGHTION	/
······································		•••••	and the second	e that east	e e e e e e e e e e e e e e e e e e e	in the state of the
8. If the flow to then not in use mus	o be utilized is a st be described.	rtesian, the ı	vorks to be used j	for the control	and conserv	ation of the suppl
		•				
9. If the locative ream channel, give to round surface at the	the distance to th	he channel a	elopment work i nd the difference	s less than on e in elevation l	ne-fourth mi netween the s	le from a natura tream bed and th
••••••	•••••	••••••			•	***************************************
10.		DESCRIE	TION OF WOR	ove		
	imanciona of our			· ·		
nclude length and divistem to adequately	describe the pr	oposed distr	ibution system.			
	4" MAIN L					·····
8 mile 3	3" 300, NKL	- P 1	2=		, ye. :	•••••
	······································	. S	[b			
4 mil 2	O SPRINKL	LER P			4 ************************************	
4 mile 2	" SPRINKL	ER P	25		and the second s	
Turbin	" SPRINKL	ER P.	14 6° s.	eb.um	•	
y mile 2 Turbin	" SPRINKL	ER P.	14 6° s.	eb.um	•	
8 mile 2 Turbin	" SPRINKL	ER P.	14 6° s.	eb.um	•	
7 mile 2	" SPRINKL	ER P.	14 6° s.	eb.um	•	
7 mile 2	" SPRINKL	ER P.	14 6° s.	eb.um	•	
y mile 2 Turbin	" SPRINKL	ER P.	PE 6	obum.		
y mile 2 Turbin	" SPRINKL	ER P.	PE 6	obum.		
y mile 2 Turbin	" SPRINKL	ER P.	PE H 6" c.	obum.		
4 mile 2	" SPRINKL	ER P.	PE H 6" c.	obum.		
8 mile 2 Turbin	" SPRINKL	ER P.	PE H 6" c.	obum.		
8 mile 2 Turbin	" SPRINKL	ER P.	PE H 6" c.	obum.		
1 mil 2 TURDIM 25 H.D.	" SPRINKL	Puit Ric M	PE- otor,	ebum		
To R b in 25 14 P. 11. Constructio	SPRINTY LE POM,	RIC M	PE etoR, e 10-27	06.um	And the second s	
To R b in 25 H.P. 11. Constructio 12. Constructio	SPRINKLEST.	RIC M.	P_= etoR, etoR, etoR, or before 1.2.	26.um 2-64 27-64	1983 - A TO - AND	The control of the second of t
To R b in 25 H.P. 11. Constructio 12. Constructio	SPRINKLEST.	RIC M.	P_= etoR, etoR, etoR, or before 1.2.	26.um 2-64 27-64	1983 - A TO - AND	The control of the second of t
To R b in 25 H.P. 11. Constructio 12. Constructio 13. The water u	on work will be covill be completely	RIC MIT	etoR, et	26.u.m. 2-64 2-7-64	see of the growth state of the see of the se	
To R b in 25 H.P. 11. Constructio 12. Constructio 13. The water u 14. If the groun	on work will begind water supply	n on or before applied to the is supplement	etoR, etoR, etoR, or before 1.0. he proposed use of the propos	2-64 2-7-64 nor before ng supply, ide	Entify the su	pply and existing
To R b in To R b in 25 H.P. 11. Constructio 12. Constructio 13. The water u 14. If the ground the right. No o	on work will begind water supply	RIC MIT	etoR, etoR, etoR, or before 1.9. he proposed use of the propos	2-64 2-7-64 2-7-64 nor before ng supply, ide	8 - 25 entify the su	pply and existing

The state of the s	
Remarks:	••
	••
The state of the s	••
Signarare of Applicant Oull C. J. M. A. This is to certify that I have examined the foregoing application, together with the accompanying map	
and data, and return the same for completion	••
In order to retain its priority, this application must be returned to the Water Resources Director wit corrections on or before	h
WITNESS my hand this4thday ofNovember, 19.77	
James E. Sexson Water Resources Director By Larry Toll	••
17.1977 17.1977 OREGON	
WATER RES	
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the day of day of	
A. M. Company of the	
Application No. G-7239 Permit No. G 7640	

U Altro

Permit No.

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTAB-LISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and
shall not exceed
well or source of appropriation, or its equivalent in case of rotation with other water users, from <u>a well</u>
The use to which this water is to be applied is inrigation.
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed
3 acre feet per acre for each acre irrigated during the irrigation season of each year;
provided further that the right allowed herein shall be limited to any deficiency
in the available supply of any prior right existing for the same land and shall not
exceed the limitation allowed herein.
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit is June 27, 1977
Actual construction work shall begin on or before December 2, 1978 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19
Complete application of the water to the proposed use shall be made on or before October 1, 19.80
WITNESS my hand this 2nd day of December , 19 77