

Application No. G-8568

Permit No. G 7711

1200
\$15
530

RECEIVED

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for a Permit to Appropriate Ground Water

DEC 7 1977

WATER RESOURCES DEPT
SALEM, OREGON

Quincy Water Association, Inc.

(Name of Applicant)

of PO Box 975 Clatskanie
(Mailing Address) (City)

State of Oregon 97016 Phone No. 728-3938 do hereby
(Zip Code)

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of Four Wells
(Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of Six inches and an estimated depth of #1 200, #2 350, #3 300, #4 250 feet.

2. The well or other source is to be located #1 Well 2801 N 425 W
(N. or S.) (E. or W.)

from the SE corner of Sec. 35 #2 Well 2660'N, 780'W of SE Cor Sec 35
NW Cor (Public Land Survey Corner)

#3 Well 2645'S, 1310'E of Sec 26 #4 Well 958'S, 1140'E of NW Cor Sec 26
(If there is more than one well, each must be described)

#1SE #2NE #3SW #4NW being within the 1/4 of the 1/4 of the

#1,2 Sec 35
Sec. #3,4 Sec 26 Tp. 8 North R. 4 West, W. M., in the county of Columbia

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
8 North	4 West	20	SE NE, NE SE, NW SE	Domestic , Quasi-municipal
			NE SW, NW SW, SW SW	Quasi-municipal
		21	NW SE, SW SE, SE SE,	Domestic , Quasi-municipal,
			SW NW, SE NW, SW NE	Stock watering
		26	NW NW, SW NW, SE NW,	Domestic , Quasi-municipal
			NW SW, NE SW	
		27	NE NE, SE NE, SW NE,	
			NE SE, NW SE, SW SE,	
28	SE SE, NE SW, NW SW,	Domestic , Quasi-municipal		
	SE SW			
29	32	NE NE, SW NE, SE NE,	Domestic , Quasi-municipal,	
		NE SW, NW SW, NE SE,	NW SE Stock watering	
34	35	NE SE, SW SE, SE SE	Domestic , Quasi-municipal	
		NE NE, SE NE, SW NE,	NW NE Domestic, Stock watering	
7 North	4 West	3	NE NE, NW NE, SW NE,	Domestic , Quasi-municipal
			NW SE, SW SE	

4. It is estimated that #1 120', #2 300', #3 250', #4 200' 6" steel casing.
(Kind)

5. Depth to water table is estimated #1 120', #2 300', #3 250', #4 200' Well drilled by Dale McGhee Well Drilling
(Feet)

6. The amount of water which the applicant intends to apply to beneficial use is 0.27 cubic feet per second or 120 gallons per minute. (#1 30 gpm, #2 60 gpm, #3 15 gpm, #4 15 gpm)

7. The use to which the water is to be applied is ~~Domestic Usage~~ (Public Water Supply), Quasi-municipal, and ~~Stock Watering~~

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Flow is not artesian

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

#1 128', 15' above. #2 160', 40' above. #3 400', 40' above. #4 900', 170' above.

10. DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Wells are to allow an existing distribution system now using a surface water source to switch to groundwater. All wells will use submersible pumps, #1,3,4 of 3HP size and #2 of 5HP size. Refurbishment of the system will add a 250,000 gallon storage tank to the existing 60,000 gallon tank. System will consist of 15,000 feet of 8" pipe, 17,000 feet of 6" pipe, 6,000 feet of 4" pipe, along with smaller lines to serve 100 ~~or more~~ ^{to 110} homes.

The primary usage of the system is for domestic and fire fighting purposes. Some water will be used for lawn and garden watering of households, there will be some minor commercial use, and there will be some stock that will be watered.

Presently one grocery store exists, a boat works may connect onto the system. Users in Sections 20 and 32 have private lines that connect into the system. Fire station will have service connection.

11. Construction work will begin on or before January 15, 1978

12. Construction work will be completed on or before July 30, 1978

13. The water will be completely applied to the proposed use on or before October 1, 1978

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. Sept. 3, 1954. Right to 0.17 cfs from North Fork of Stewart Creek

NE 1/4 SE 1/4 Section 35, Township 8 North Range 4 West. Recorded Vol. 16 Page 23279

Application No. G-8568

Permit No. [redacted] G 7711

Remarks:..... The North Fork of Stewart Creek has almost completely ceased
to flow during recent dry summers. Groundwater is needed to assure continuous
service to homes.

James A. Malisch, President
Signature of Applicant
Quincy Water Association

This is to certify that I have examined the foregoing application, together with the accompanying maps
and data, and return the same for..... completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with
corrections on or before..... February 16,....., 19.. 78.....

WITNESS my hand this 15th day of..... December....., 19 77.....

James E. Sexson..... Water Resources Director

By..... *Larry Toll*
Larry Toll

RECEIVED
DEC 28 1977
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
7th day of..... DECEMBER....., 19 77....., at 3:37 o'clock
P.M.

Application No. G-8568.....

Permit No. G 7711.....

334

Application No. G-8568

Permit No. G 7711

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from four wells; being 0.07 c.f.s. from well # 1, 0.13 c.f.s. from well # 2, 0.035 c.f.s. from well # 3, and 0.035 c.f.s. from well # 4. The use to which this water is to be applied is Quasi-Municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 7, 1977

Actual construction work shall begin on or before January 20, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 20th day of January, 1978

James E. Sexton
Water Resources Director