

RECEIVED

MAR 4 1977

WATER RESOURCES DEPT.  
HELM, OREGON

Cancelled - sp. or Rec. Vol. 40 P. 118+119

Permit No. G-7712

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, STEVE FINNICUM (Name of applicant)  
of Rt. 1 Box 224 Dayton, county of Yamhill,  
(Postoffice Address)  
state of Oregon, 97114, do hereby make application for a permit to appropriate the  
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is  
situated Willamette River  
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 cubic  
feet per second of per acre gallons per minute.

3. The use to which the water is to be applied is crop irrigation

4. The well or other source is located 2400 ft. N and 1270 ft. W from the SE  
(N. or S.) (E. or W.)  
corner of SE 1/4 of the SE 1/4 of the SE 1/4 Sec 2  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 2, Twp. 5S, R. 3W,  
W. M., in the county of YAMHILL

5. The portable (Canal or pipe line) to be \_\_\_\_\_ miles  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_,  
(Smallest legal subdivision)  
R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is \_\_\_\_\_

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the  
supply when not in use must be described.

8. The development will consist of (1) one well having a  
(Give number of wells, tunnels, etc.)  
diameter of 10 inches and an estimated depth of 42 feet. It is estimated that 42  
feet of the well will require steel casing. Depth to water table is estimated 24  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

\* (c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type .....

Give horsepower and type of motor or engine to be used ..... 15 horsepower, (submersible

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

1050ft N. of Willamette River diff. elev 40'

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5S	3W	2	NE 1/4 of SE 1/4	11.3
5S	3W	2	SE 1/4 NE 1/4	3.6
5S	3W	2	SW 1/4 NE 1/4	3.9
5S	3W	2	NW 1/4 SE 1/4	2.8
				2.0

(If more space required, attach separate sheet)

Character of soil ..... Cloquato silt loam

Kind of crops raised ..... beans, sweet corn, alfalfa

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$340 (well), \$2600 (pump & panel)
- 15. Construction work will begin on or before ~~April 8 1976~~ April 13 1976 (pump & panel)
- 16. Construction work will be completed on or before April 13 1976
- 17. The water will be completely applied to the proposed use on or before June, 1976

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

*Steve Trinnicum*  
(Signature of applicant)

Remarks: will authorize cancellation  
of certificate number 28388  
legal owner Mrs. Neva Richards

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.28 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 4, 1977

Actual construction work shall begin on or before January 20, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 20th day of January, 1978

*James B. Peterson*  
Water Resources Director

~~STATE ENGINEER~~

Application No. G-7878  
Permit No. G-7712

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 4th day of March,  
1977, at 10:50 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. .... of  
Ground Water Permits on page .....

STATE ENGINEER

Drainage Basin No. 2 page 155

PC

430