APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1,	LPH L. EL	SER	• ***		
09 4133 - 170	WIR ST 19124 (Postellies Address)	VAUISIE,	county of CL	ACKNY HJ.	
state of OR 13	GOLU , oground waters of the state of	io hereby make ap	plication for a per	mit to appropriate the	
If the applicant is a corporation, give date and place of incorporation					
				· · · · · · · · · · · ·	
1. Give name	of nearest stream to which	the well, tunnel o	or other source of	water development is	
	+ MIALY CREE!			METTE KIVER	
2. The amoun	nt of water which the applic 3 5 gallons per minu	cant intends to app		e is 061 cubic	
3. The use to	which the water is to be ap	oplied is	RRIGAT	1014	
· · · · · · · · · · · · · · · · · · ·					
4. The well or	other source is located 3	6 it. 5 ar	nd 18 ft. 19	from the NE	
corner of 40.7 4	BLOCK 3 OF BLOV	(Nors)	itio W	·	
	(If preferable, give dis	stance and bearing to section	n corner)		
	(If there is more than any way of the	" of be described. Use sep.	arate sheet if necessirs		
being within the	Nw yo sw 84	of Sec.	, Twp.	15 R. 2 E	
W. M., in the county	of CLACKA N	1 A S .			
5. The	PORTABLE A	FIFE	to be	miles	
in length, terminatin		legal subdivision.	of Sec.	. Twp.	
R W. M.	, the proposed location bein	•	it on the accompa	nying map.	
	of the well or other works is	_	EYERS		
	DESCRII	PTION OF WORK	(S		
7. If the flow supply we en not in a	to be utilized is artesian, the use must be described.			nd conservation of the	
8. The develo	pment will consist of	Give number of	LL Wells tunnels etc.)	havin g a	
diameter of 6	inches and an estimate	ed depth of 12	feet. It is e	stimated that 120	
feet of the well will	require STEEL	casing. Depth	to water table is	estimated 65	
••••					

eadgate. At headg	ate: width on top	(at water line)	• • •	feet; width on bottom
je	ct; depth of water	feet; grac	ie .	feet fall per one
nousand feet.				
(b) At	miles	s from headgate: width on top	(at water line)	
	feet; width on bo	ttom feet; d	epth of water	feet.
rade	feet fall per	r one thousand feet.		
(c) Length of pipe, ft.; size at intake,				size at ft
rom intake	in.; siz	e at place of use	in.; differenc	e in elevation betweer
ntake and place of	use	ft. Is grade uniform?		. Estimated capacity
	sec. ft.			
10. If pump	s are to be used, gi	ve size and type		
		<u></u>		
Give horsep	ower and type of 1	notor or engine to be used		
11. If the lo	ocation of the well,	tunnel, or other development	work is less than rest point on eacl	one-fourth mile from h of such channels an
11. If the lo natural stream or the difference in e	ocation of the well,	tunnel, or other development give the distance to the near the stream bed and the groun	work is less than rest point on eacl	one-fourth mile from h of such channels an
11. If the lonatural stream on the difference in E	ocation of the well, stream channel, elevation between	tunnel, or other development give the distance to the near the stream bed and the groun	work is less than rest point on eacl	one-fourth mile from h of such channels an
11. If the lonatural stream on the difference in E	ocation of the well, stream channel, elevation between	tunnel, or other development give the distance to the near the stream bed and the groun	work is less than rest point on each id surface at the	one-fourth mile from h of such channels an
11. If the lonatural stream or the difference in a local loc	ocation of the well, stream channel, elevation between on of area to be irr	tunnel, or other development give the distance to the near the stream bed and the ground igated, or place of use	work is less than rest point on each id surface at the	one-fourth mile from h of such channels an source of developmen
11. If the lonatural stream on the difference in a local loc	cation of the well, stream channel, elevation between on of area to be irr Range E or W of Willamette Meridian	tunnel, or other development give the distance to the near the stream bed and the ground igated, or place of use	work is less than rest point on each ad surface at the	one-fourth mile from h of such channels an source of developmen
11. If the lonatural stream on the difference in a local loc	cation of the well, stream channel, elevation between on of area to be irr Range E or W of Willamette Meridian	tunnel, or other development give the distance to the near the stream bed and the ground igated, or place of use	work is less than rest point on each ad surface at the	one-fourth mile from h of such channels an source of developmen
11. If the lonatural stream on the difference in a local loc	cation of the well, stream channel, elevation between on of area to be irr Range E or W of Willamette Meridian	tunnel, or other development give the distance to the near the stream bed and the ground igated, or place of use	work is less than rest point on each ad surface at the	one-fourth mile from h of such channels an source of developmen
11. If the lonatural stream on the difference in a local loc	cation of the well, stream channel, elevation between on of area to be irr Range E or W of Willamette Meridian	tunnel, or other development give the distance to the near the stream bed and the ground igated, or place of use	work is less than rest point on each ad surface at the	one-fourth mile from h of such channels an source of developmen
11. If the lonatural stream on the difference in a local loc	cation of the well, stream channel, elevation between on of area to be irr Range E or W of Willamette Meridian	tunnel, or other development give the distance to the near the stream bed and the ground igated, or place of use	work is less than rest point on each ad surface at the	one-fourth mile from h of such channels an source of developmen
11. If the lonatural stream on the difference in a local loc	cation of the well, stream channel, elevation between on of area to be irr Range E or W of Willamette Meridian	tunnel, or other development give the distance to the near the stream bed and the ground igated, or place of use	work is less than rest point on each ad surface at the	one-fourth mile from h of such channels an source of developmen

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MITTATION AT COMMENT	725
MUNICIPAL SUPPLY— i3. To supply the city of	
in county, having a present	
and an estimated population of	
14. Estimated cost of proposed works, \$ 3 8 4 4	C. a.a
15. Construction work will begin on or before	
16. Construction work will be completed on or befor	e
17. The water will be completely applied to the pro	posed use on or before COMPLETED
18. If the ground water supply is supplemental to	
cation for permit, permit, certificate or adjudicated rig	the to appropriate water, made or held by the
applicant. INDNE	
	RALPH L. ELS ER (Signature of applicant)
Remarks:	<u>.</u>
······	
	······································
·····	······································
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	
······································	
STATE OF OPECON	
STATE OF OREGON, Ss.	
This is to certify that I have examined the foregoing	
maps and data, and return the same for	
In order to retain its priority, this application mus	t be returned to the State Engineer, with correc
tions on or before	
WITNESS my hand this day of	10
aug oj	, 15 .
•	STATE ENGINEER
$oldsymbol{B}oldsymbol{y}$.	ACCICTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well The use to which this water is to be applied is irrigation 1/80 If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the irrigation season of each year: ••••••••••••••••••••••••••••••••••• and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. March 6, 1958 The priority date of this permit is March 25, 1959 and shali Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959 Complete application of the water to the proposed use shall be made on or before October 1, 19 60 WITNESS my hand this 25th day of Harch. ୍ର. 19 .58. STATE ENGINEER Engineer at Salem, Oregon, was first received in the RIATE THE GROUND THE STATE (1) U) rmits on page Ċ o'clock on the 6 day of Permit No Application TO APPROP WATER This instrume office of the State 1958, at 16:01 Returned to applie Recorded in b Ground Water Pe Dramage Bass Parch 25. Approved