

**RECEIVED**  
OCT 11 1955  
STATE ENGINEER  
SALEM, OREGON

Permit No. G-78

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Angus L. Ware and Marcille D. Ware  
(Name of applicant)  
of 107 E. Barnett St. Stayton, county of Marion  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Zumwalt Creek  
(Name of stream)

tributary of N. W. Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 30 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 376 ft. N and 1630 ft. E from the SE corner of Sec. 7, T. 9 S., R. 1 E., W. M.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.

being within the S.E. of N.W. 1/4 of Sec. 7, Twp. 9, R. 1 E., W. M., in the county of Marion

5. The \_\_\_\_\_ to be \_\_\_\_\_ miles in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_, R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line)  
(Smallest legal subdivision)

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One having a diameter of 8 inches and an estimated depth of 50 feet. It is estimated that \_\_\_\_\_ feet of the well will require Steel casing. Depth to water table is estimated \_\_\_\_\_  
(Give number of wells, tunnels, etc.)  
(Kind)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type *30 g.p.m. "Oct" type pump*  
 Give horsepower and type of motor or engine to be used *5 H.P.*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development  
*No Stream within one fourth mile of well location.*

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>30</i>	<i>1 E</i>	<i>7</i>	<i>Portion SE of N 1/4</i>	<i>5.7 Ac.</i>
			<i>Portion W of N 1/4</i>	<i>1.6 Ac.</i>
			<i>Portion NW of S 1/4</i>	<i>1.7 Ac.</i>
			<i>Portion NE of S 1/4</i>	<i>6.1 Ac.</i>

(If more space required, attach separate sheet.)

Character of soil *Willamette*  
 Kind of crops raised *fruit corn and potatoes*

**MUNICIPAL SUPPLY—**

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

- 14. Estimated cost of proposed works, \$ 750.00
- 15. Construction work will begin on or before July 15 - 1956
- 16. Construction work will be completed on or before Sept 15 - 1956
- 17. The water will be completely applied to the proposed use on or before Sept 1957

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

*Angus W. Ware*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 27, 19 55.

WITNESS my hand this 26th day of October, 19 55.

LEWIS A. STANLEY  
STATE ENGINEER

Chris L. Wheeler, Assistant, RW

STATE OF OREGON,

PERMIT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be still further limited to a diversion of not to exceed 0.07 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The priority date of this permit is October 11, 1955

Actual construction work shall begin on or before December 20, 1956 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1959

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

WITNESS my hand this 20th day of December, 1955.

*Lewis A. Stanley*  
STATE ENGINEER

Application No. G- 153

Permit No. G-78

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of October 1955, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

December 20, 1955

Recorded in book No. 1 of

Ground Water Permits on page 6-75

LEWIS A. STANLEY  
STATE ENGINEER

2-91

STATE ENGINEER  
16.00