

Application No. G-8498 Permit No. G 7831

RECEIVED
STATE OF OREGON WATER RESOURCES DEPARTMENT
Application for a Permit to Appropriate Ground Water

9420
 #11520

WATER RESOURCES DEPT
 SALEM, OREGON Marilyn L. McGarry (Name of Applicant)

of Rt 1, Box 4 (Mailing Address), North Powder (City)

State of Oregon, 97867 (Zip Code) Phone No. 898-2391 do hereby

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of One Swamp pond (Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of 70' x 200' and an estimated depth of 12 feet.

2. The well or other source is to be located 60 ft. N. and 120 ft. W. (N. or S.) (E. or W.)

from the SE cor NE 1/4 NW 1/4 corner of Sec 15, T. 6 S., R. 39 E. W.M. (Public Land Survey Corner)

(If there is more than one well, each must be described)

being within the NE 1/4 of the NW 1/4 of

Sec. 15 Tp. 6 S. R. 39 E., W. M., in the county of Union

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
<u>6 S</u>	<u>39 E</u>	<u>15</u>	<u>NE 1/4 NW 1/4</u>	<u>38</u>
"	"	<u>15</u>	<u>NW 1/4 NW 1/4</u>	<u>38</u>
"	"	<u>10</u>	<u>NE 1/4 SW 1/4</u>	<u>40</u>
"	"	<u>10</u>	<u>NW 1/4 SW 1/4</u>	<u>40</u>
"	"	<u>10</u>	<u>SW 1/4 SW 1/4</u>	<u>40</u>
"	"	<u>10</u>	<u>SE 1/4 SW 1/4</u>	<u>38</u>
"	"	<u>10</u>	<u>SW 1/4 NW 1/4</u>	<u>40</u>
"	"	<u>10</u>	<u>SE 1/4 NW 1/4</u>	<u>40</u>

4. It is estimated that 0 feet of the well will require None casing. (Kind)

5. Depth to water table is estimated 5 Well drilled by Not Known (Feet)

6. The amount of water which the applicant intends to apply to beneficial use is 3.92 cubic feet per second or gallons per minute.

7. The use to which the water is to be applied is Supplemental Irrigation

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

DNA

10. DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Development will consist of one sump pond that is planned to be about 70' wide x 200' long and about 10' to 12' deep. Pond will serve as pumping sump for the ground water available. Sprinklers will be used. About 3/4 mile of 6" portable mainline and about 1/2 mile of 4" or 5" wheel lines will be purchased to use with existing hand move pipe. A portable 1300 gpm pto driven pump will be used.

11. Construction work will begin on or before October 1, 1977

12. Construction work will be completed on or before October 1, 1978

13. The water will be completely applied to the proposed use on or before October 1, 1979

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. Cent # 1884, 4561, Permit Nos 35791 and recent
Filing by ~~North~~ ^{Valley} Powder Water Control District

Application No. G-8498

Permit No. G 7831

11 1871

Remarks: This application is to replace the surface water farm which was filed May 24, 1977.

THIS APPLICATION PREPARED BY:

V. Kent Decker

FROM INFORMATION FURNISHED BY THE APPLICANT.

[Signature]
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before....., 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 17th day of October, 19 77, at 8:00 o'clock A.M.

Application No. G-8498

Permit No. G 7831

G 7831

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed3.92..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from.....a sump well.

The use to which this water is to be applied is.....supplemental irrigation.

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed3..... acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isOctober 17, 1977.....

Actual construction work shall begin on or beforeFebruary 8, 1979..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.....79.....

Complete application of the water to the proposed use shall be made on or before October 1, 19.....80.....

WITNESS my hand this8th..... day of.....February....., 1978.....

James E. Larson
Water Resources Director

241 A