

RECEIVED

JAN 31 1974  
STATE ENGINEER  
SALEM, OREGON

Permit No. G-7930

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, WEYERHAEUSER COMPANY, a Washington corporation  
(Name of applicant)  
of Box C, Tacoma WA 98401, county of Pierce  
(Postoffice Address)  
state of Washington, do hereby make application for a permit to appropriate the  
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

January 18, 1900, State of Washington

1. Give name of nearest stream to which the well, tunnel or other source of water development is  
situated North Santian River  
(Name of stream)  
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic  
feet per second or gallons per minute. PER ACRE

3. The use to which the water is to be applied is irrigation and temperature control.

4. The well or other source is located 250 ft. N and 1950 ft. E from the SW  
(N. or S.) (E. or W.)  
corner of Section 4-10S-2W  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of SW 1/4 of Sec. 4, Twp. 10S, R. 2W,  
W. M., in the county of Marion

5. The pipe line to be 890 feet  
(Canal or pipe line)  
in length, terminating in the SE 1/4 of SW 1/4 of Sec. 4, Twp. 10S,  
(Smallest legal subdivision)  
R. 2W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the  
supply when not in use must be described.

NA

8. The development will consist of a well having a  
(Give number of wells, tunnels, etc.)  
diameter of 10 inches and an estimated depth of 35 feet. It is estimated that 35  
feet of the well will require steel casing. Depth to water table is estimated 10  
(Kind) (Feet)



MUNICIPAL SUPPLY—

13. To supply the city of NA

in county, having a present population of

and an estimated population of in 19

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$

15. Construction work will begin on or before

16. Construction work will be completed on or before completed

17. The water will be completely applied to the proposed use on or before

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

WEYERHAEUSER COMPANY

By: Western Nursery Manager

Remarks:

maximum rate of application 500 gpm (1.11cfs)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER

By ASSISTANT

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well #...1.

The use to which this water is to be applied is irrigation and temperature control; being 0.03 c.f.s. for irrigation, and 0.03 c.f.s. for temperature control.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

The permittee shall record and submit annually to the Water Resources Department all pertinent data pertaining to use of water for temperature control on forms furnished

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 31, 1974

Actual construction work shall begin on or before April 11, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 11th day of April, 1978

*James P. Dixon*  
Water Resources Director

Application No. G-6418  
Permit No. G-7930

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of January, 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_

Ground Water Permits on page \_\_\_\_\_

STATE ENGINEER

Drainage Basin No. 2 page 136