## RECEIVED

00T 0 - 1977

Permit No. G- 7937

WATER RESOURCES DEPT APPLICATION FOR A PERMIT SALEM, OREGON

## To Appropriate the Ground Waters of the State of Oregon

A. J. F. Investment Co.				
(Name of applicant)				
of P.O. Box 1467 Mill City , county of Linn (Postoffice Address)				
state of Oregon 97360 do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:				
If the applicant is a corporation, give date and place of incorporation				
1. Give name of nearest stream to which the well, tunnel or other source of water development is				
situated South Fork Pudding River				
(Name of stream)  tributary of Pudding River				
Citoutary of				
2. The amount of water which the applicant intends to apply to beneficial use is 1.25 cubic feet per second or 560 gallons per minute.				
3. The use to which the water is to be applied is Irrigation of row crops				
4. The well or other source is located 539.68 ft. N and 2377.5 ft. W from the S.E.				
corner of John Morley D.L.C. == 37  (Section or subdivision)				
(If preferable, give distance and bearing to section corner)				
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the S.W. 1/4 of the N.W. 1/4 of Sec. 18 Twp. 8S R. 1E , R. 1E				
W. M., in the county of Marion				
5. The to be miles				
5. The to be miles				
in length, terminating in the of Sec, Twp, (Smallest legal subdivision)				
R, W. M., the proposed location being shown throughout on the accompanying map.				
6. The name of the well or other works is "A.J.F. #1"				
DESCRIPTION OF WORKS				
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.				
8. The development will consist of One (1) well having a				
diameter of 12" inches and an estimated depth of 150 feet. It is estimated that 160				
feet of the well will require Steel Pipe casing. Depth to water table is estimated 75 (Feet)				
from surface (Total depth well 340' & cased to 160' with 12" Dia 1/4"				

adgate. At headgate: width on top (at water line)				jeet, wiath on ooi
	feet; depth of we	ater	feet; grade	feet fall per
usand feet.				
(b) At	mile	es from hea	adgate: width on top (at water li	ne)
	feet; width on b	ottom	feet; depth of wat	er j
de	feet fall pe	er one thou	sand feet.	,
(c) Length	ı of pipe,	ft.;	size at intake in.; i	n size at
n intake	in.; size	e at place o	f use in.; differe	ence in elevation betu
ıke and place	of use,	ft	. Is grade uniform?	Estimated capa
	sec. ft.			
10. If pum	ips are to be used, g	ive size and	l type	
•••••				
Give horse	epower and type o	f motor or	engine to be used	
	· · · · · · · · · · · · · · · · · · ·			
difference in	elevation between	the stream	listance to the nearest point on bed and the ground surface at	the source of develops
difference in	elevation between	the stream	bed and the ground surface at	the source of develops
difference in	elevation between	the stream	bed and the ground surface at	the source of develops
difference in	elevation between	the stream	bed and the ground surface at	Number Acres
12. Locati	ion of area to be irr	the stream	place of use	Number Acres
12. Locati Township N. or S.  88	ion of area to be irr	rigated, or p	place of use  Forty-acre Tract  N.W. 1/4 of N.E.1/4	Number Acres To Be Irrigated
12. Locati Township N. or S.  8S	elevation between  ion of area to be irr  Range E or W of Willamette Meridian  1W  1W	rigated, or p  Section  13	place of use  Forty-acre Tract  N.W. 1/4 of N.E.1/4  N.E. 1/4 of N.E.1/4  N.W. 1/4 of N.W.1/4  S.W. 1/4 of N.W.1/4	Number Acres To Be Irrigated  5.75  36.50
12. Locati Township N. or S.  8S  8S	ion of area to be irr  Range E or W of Williamette Meridian  1W  1W  1E	rigated, or p	place of use  Forty-acre Tract  N.W. 1/4 of N.E.1/4  N.E. 1/4 of N.E.1/4  N.W. 1/4 of N.W.1/4	Number Acres To Be Irrigated  5.75  36.50  5.50
12. Locati Township N. or S.  8S  8S  8S	elevation between  ion of area to be irr  Range E. or W. of Willamette Meridian  1W  1W  1E  1E	rigated, or p Section 13 13 18	place of use  Forty-acre Tract  N.W. 1/4 of N.E.1/4  N.E. 1/4 of N.E.1/4  N.W. 1/4 of N.W.1/4  S.W. 1/4 of N.W.1/4	Number Acres To Be Irrigated  5.75  36.50  5.50  6.00
12. Locati Township N. or S.  8S  8S  8S  8S	elevation between  ion of area to be irr  Range E or W. of Willamette Meridian  1W  1W  1E  1E  1E	rigated, or p  Section  13  13  18  18	bed and the ground surface at solution of use  Forty-acre Tract  N.W. 1/4 of N.E.1/4  N.E. 1/4 of N.W.1/4  S.W. 1/4 of N.W.1/4  S.E. 1/4 of N.W.1/4	Number Acres To Be Irrigated  5.75  36.50  5.50  6.00  39.50
12. Locati Township N. or S.  8S  8S  8S  8S	elevation between  ion of area to be irr  Range E or W. of Willamette Meridian  1W  1W  1E  1E  1E	rigated, or p  Section  13  13  18  18	bed and the ground surface at solution of use  Forty-acre Tract  N.W. 1/4 of N.E.1/4  N.E. 1/4 of N.W.1/4  S.W. 1/4 of N.W.1/4  S.E. 1/4 of N.W.1/4	Number Acres To Be Irrigated  5.75  36.50  5.50  6.00  39.50
12. Locati Township N. or S.  8S  8S  8S  8S	elevation between  ion of area to be irr  Range E or W. of Willamette Meridian  1W  1W  1E  1E  1E	rigated, or p  Section  13  13  18  18	bed and the ground surface at solution of use  Forty-acre Tract  N.W. 1/4 of N.E.1/4  N.E. 1/4 of N.W.1/4  S.W. 1/4 of N.W.1/4  S.E. 1/4 of N.W.1/4	Number Acres To Be Irrigated  5.75  36.50  5.50  6.00  39.50
12. Locati Township N. or S.  8S  8S  8S  8S	elevation between  ion of area to be irr  Range E or W. of Willamette Meridian  1W  1W  1E  1E  1E	rigated, or p  Section  13  13  18  18	bed and the ground surface at solution of use  Forty-acre Tract  N.W. 1/4 of N.E.1/4  N.E. 1/4 of N.W.1/4  S.W. 1/4 of N.W.1/4  S.E. 1/4 of N.W.1/4	Number Acres To Be Irrigated  5.75  36.50  5.50  6.00  39.50
12. Locati Township N. or S.  8S  8S  8S  8S	elevation between  ion of area to be irr  Range E or W. of Willamette Meridian  1W  1W  1E  1E  1E	rigated, or p  Section  13  13  18  18	bed and the ground surface at solution of use  Forty-acre Tract  N.W. 1/4 of N.E.1/4  N.E. 1/4 of N.W.1/4  S.W. 1/4 of N.W.1/4  S.E. 1/4 of N.W.1/4	Number Acres To Be Irrigated  5.75  36.50  5.50  6.00  39.50

ASSISTANT

inand an estimated p	y the city of
and an estimated p	
₹ <b></b>	opulation of in 19
75 ·	
14. Estimate	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
	d cost of proposed works, \$ 23,000.00
E. presi	
	tion work will begin on or before Feb. 1, 1978
16. Construc	tion work will be completed on or before May 31, 1978
17. The water	er will be completely applied to the proposed use on or before July 1, 1978
	ound water supply is supplemental to an existing water supply, identify any app permit, certificate or adjudicated right to appropriate water, made or held by t
	aviating around water summer
applicant	existing ground water supply.
	(Signature of applicant)
Remarks:	
	<i>r</i> · ·
	•
STATE OF OREG	ON \
County of Mario	ss.
•	
	tify that I have examined the foregoing application, together with the accompanyir
maps and data, and	return the same for
In order to re	tain its priority, this application must be returned to the State Engineer, with corre
tions on or before	, 19
W. (m) v m a a	1-140
WITNESS my	y hand this, 19, 19
	STATE ENGINEER

County of Marion,

SUBJECT TO EXISTING RIGHTS and the	the following limitations and conditions:			
The right herein granted is limited	to the amount of water which can be applied to beneficial use			
and shall not exceed	feet per second measured at the point of diversion from the well			
or source of appropriation, or its equivalent in case of rotation with other water users, froma. well				
The use to which this water is to be	applied isirrigation.			
If for irrigation, this appropriation s	hall be limited to			
or its equivalent for each acre irrigated an	nd shall be further limited to a diversion of not to exceed .2½			
acre feet per acre for each acre irrigated d	uring the irrigation season of each year;			
	·			
and shall be subject to such reasonable rot	ation system as may be ordered by the proper state officer.			
the works shall include proper capping and The works constructed shall include line, adequate to determine water level	ntain a weir, meter, or other suitable measuring device, and			
The priority date of this permit is	October 6, 1977			
	n on or beforeApril 11, 1979 and shall			
	diligence and be completed on or before October 1, 19.79			
	the proposed use shall be made on or before October 1, 1980			
	, April 10.78			
WITH EDD my hand the	and of Sexual			
	Water Resources Director XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			
Application No. G- 7937  Permit No. G- 7937  TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON  This instrument was first received in the office of the State Engineer at Salem, Oregon,	on the C. day of			