

"CERTIFICATE NO. 63567"

Application No. G-8610

Permit No. G 7943

RECEIVED

RECEIVED

STATE OF OREGON WATER RESOURCES DEPARTMENT

JULY 1970

JULY 1970

WATER RESOURCES DEPT.

SACRAMENTO, OREGON

SACRAMENTO, OREGON

I, ALFRED - MEISNER, owner Cascadian Lumber
(Name of Applicant)
of 13495 NW Thompson Rd., North Bend
(Mailing Address) (City)

State of OREGON, 17279 Phone No. 638-3351 do hereby
(Zip Code)

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of Ex. & Tie 6 WELL
(Give number of wells, tile lines, infiltration galleries, etc.)
having a diameter of 8" and an estimated depth of 384' feet.

2. The well or other source is ~~not~~ located NORTH ft. 30° 05' and WEST ft. 361.25
(N. or S.) (E. or W.)
from the South Quarter corner of Section 21 Township 1
(Public Land Survey Corner)

NORTH RANGE 1 WEST WILLAMETTE METHOD
(If there is more than one well, each must be described)

Sec. 21 Tp. 1-N R. 1-W W. M., in the county of Clackamas.....
being within the SE 1/4 1/4 of the SW 1/4 of
Sec. 21 Tp. 1-N R. 1-W W. M., in the county of Clackamas.....

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>1 NORTH</u>	<u>1 WEST</u>	<u>21</u>	<u>SE 1/4 of Sec. 21</u>	<u>existing 11 acres owned</u>
			<u>SW 1/4 of Sec 21</u>	<u>PERMIT 5583</u>
				<u>WE LIKE TO ADD 5 ACRES</u>
				<u>FOR A TOTAL OF 16 ACRES</u>
"	"	<u>21</u>	<u>SE SW</u>	<u>52</u>

4. It is estimated that 384' feet of the well will require 8" STEEL casing.
(Kind)

5. Depth to water table is estimated 10' Well drilled by JANSSON
(Feet)

6. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or .. 200 ... gallons per minute.

7. The use to which the water is to be applied is IRRIGATION OF NURSERY OPERATED WETLAND plant material - Trees etc

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

BROOK CREEK A. TERRITORY OF REEDERS CREEK
WITHIN 100' DISTANCE 15' IN ELEVATION

10.

DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

The USE OF EXISTING WELL & PIPING UNDER PERMIT G 5583
AND ADDING 5 ADDITIONAL SEED WE PROPOSE
TO ADD 4" ALUMINUM STRANPIPE PORTABLE
IRRIGATION MAIN LINE APPROX 500' WITH
APPROX 1000' OF PORTABLE 1& THREADED 2" ALUMINUM PIPE
WITH HOLLOW STRANPIPE BOEKNER IMPACT SPANNERS WITH
A NOZZLE OF 4.5 GALLONS PER MINUTE

11. Construction work will begin on or before IMMEDIATE - HAS BEEN IN USE

12. Construction work will be completed on or before SPRING - 73

13. The water will be completely applied to the proposed use on or before SPRING 1973

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. EXISTING WELL NAMED THE CASADIAN WELL

Application No.

G-8610

Permit No.


G 7943


G 5583

Remarks: Application for Additional 5 acres we purchased

Beginning at the Quarter Corner marking the Southeast Corner of the Southwest Quarter of Section 21, Township 1 North, Range 1 West, W.M., Washington County, Oregon; thence North $89^{\circ}32'28''$ West 759.15 feet to a 5/8" iron rod marking the Southeast Corner of the tract to be herein described and the true point of beginning; thence along the Southerly boundary line of Section 21, Township 1 North, Range 1 West, W.M., North $89^{\circ}32'28''$ West 577.21 feet to a 5/8" iron rod; thence North $00^{\circ}37'39''$ **

**West 375.00 feet to a 5/8" iron rod; thence South $89^{\circ}33'03''$ East 584.24 feet to a 5/8" iron rod; thence South $00^{\circ}26'48''$ West 375.00 feet to the point of beginning, containing 5.0 acres.


Signature of Applicant


C. L. Carson, Pascua Nurseries

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before....., 19.....

WITNESS my hand this day of , 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
10th day of January, 1978, at 11:00 o'clock
A.M. 1978 JANUARY 10 1978

Application No. G-8610

Permit No. G. 7943

Application No.....

B-8610

Permit No.....

G 7943

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Cascadian Well.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 19, 1978

Actual construction work shall begin on or before April 11, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 11th day of April , 1978

James E. Steven
Water Resources Director

RHF 5