

RECEIVED

NOV 20 1968

STATE ENGINEER
SALEM OREGON

Permit No. G-8026

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, MCNULTY WATER ASSOCIATION
(Name of applicant)

of 631 COWLITZ ST. ST. HELENS, ORE, county of COLUMBIA
(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated MCNULTY CREEK
(Name of stream)

tributary of COLUMBIA R.

2. The amount of water which the applicant intends to apply to beneficial use is 100 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is QUASI MUNICIPAL

4. The well or other source is located N 79° W 2,610' ft. and ft. from the SE corner of SEC 12, T. 4N, R. 2W, W.M.
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW SE of Sec. 12, Twp. 4N, R. 2W, W. M., in the county of COLUMBIA

5. The SEE MAP to be miles in length, terminating in the of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is MCNULTY WATER ASSOC. WELL #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE having a diameter of 8 inches and an estimated depth of 410 feet. It is estimated that 100 feet of the well will require STEEL casing. Depth to water table is estimated 240
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE— SEE MAP

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type SUBMERSIBLE

Give horsepower and type of motor or engine to be used 25 H.P. ELECTRIC

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4N	1W	7	All	
4N	1W	8	All	
4N	1W	17	All But SW $\frac{1}{4}$ SW $\frac{1}{4}$	
4N	1W	18	NW NW	
"	"	"	NE NW	
"	"	"	NW NE	
"	"	"	NE NE	
"	"	"	SE NE	
4N	2W	12	All	
4N	2W	13	NE NE	
"	"	"	NW NE	
"	"	"	NE NW	
"	"	"	NW NW	

(If more space required, attach separate sheet)

Character of soil 3000'

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Vicinity of McNulty
in Columbia county, having a present population of 1,000
and an estimated population of 1500 in 19 80

14. Estimated cost of proposed works, \$40,000.00

15. Construction work will begin on or before 10/1/69

16. Construction work will be completed on or before 10/1/70

17. The water will be completely applied to the proposed use on or before 10/1/71

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. NONE

X *Deatwight Eng. Inc.*
Paul R. Ballinger (Agent)
(Signature of applicant)

Remarks: THERE WILL BE AN INTERTIE WITH WARREN WATER ASSOCIATION
SYSTEM FOR EMERGENCY PURPOSES ONLY

300 USERS APPROXIMATELY.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 23, 19 70.

WITNESS my hand this 23rd day of September, 1970...

County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.

The use to which this water is to be applied is Quasi-Municipal.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

The right granted herein is subject to the terms and conditions of a stipulation recorded in Book 47, page 886, records of the Columbia County Clerk, a copy of which is on file with the Water Resources Department,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 20, 1968

Actual construction work shall begin on or before May 11, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 11th day of May 1978.

Signature of State Engineer

STATE ENGINEER

Application No. G-4691
Permit No. G-8026

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of November, 1968, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of

Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 3 page 30