

Permit No. G. 8121

APR 4 1978

APR 4 1978

NATER RESOURCES DEPT

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

	Robert	A. Baesler for	r View Point R	anches		
p.0.	Box 240, Ct	ristmas Valle		ounty ofI	ake	
		(Postornice Address)	Y			
tate of	described crown	d waters of the state	do hereby make app	olication for a p	ermit to appropri	ate th
niowing	described ground	i waters of the state	of Oregon, SUBJE	CI TO EXIST	NG RIGHTS:	
If t	he applicant is a	corporation, give date	e and place of inco	rporation	• *	
\$	and the state of the state of		in a single consistency of the single consis			
		<u> </u>		••••••		•••••
1. (	Give name of nec	rest stream to which	h the well tunnel o	or other source of	of water develop	nent i
1		the state of the s			,, acuto, activity.	
ituated .	, A		(Name of stream)			
Section 1	- X -		tmi hard	Fort	Rock Basin	
	***************************************			ury of		
2. 1	The amount of w	ater which the appli	cant intends to app	ly to beneficial	use is	cubi
et per s	econd or1350.	gallons per mir	nute.	Agast steg det		
, ,	The was to subject	the water is to be d	Irri	gation		
J.						
		and the second of the second				
2					•	
********* <b>4.</b>	The well or other	source is located 21	490. ft. N an	d275 ft	T from the .	59
orner of	Section	34, T 27 S, R	19 E			
		(S	ection or subdivision)	***************************************	***************************************	
	ा । वर्षः स्वयः स्वर्थान्त्रः । वर्षः । १० ० स्वर्थान्यः	(If preferable, give di			\$1 14 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
,		1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	46, 50, 60, 60			
A	(If ther	e is more than one well, each	must be described. Use sep	arate sheet if necessary	9 (33.5)	
ing with	in the 5 <sup>w1</sup>	NW/A SW	//4 of Sec	34 Twp.	27S R 19	E
			The state of the s			
		Total				
M., in	the county of	Lake				
	marka Elifa		en de la companya de	to be		milaa
	marka Elifa			to be		miles
5. T	The	(Canal or pipe line)				
5. I	Thethe terminating in th	(Canal or pipe line)	gal subdivision)	. of Sec.	, Twp	
5. I length,	Thethe terminating in th	(Canal or pipe line)	gal subdivision)	. of Sec.	, Twp	
5. T	terminating in th	(Canal or pipe line) he (Smallest leg	rai subdivision) ng shown througho	. of Sec.	, Twp	
5. T	terminating in th	(Canal or pipe line)	rai subdivision) ng shown througho	. of Sec.	, Twp	
5. T	terminating in th	(Canal or pipe line)  he (Smallest leg proposed location being	rai subdivision) ng shown througho	. of Secut on the accom	, Twp	
5. To length,	terminating in th, W. M., the p The name of the u	(Canal or pipe line)  ne (Smallest leg proposed location being puell or other works is	ng shown throughor Talley 18. PTION OF WORK	of Secut on the accom	, Twppanying map.	
5. To length, 6. To 7. I	terminating in th, W. M., the p The name of the u f the flow to be us	(Canal or pipe line)  he (Smallest leg proposed location being well or other works is  DESCRII tilized is artesian, the	ng shown throughor, Yalley 18. PTION OF WORK	of Secut on the accom	, Twppanying map.	
5. To length, 6. To 7. I	terminating in th, W. M., the p The name of the u	(Canal or pipe line)  he (Smallest leg proposed location being well or other works is  DESCRII tilized is artesian, the	ng shown throughor Talley 18. PTION OF WORK	of Secut on the accom	, Twppanying map.	
5. To length, 6. To 7. I	terminating in th, W. M., the p The name of the u f the flow to be us	(Canal or pipe line)  he (Smallest leg proposed location being well or other works is  DESCRII tilized is artesian, the	ng shown throughor, Yalley 18. PTION OF WORK	of Secut on the accom	, Twppanying map.	
5. To length, 6. To 7. I	terminating in th, W. M., the p The name of the u f the flow to be us	(Canal or pipe line)  he (Smallest leg proposed location being well or other works is  DESCRII tilized is artesian, the	ng shown throughor, Yalley 18. PTION OF WORK	of Secut on the accom	, Twppanying map.	
5. To length, 6. To 7. I	terminating in th, W. M., the p The name of the u f the flow to be us	(Canal or pipe line)  he (Smallest leg proposed location being well or other works is  DESCRII tilized is artesian, the	ng shown throughor, Yalley 18. PTION OF WORK	of Secut on the accom	, Twppanying map.	
5. To length, 6. To 7. I	terminating in th, W. M., the p The name of the u f the flow to be us	(Canal or pipe line)  he (Smallest leg proposed location being well or other works is  DESCRII tilized is artesian, the	ng shown throughor, Yalley 18. PTION OF WORK	of Secut on the accom	, Twppanying map.	
5. I length, 6. I	terminating in the	(Canal or pipe line)  he (Smallest leg proposed location being well or other works is  DESCRII tilized is artesian, the st be described.	ral subdivision)  ng shown throughout , Valley 18.  PTION OF WORK e works to be used j	of Secut on the accom	, Twppanying map.	
5. T length, 6. T 7. I pply wh	terminating in th, W. M., the p The name of the u f the flow to be us	(Canal or pipe line)  he (Smallest leg proposed location being well or other works is  DESCRII tilized is artesian, the st be described.	ng shown throughor, Yalley 18. PTION OF WORK	of Secut on the accom	panying map.  und conservation	

9. (a) Gi	Compared to the control of the contr		11 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -	A STATE OF THE STA	
dgate. At hed	idgate: width on to	op (at water l	line)		feet; width on botto
ř. g <sub>ve</sub> se	feet; depth of u	vater		feet; grade	feet fall per or
usand feet.					
	$m{m}i$	les from head	loate: wid	th on top (at wate	r line)
		· .	A Arrest	and the second	vaterfee
4.5		and the second	A.	out with the parties	
	feet fall p	and the second second			
				to make a contract	.; in size atj
			3	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	ference in elevation betwee
ake and place	of use,	ft.	Is grade u	niform?	Estimated capacit
	sec. ft.		varioù Tradita a		
10. If pun	ips are to be used,	give size and 1	type	5 stage turb	oine pump
See as a second			. <u>1</u> 75]		
Give hors	epower and type	of motor or e	engine to l	be used100_t	no VHS
			Ži		
atural stream difference in	or stream channe elevation betweer	the stream b	ped and th	e ground surface (	at the source of developme
difference in	or stream channe elevation between ; ion of area to be ir	the stream t	oed and th	e ground surface o	at the source of developme
difference in	elevation between	the stream t	oed and th	e ground surface o	Number Acres
difference in  12. Locat:	ion of area to be in	the stream t	ace of use	e ground surface (	Number Acres
difference in  12. Locat:	ion of area to be in	the stream t	ace of use	e ground surface of	Number Acres
difference in  12. Locat:	ion of area to be in	the stream t	ace of use  NE  SE	Forty-acre Tract	Number Acres To Be Irrigated
difference in  12. Locat:	ion of area to be in	the stream t	ace of use  NE  NE  NE	Forty-acre Tract  4 NE 4  4 NE 4	Number Acres To Be Irrigated  0.5  31.5
difference in  12. Locat:	ion of area to be in	rigated, or pla	ace of use  NE  NE  NE  SE  SE	Forty-scre Tract  4 NE /4  /4 SE /4  /4 SE /4	Number Acres To Be Irrigated  0. \( \sigma \)  31. \( \sigma \)  36. \( \forall \)
difference in  12. Locat:	ion of area to be in	the stream t	ACE OF USE  NEVERONAL SECTIONS  NEVERONAL SECTIONS  NEVERONAL SECTIONS  NUMBER  NUMBER	Forty-acre Tract  4 NE /4  /4 NE /4  /4 SE /4  /4 SE /4  /4 SE /4	Number Acres To Be Irrigated  O. \( \sum_{31} \) \( \sum_{5} \) \(
difference in  12. Locat:	ion of area to be in	rigated, or pla	ace of use  NE  NE  NE  SE  SE	Forty-acre Tract   4 NE  4   4 NE  4   4 SE  4   4 SE  4   4 Y4 SE  4   4 NW  4   4 NW  4	Number Acres To Be Irrigated  O. \( \sigma \)  31. \( \sigma \)  36. \( \stack \)  5. \( l \)  2. \( \stack \)  39. \( 3 \)
difference in  12. Locat:	ion of area to be in	rigated, or pla	Ace of use  NE  NE  NE  NE  SE  NW  SW  SE	Forty-acre Tract  4 NE 4  4 NE 4  4 SE 4  14 SE 6  14 SE 6  14 SE 6  14 SE 7  14 SE	Number Acres To Be Irrigated  O. \( \sigma \)  31. \( \sigma \)  36. \( \stack \)  5. \( l \)  2. \( \stack \)  39. \( 3 \)
difference in  12. Locat:	ion of area to be in	rigated, or pla	ACE OF USE  NE  SE  NU  SU  NU	Forty-acre Tract  4 NE /4  /4 SE /4  /4 SE /4  /4 SE /4  /4 SW /4  /4 NW /4  /4 NW /4  /4 NW /4  /4 NW /4	Number Acres To Be Irrigated  O. T  31. S  36. 4  5. 1  2. 4  39. 3  9. 8
difference in  12. Locat:	ion of area to be in	rigated, or pla	SENU SE	Forty-acre Tract  4 NE /4  /4 SE /4  /4 SE /4  /4 SE /4  /4 SW /4  /4 NW /4	Number Acres To Be Irrigated  0.5 31.5 36.4 5.1 2.4 39.3 7.8 40.0 13.9
difference in  12. Locat:	ion of area to be in	rigated, or pla	SENU NU	Forty-acre Tract  4 NE 4  4 NE 4  14 SE 4  14 SE 4  14 SW 14  14 NW 14  14 NW 14  14 NW 14  14 NW 14  14 SW 14  14 SW 14  14 SW 14  14 SW 14	Number Acres To Be Irrigated  0.5 31.5 36.4 5.1 2.4 39.3 7.8 40.0 13.9 ///.0
difference in  12. Locat:	ion of area to be in	rigated, or pla	SENU NU	Forty-acre Tract  4 NE /4  /4 SE /4  /4 SE /4  /4 SE /4  /4 SW /4  /4 NW /4	Number Acres To Be Irrigated  0.5 31.5 36.4 5.1 2.4 39.3 7.8 40.0 13.9
difference in  12. Locat:	ion of area to be in	rigated, or pla	SENU SE	Forty-scre Tract  4 NE 4  4 NE 4  14 SE 4  14 SE 4  14 SE 4  14 NW 14  15 NW 14  16 NW 14  17 SW 14  17 SW 14  17 SW 14  17 SW 14	Number Acres To Be Irrigated  0.5 31.5 36.4 5.1 2.4 39.3 7.8 40.0 13.9 ///.0
difference in  12. Locat:	ion of area to be in Range E or W. of Williamette Meridian	rigated, or pla	SE NU Surequired, attach	Forty-acre Tract  4 NE /4  /4 NE /4  /4 SE /4  /4 SE /4  /4 SW /4  /4 NW /4	Number Acres To Be Irrigated  0.5  31.5  36.4  5.1  2.4  39.3  9.8  40.0  13.9  //.0  0.1

MUNICIPAL SUPPLY—  13. To supply the city	of			The state of the s
(2001년) - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 1	county, having a 1	oresent population		
nd an estimated population (	en a sala Santana da		The second	
<b>5</b>	ER QUESTIONS 14, 15,		ALL CASES	
	Mary Control		,	
*14. Estimated cost of p	and the second second			
15. Construction work	Company of the Company of the Company			481 8
16. Construction work	and the best of the second	and the second second		
17. The water will be o	completely applied to	the proposed use	on or before Jul	y1976
18. If the ground wateration for permit, permit, c	er supply is supplen	rental to an existi	ng water supply,	identify any app ade or held by t
pplicant. New d				
ppucant.	RAVE LOQUIE IN C.	1		
		Kalent le	Dunk	·····
		/ Robert A.	(Signature of applicar	ıt)
Remarks:				***************************************
				*******
				***************************************
			** - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
			ing a second	2-
The second secon		The state of the s		Carlos Company
	again ann an Lainnean Chairean Bailtean Cairte an Cairtean			
		The state of		
The participant of the second				
	* ***			
		Section 1 And 1 Annual Company		
STATE OF OREGON, )		V		
County of Marion, ss.				
This is to certify that	I have examined the	foregoing applica	tion, together wit	h the accompany
raps and data, and return th		Survey on		
uups anu aata, ana return th	er de la companya de	and the Control Sychological		
	til et sampfinde i e			200
In order to retain its p	The second second second second		ed to the State En	gineer, with corr
ions on or before	teringer i de gereine gestelle generalie. Til en kan gereine generaliere et e	., 19	n maarin nyasyty. Si	
WITNESS mu hand the	is day of			19

r source of appropriation, or its equivalent in case of rotation with other water users, from	ot per seco					
The use to which this water is to be applied is irrigation.  If for irrigation, this appropriation shall be limited to1/80th of one cubic foot per its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed the per acre for each acre irrigated during the irrigation season of each year;	ot per seco		44.00	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		ell #18.
If for irrigation, this appropriation shall be limited to	ot per seco		ation.	o be applied isirrig		
If for irrigation, this appropriation shall be limited to	ot per seco			o oo appiica to	phich this water is to	The use to wh
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed the feet per acre for each acre irrigated during the irrigation season of each year; described which is a shall be subject to such reasonable rotation system as may be ordered by the proper state office. The well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for me e, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring deviable keep a complete record of the amount of ground water withdrawn.	_					
its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed the feet per acre for each acre irrigated during the irrigation season of each year;  d shall be subject to such reasonable rotation system as may be ordered by the proper state office. The well shall be cased as necessary in accordance with good practice and if the flow is a two works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for me e, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring deviable keep a complete record of the amount of ground water withdrawn.	_		el e gra			q* ,
d shall be subject to such reasonable rotation system as may be ordered by the proper state office well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for me e, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring deviable keep a complete record of the amount of ground water withdrawn.	amaga 3					
d shall be subject to such reasonable rotation system as may be ordered by the proper state offi  The well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for me e, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring deviable keep a complete record of the amount of ground water withdrawn.	exceeu	ersion of not to ex	limited to a dive	ed and shall be further	or each acre irrigated	its equivalent for
I shall be subject to such reasonable rotation system as may be ordered by the proper state office the well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for mee, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring deviable keep a complete record of the amount of ground water withdrawn.		year;	n season of each y	ed during the irrigation	for each acre irrigate	re feet per acre fo
I shall be subject to such reasonable rotation system as may be ordered by the proper state office.  The well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for me e, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring deviable weep a complete record of the amount of ground water withdrawn.				P. Addish.		
I shall be subject to such reasonable rotation system as may be ordered by the proper state office.  The well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for me e, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring deviable to the amount of ground water withdrawn.						
I shall be subject to such reasonable rotation system as may be ordered by the proper state offiction. The well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for mee, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring deviable keep a complete record of the amount of ground water withdrawn.	4.1.		the sales and the			
I shall be subject to such reasonable rotation system as may be ordered by the proper state offiction. The well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for mete, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring deviable the summary of the amount of ground water withdrawn.				A STATE OF THE STA		
The well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for me, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring devill keep a complete record of the amount of ground water withdrawn.						
The well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for me, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring devill keep a complete record of the amount of ground water withdrawn.				Same and the second	* · · · · · · · · · · · · · · · · · · ·	
The well shall be cased as necessary in accordance with good practice and if the flow is a works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for me, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring devill keep a complete record of the amount of ground water withdrawn.		**************************************	***************************************	***************************************		
The priority date of this permit is April 4, 1978	or measuri device, a	an access port for able measuring d	essure gauge or a ell at all times. r, or other suita r withdrawn.	lude an air line and p vel elevation in the w maintain a weir, mete mount of ground wate	onstructed shall inclider determine water leves ee shall install and ned the and the a	The works core, adequate to de The permittee ill keep a comple
Actual construction work shall begin on or before June 22, 1979 and	and sh	. 1979	June 22.	pegin on or hefore	ruction work shall be	Actual constru
reafter be prosecuted with reasonable diligence and be completed on or before October 1, 15		and the second of the second	the state of the s			
				The same of		
Complete application of the water to the proposed use shall be made on or before October 1,			hall be made on			
70 luno	per 1, 198					WITNESS my
WITNESS my hand this 22nd day of June , 19 78	per 1, 198			day of	y nana this	•
Janus E Sexan	per 1, 198	19.78.	ine Uma Ex	day of	y nana this	
WITNESS my hand this 22md day of June 1970.  Water Resources Director	per 1, 198	19.78.	ine Uma Ex	day ofJ	y nana tris	
Janus E Sexan	ber 1, 198 3  *****************************	irector	ine Uma Ex	Mare		

Permit No. G- 812 ্য Application No. G-. 🦰

PERMI

TO APPROPRIATE THE WATERS OF THE S This instrument was first

on the 4th day of Q office of the State Engineer c 1978, at \_\_\_

Returned to applicant:

Recorded in book No. .....

Drainage Basin No.