RECEIVED

FEB 2 2 1977

Permit No. G. G. 8139.

APPLICATION FOR A PERMIT

\$76.80

To Appropriate the Ground Waters of the State of Oregon

1, O.A. Nusom ORCHARDS
of 13501 Rosa Rd NE Garvais Ox, country of MARKA
state of $A = 900$ 970 $A = 900$, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated WEST Charpose (Name of stream) tributary of Welloco STEE River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
그 장면 사람이 있는데 하면 되는 그 사람이 하셨다면 하는 🔔 그 그리고 하는 🖊 👝 그 목대를 했다. 그
3. The use to which the water is to be applied is IRRIGATION of SALL AND
with sout trees ag ow crops and Irrigan Som DEFER to
4. The well or other source is located 1122 ft. S. and 726 ft. W. from the NE
corner of SEC 30 T5S R 2 W.M.
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NEW of Sec. 30, Twp. 55, R. 20,
W. M., in the county of Madeen
5. The to be miles
in length, terminating in the (Smallest legal subdivision) of Sec. , Twp.
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.
$\frac{\partial}{\partial x} \frac{\partial}{\partial x} \frac{\partial}{\partial x}$
8. The development will consist of WILL having a
diameter ofinches and an estimated depth of feet. It is estimated that
feet of the well will require STEET casing. Depth to water table is estimated 3087

headgate. At headgate: width on	AND AND A CONTRACT		3. (a) Give dimensions at each point of canal where materially changed in size, stating miles from							
A CONTRACTOR OF THE CONTRACTOR	eadgate. At headgate: width on top (at water line)									
feet; depth of	water	feet; grade	feet fall per one							
thousand feet.										
The second of the second										
, (b) Atn	niles from head	gate: width on top (at water	line)							
feet; width on bottomfeet; depth of waterfeet;										
gradefeet fall per one thousand feet.										
(c) Length of pipe,	ft., s	ize at intakein.;	in size atft.							
1 (9) A (1)	641 L	and the second of the second o	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity,										
intake and place of use, ft. Is grade uniform? Estimated capacity,										
sec. ft.										
10. If pumps are to be used	, give size and t	ype Jacuzei O	D. Turking							
with 4" out!	/ ~ T									
Give horsepower and type	of motor or e	ngine to be used 5 HP	U.S. Hollower							
ting Geografia - maa kalentati ka sa sa k										
		er jan Jan Jan Jan Jan Jan								
11. If the location of the we a natural stream or stream chann		ther development work is less tance to the nearest point on								
the difference in elevation between										

12. Location of area to be i	rrigated, or pla	ce of use								
12. Location of area to be i Township Eagre N. or S. Williamette Meridian	rrigated, or pla	ce of use	Number Acres To Be Irrigated							
.,			Number Acres To Be Irrigated							
Township Range E. or W. of N. or S. Willamette Meridian	Section	Forty-acre Tract								
Township Range E. or W. of N. or S. Willamette Meridian	Section	Forty-aire Tract SE SW SW SE	μ ⁷							
Township Range E. or W. of N. or S. Willamette Meridian	Section 19	SE SE SE SE	κ ⁷ 6 ² 2 ⁹							
Township Range E or W. of Willamette Meridian	Section 19	SE SE SW SW	κ ⁷ 6 ² 2 ⁹ 3 ⁵							
Township Range E or W. of Willamette Meridian	Section 19 20 29	Forty-aire Tract SE SW SW SE SE SE SW SW	4 ⁷ 6° 2° 3 ⁵ 68							
Township Range E. or W. of N. or S. Willamette Meridian	Section 19	SE SE SW SW	4 ² 6 ⁰ 2 ⁹ 3 ⁵ 6 ⁸ 11 ⁶							
Township Range E or W. of Willamette Meridian	Section 19 20 29	Forty-aire Tract SE SW SW SE SE SE SW SW	4 ² 6 ⁰ 2 ⁹ 3 ⁵ 6 ⁸ 11 ⁶ 23							
Township Range E or W. of Willamette Meridian	Section 19 20 29	Forty-able Fract SF SW SW SF SE SF SW SW AW AW ALE ALE	4 ² 6 ⁰ 2 ⁹ 3 ⁵ 6 ⁸ 11 ⁶							
Township Range E. or W. of N. or S. Willamette Meridian	Section 19 20 29	Forty-aire Tract SF SW SW SE SE SF SW SW NW NW NE NE NW NF	κ ⁷ 6 ⁰ 2 ⁹ 3 ⁵ 6 ⁸ 11 ⁶ 23 ⁰							
Township Range E or W. of Willamette Meridian	Section 19	Forty-atre Fract SF SW SW SF SE SF SW SW AW AW AR NE AW NF AR NW	4 ⁷ 6 ⁰ 2 ⁹ 3 ⁵ 6 ⁸ 11 ⁶ 23 ⁰ 25 ²							
Township Range E or W. of Willamette Meridian	Section 19	Forty-aire Tract SF SW SW SE SE SF SW SW NW NW NE NE NW NF NE NW SE NW	4 ⁷ 6 ⁰ 2 ⁹ 3 ⁵ 6 ⁸ 11 ⁶ 23 ⁰ 25 ²							
Township Range E or W. of Willamette Meridian	Section 19	Forty-atre Fract SF SW SW SF SE SF SW SW AW AW AR NE AW NF AR NW	4 ⁷ 6 ⁰ 2 ⁹ 3 ⁵ 6 ⁸ 11 ⁶ 23 ⁰ 25 ²							

13. To supply the city of				
물리가 가겠다고 하를 들수보는 함시	nunty, havin g a pres	ent population of		

and an estimated population of		ı 19		* 1
ANSWER Q	UESTIONS 14, 15, 16,	17 AND 18 IN ALL C	ASES	
14. Estimated cost of propo	osed works, \$			
15. Construction work will	begin on or before	Completes	a	
16. Construction work will	be completed on or	before	let e D	<u> </u>
17. The water will be comp	oletely applied to the	proposed use on or	before Oct	1, 1978
18. If the ground water si	upply is supplement	al to an existing wa	ter supply, ident	ify any appli-
cation for permit, permit, certif				
applicant.				·; · · ·
		D.A.N	uson, O	RCHARAS
	h	Donald C	e. Th.	1
Remarks:	100	(Sign:	ature of applicant)	
Are- Irrigarias	this som	en ente		
/ 2	A WAIVER	S-K- 5	20 1. 1	10.
			10 Day L	- consider
percent Aug I o	sellege .	the pr==5	eas -1	Regarion
posefum and 1 H	pril 71.			
	and the Same of the Comment			
Company Contract of Contract o		War	IN 0.11	manfe.
		A A	The second second	
a da mara da m Canada da mara			-1421	
		gudine e sa		
				医喉 经正
	erassistika ilika ili.	ew spuß ein in	-11	
	vi saleujejalu.			
· Y HARDET COMPANY				i de esta
STATE OF OREGON,) ss.		u ni ingun niban un sinta Tangan pinang		
County of Marion,	i se o roma. An	and the hear party of the color		Ps.
This is to certify that I have	ve examined the fore	egoing application, to	gether with the	accompanying
maps and data, and return the san	ne for	<u>a garajika isa 16</u>		And Commission
	TAKE SHOWN			
In order to retain its priorit	u this application m	nuet he returned to th	a Stata Fraince	r with correc-
	1344 X Ø - 1	in the second second	ie Diate Diiginee	, with correc-
tions on or before	,19			
i in a constant of the constan	All and the second	en de la companya de La companya de la co	aterial de Archesta. Carriera	rigina in rect Santan
WITNESS my hand this	day of	ing college for the second	ragentus (1978). Er in Later kan et kom	, 19
The statement of the st	and the second second	English Street		
				TATE ENGINEER
G7785 (: 8139 · · · · · · · · · · · ·	vietos (
G7118-		ent.		ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use 1982 **全点**对解的 性, (2)。 the contract of the second or source of appropriation, or its equivalent in case of rotation with other water users, from a well. The use to which this water is to be applied is irrigation. or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 212. acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is February 22. Actual construction work shall begin on or before July 25, 1979 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19....79..... Complete application of the water to the proposed use shall be made on or before October 1, 19..80. WITNESS my hand this ____25th___day of _____ July & Resources Director********** office of the State Engineer at Salem, Oregon This instrument was first received in APPROPRIATE THE GROUN. WATERS OF THE STATE Application No. G-.......... Permit No. Gŝ Drainage Returned