

Permit No. G-816

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, CHAS NEWTON DAVIS (Name of applicant) of Rt. 1 Box 334 WOODBURN, county of MARION, state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated CHAMPOEG CREEK (Name of stream)

tributary of WILLAMETTE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 400 cubic feet per second or 400 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION & FIELD CROPS

4. The well or other source is located ft. and ft. from the NW corner of JOSEPH BARNABIE D.C. (Section or subdivision) S 55°15'E - 51.736 Ch. (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the NW 1/4 of Sec. 26, Twp. 4 S, R. 24 W. M., in the county of

5. The PORTABLE PIPE (Canal or pipe line) to be miles in length, terminating in the of Sec. , Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 12 inches and an estimated depth of 86 feet. It is estimated that 80 feet of the well will require casing. Depth to water table is estimated (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 25 HP Diesel engine  
TURBINE

Give horsepower and type of motor or engine to be used 25 HP Diesel  
POLY PHASE ELECTRIC MOTOR

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development  
APPROXIMATELY 2400 FEET 3414' 0" 2400 FEET  
CREEK

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4	2 W.	1	SW 1/4 of NW 1/4	10.00
4	2 W.	27	SW 1/4 of NW 1/4	10.00
4	2 W.	26	NW 1/4 of NW 1/4	10.00
4	2 W.	26	NE 1/4 of NW 1/4	10.00
4	2 W.	26	SE 1/4 of NW 1/4	10.00
4	2 W.	26	SW 1/4 of NW 1/4	10.00
4	2 W.	26	NE 1/4 of NW 1/4	10.00
4	2 W.	26	SE 1/4 of NW 1/4	10.00
4	2 W.	26	SW 1/4 of NW 1/4	10.00
4	2 W.	26	NE 1/4 of NW 1/4	10.00
4	2 W.	26	SE 1/4 of NW 1/4	10.00
4	2 W.	26	SW 1/4 of NW 1/4	10.00
4	2 W.	26	NE 1/4 of NW 1/4	10.00
4	2 W.	26	SE 1/4 of NW 1/4	10.00
4	2 W.	26	SW 1/4 of NW 1/4	10.00

(If more space required, attach separate sheet)

Character of soil light sandy loam

Kind of crops raised potatoes, corn, alfalfa


MUNICIPAL SUPPLY--

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19 \_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6400
- 15. Construction work will begin on or before MAY 30, 1958
- 16. Construction work will be completed on or before JUNE 30, 1958
- 17. The water will be completely applied to the proposed use on or before AUGUST 15, 1959

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_



*[Handwritten signature]*  
(Signature of applicant)

Remarks: \_\_\_\_\_  
*Partial D. in File no. 25725*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.879 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 8, 1958

Actual construction work shall begin on or before May 13, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 13th day of

May 1958 Lewis A. Stanley STATE ENGINEER

Application No. G- 963

Permit No. G- 816

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8 day of May 1958, at 11:07 o'clock A. M.

Returned to applicant:

Approved:

May 13, 1958

Recorded in book No. 3 of

Ground Water Permits on page 816

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 92 P.