\$100.

CERTIFICATE NO. 53853

Permit No. G. 8197

RECEIVED

APR 1 9 1978

APPLICATION FOR A PERMIT WATER RESOURCES DEPT.

SALEM, CAROON

To Appropriate the Ground Waters of the State of Oregon

I, GOLDEN RULE FARMS INC.
of BOX 137 CHRISTMAS VALLEY, county of LAKE,
state of OREGON 97639, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
JUNE-1970 999 NORTH MAIN St., PRINEVILLE, ORE.
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated NONE (Name of stream)
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is
4. The well or other source is located 1315. ft. N. and 1314 ft. W. from the SE corner of SEC. 35
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the SW 7 SE 7 of Sec. 35 Twp. 26S R. 18E, W. M., in the county of LAKE
5. Theto be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is WELL #12
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
<u> </u>
8. The development will consist of ONE WELL having a (Give number of wells, tunnels, etc.)
liameter of 12 inches and an estimated depth of 350 feet. It is estimated that 40
eet of the well will require . GAUGE 35-WELDED casing. Depth to water table is estimated 30 (Kind)

CANAL	SYSTEM	OR	PIPE	LINE-

eadgate. At head	lgate: width on t	top (at water l	ine)		jeet, widin on ootic
	feet; depth of	water	fe	et; grade	feet fall per o
ousand feet.					
		ilas from hogi	laata: width	on ton (at mater	lina
		14			line)
	, with the second			feet; depth of w	aterfe
ade	feet fall	per one thouse	ınd feet.		
(c) Length	of pipe,	ft.; s	ize at intake	in.,	; in size at
om intake	in.; si	ize at place of	use	in.; diffe	erence in elevation betwe
take and place	of use,	ft.	Is grade uni	form?	Estimated capaci
	sec. ft.				. The Same
10. If pum	os are to be used.	aive size and i	tupe ELE	CTRIC TURE	BINE - 75 H/P-
	and the second s				•
a Jowis	V.ALLEY	W P -		- nc 11/	o =1=+n=+n
Give horse	power and type	of motor or e	ngine to be	used	DELECTRIC TURI
atural stream	ocation of the we or stream chann elevation betwee	el, give the dis	stance to the	nearest point or	n each of such channels a t the source of developme
natural stream e e difference in e	or stream channelevation betwee	el, give the dis n the stream b	stance to the	nearest point or ground surface a	n each of such channels a
natural stream e difference in e	or stream channelevation betwee	el, give the dis n the stream b	stance to the ged and the g	nearest point or ground surface a	n each of such channels a t the source of developme
natural stream e difference in e 12. Locatio Township N. or S.	or stream channelevation betwee	el, give the dis n the stream b	stance to the ged and the g	nearest point or ground surface a	n each of such channels at the source of developme
12. Locatio Township N. or S.	n of area to be in Range E. or W. of Willamette Meridian	rrigated, or pla	stance to the ged and the g	nearest point or ground surface a	n each of such channels at the source of developme Number Acres To Be Irrigated
12. Locatio Township N. or S.	or stream channelevation between n of area to be in Range E or W of Willamette Meridian 18 E 18 E	rrigated, or pla	stance to the ged and the g	nearest point or ground surface a	Number Acres To Be Irrigated
12. Locatio Township N. or S. 26 S 26 S 26 S	n of area to be in Range E. or W. of Willamette Meridian 18 E. 18 E.	rrigated, or pla Section 35 35	stance to the sed and the sed	nearest point or ground surface a surface a ty-acre Tract $ \begin{array}{c} SE\frac{1}{4} \\ SE\frac{1}{4} \end{array} $	Number Acres To Be Irrigated 40 40 40
12. Locatio Township N. or S.	or stream channelevation between n of area to be in Range E or W of Willamette Meridian 18 E 18 E	rrigated, or pla	stance to the ged and the g	nearest point or ground surface a surface a surface a ty-acre Tract $SE\frac{1}{4}$ $SE\frac{1}{4}$	Number Acres To Be Irrigated
12. Locatio Township N. or S. 26 S 26 S 26 S	n of area to be in Range E. or W. of Willamette Meridian 18 E. 18 E.	rrigated, or pla Section 35 35	stance to the sed and the sed	nearest point or ground surface a surface a ty-acre Tract $ \begin{array}{c} SE\frac{1}{4} \\ SE\frac{1}{4} \end{array} $	Number Acres To Be Irrigated 40 40 40
12. Locatio Township N. or S. 26 S 26 S 26 S	n of area to be in Range E. or W. of Willamette Meridian 18 E. 18 E.	rrigated, or pla Section 35 35	stance to the sed and the sed	nearest point or ground surface a surface a ty-acre Tract $ \begin{array}{c} SE\frac{1}{4} \\ SE\frac{1}{4} \end{array} $	Number Acres To Be Irrigated 40 40 40
12. Locatio Township N. or S. 26 S 26 S 26 S	n of area to be in Range E. or W. of Willamette Meridian 18 E. 18 E.	rrigated, or pla Section 35 35 35	stance to the sed and the sed	nearest point or ground surface a surface a ty-acre Tract $ \begin{array}{c} SE\frac{1}{4} \\ SE\frac{1}{4} \end{array} $	Number Acres To Be Irrigated 40 40 40
12. Locatio Township N. or S. 26 S 26 S 26 S	n of area to be in Range E. or W. of Willamette Meridian 18 E. 18 E.	rrigated, or pla Section 35 35	stance to the sed and the sed	nearest point or ground surface a surface a ty-acre Tract $ \begin{array}{c} SE\frac{1}{4} \\ SE\frac{1}{4} \end{array} $	Number Acres To Be Irrigated 40 40 40
12. Locatio Township N. or S. 26 S 26 S 26 S	n of area to be in Range E. or W. of Willamette Meridian 18 E. 18 E.	rrigated, or pla Section 35 35 35	stance to the sed and the sed	nearest point or ground surface a surface a ty-acre Tract $ \begin{array}{c} SE\frac{1}{4} \\ SE\frac{1}{4} \end{array} $	Number Acres To Be Irrigated 40 40 40
12. Locatio Township N. or S. 26 S 26 S 26 S	n of area to be in Range E. or W. of Willamette Meridian 18 E. 18 E.	rrigated, or pla Section 35 35 35	stance to the sed and the sed	nearest point or ground surface a surface a ty-acre Tract $ \begin{array}{c} SE\frac{1}{4} \\ SE\frac{1}{4} \end{array} $	Number Acres To Be Irrigated 40 40 40
12. Locatio Township N. or S. 26 S 26 S	n of area to be in Range E. or W. of Willamette Meridian 18 E. 18 E.	rrigated, or pla Section 35 35 35	stance to the sed and the sed	nearest point or ground surface a surface a ty-acre Tract $ \begin{array}{c} SE\frac{1}{4} \\ SE\frac{1}{4} \end{array} $	Number Acres To Be Irrigated 40 40 40

Kind of crops raised PEPPERMINT, ALFALFA, GRAIN - POTATOES

MUNICIPAL SUPPLY—		
13. To supply the city of		••••••
in county, having a	present population of	
and an estimated population of		
	5, 16, 17 AND 18 IN ALL CASES	
14. Estimated cost of proposed works, \$	45,000	
15. Construction work will begin on or bef	ore	***************************************
16. Construction work will be completed of	on or before COMPLETED	
17. The water will be completely applied to	o the proposed use on or before	*******
18. If the ground water supply is suppler cation for permit, permit, certificate or adjudic applicant.		
uppicant.		
	Sidew Mile Janne Such Jans (Signature of applicant)	nie E Archi
Remarks:		
	and the state of t	
W. C.		
		4
STATE OF OREGON,		
County of Marion, ss.	ang melapat sa at mengang mengang beranda an	
This is to certify that I have examined the	e foregoing application, together with the ac	companying
naps and data, and return the same for		
	and the state of t	
	on must be returned to the State Engineer,	with cottec-
ions on or before	, 19	
WITNESS my hand thisday of		, 19

ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same

1.2		2.U cubic	feet per second me	easured at the point of diversion	on from the wel
or source	of appropriation	ı, or its equivale	nt in case of rotat	ion with other water users, fro	om Well #12
· · · · · · · · · · · · · · · · · · ·					
The	the state of the state of				
1 ne	e use to which th	us water is to be	applied is	ation.	
en in the second				and the second second	***************************************
If fo	or irrigation, thi	s appropriation	shall be limited to	1/80th of one cubic	foot per second
or its equi	ivalent for each	acre irrigated a	nd shall be furthe	r limited to a diversion of not	to exceed3.
acre feet 1	ner acre for each	acre irrianted o	during the irrigati	on season of each year;	
	The second second	in the second of the second			
			- A		
,	4 2	:			•••

e e e e e		and the second		ay be ordered by the proper s	
The he works The ine, adequ	well shall be co shall include pr works construc uate to determi permittee shall	used as necessary oper capping an ted shall include ne water level install and mai	y in accordance w d control valve to e an air line and p elevation in the u	ith good practice and if the p prevent the waste of ground v ressure gauge or an access por cell at all times. er, or other suitable measuri	low is artesian vater. t for measuring
The he works The ine, adequ	well shall be co shall include pr works construc uate to determi permittee shall	used as necessary oper capping an ted shall include ne water level install and mai	y in accordance w d control valve to e an air line and p elevation in the u ntain a weir, met	ith good practice and if the p prevent the waste of ground v ressure gauge or an access por cell at all times. er, or other suitable measuri	low is artesian vater. t for measuring
The he works The ine, adequ The hall keep	well shall be co shall include pr works construc uate to determi permittee shall a complete reco	used as necessary oper capping an ted shall include ne water level install and mai ord of the amou	y in accordance w d control valve to e an air line and p elevation in the u ntain a weir, met unt of ground wate	ith good practice and if the p prevent the waste of ground v ressure gauge or an access por cell at all times. er, or other suitable measuri	low is artesian vater. t for measuring
The he works The ne, adequ The hall keep	well shall be co shall include pr works construc- uate to determi- permittee shall a complete reco	used as necessary oper capping an ted shall including water level install and mai ord of the amouthis permit is	y in accordance w d control valve to e an air line and p elevation in the u ntain a weir, met int of ground wate	ith good practice and if the prevent the waste of ground a ressure gauge or an access por sell at all times. er, or other suitable measurier withdrawn. April 19, 1978	low is artesian vater. t for measuring ng device, and
The works The ine, adequate The hall keep The	well shall be co shall include pr works construc- uate to determi- permittee shall a complete reco priority date of ual construction	oper capping an ted shall include ne water level install and mai ord of the amouthis permit is work shall begin	y in accordance w d control valve to e an air line and p elevation in the u ntain a weir, met int of ground wate	ith good practice and if the prevent the waste of ground a ressure gauge or an access por sell at all times. er, or other suitable measurier withdrawn. April 19, 1978.	low is artesian vater. t for measuring ng device, and
The works The ine, adequ The hall keep The	well shall be co shall include pr works construc- uate to determi- permittee shall a complete reco priority date of ual construction	oper capping an ted shall include ne water level install and mai ord of the amouthis permit is work shall begin	y in accordance w d control valve to e an air line and p elevation in the u ntain a weir, met int of ground wate	ith good practice and if the prevent the waste of ground a ressure gauge or an access por sell at all times. er, or other suitable measurier withdrawn. April 19, 1978	low is artesian vater. t for measuring ng device, and
The works The ine, adequ The hall keep The Acti	well shall be co shall include pr works construc- uate to determi- permittee shall a complete reco priority date of ual construction be prosecuted to	oper capping an ted shall include ne water level install and mai ord of the amouth is permit is work shall beging with reasonable	y in accordance w d control valve to e an air line and p elevation in the u ntain a weir, met unt of ground wate n on or before diligence and be	ith good practice and if the prevent the waste of ground a ressure gauge or an access por sell at all times. er, or other suitable measurier withdrawn. April 19, 1978.	low is artesian vater. t for measuring ng device, and and shall per 1, 19.79
The works The ine, adequ The hall keep The Actu hereafter Com	well shall be constall include property works construction to determine the shall a complete recompriority date of the prosecuted applete application with the prosecuted applete application and the prosecuted applete application to the prosecuted appli	ased as necessary oper capping an ted shall include ne water level install and mai ord of the amou this permit is work shall begin with reasonable n of the water to	y in accordance w d control valve to e an air line and p elevation in the u ntain a weir, met unt of ground wate n on or before diligence and be to the proposed use	ith good practice and if the prevent the waste of ground veressure gauge or an access por sell at all times. er, or other suitable measurier withdrawn. April 19, 1978. August 16, 1979. completed on or before Octol	low is artesian vater. t for measuring ng device, and and shall per 1, 19.79
The works The ine, adequ The hall keep The Actu hereafter Com	well shall be constall include property works construction to determine the shall a complete recompriority date of the prosecuted applete application with the prosecuted applete application and the prosecuted applete application to the prosecuted appli	ased as necessary oper capping an ted shall include ne water level install and mai ord of the amou this permit is work shall begin with reasonable n of the water to	y in accordance w d control valve to e an air line and p elevation in the u ntain a weir, met unt of ground wate n on or before diligence and be to the proposed use	ith good practice and if the prevent the waste of ground a ressure gauge or an access por sell at all times. er, or other suitable measurier withdrawn. April 19, 1978 August 16, 1979 completed on or before Octob shall be made on or before Octob	low is artesian vater. t for measuring ng device, and and shall per 1, 19.79
The works The ine, adequ The hall keep The Actu hereafter Com	well shall be constall include property works construction to determine the shall a complete recompriority date of the prosecuted applete application with the prosecuted applete application and the prosecuted applete application to the prosecuted appli	ased as necessary oper capping an ted shall include ne water level install and mai ord of the amou this permit is work shall begin with reasonable n of the water to	y in accordance w d control valve to e an air line and p elevation in the u ntain a weir, met unt of ground wate n on or before diligence and be the proposed use day of	ith good practice and if the prevent the waste of ground a ressure gauge or an access por sell at all times. er, or other suitable measurier withdrawn. April 19, 1978 August 16, 1979 completed on or before Octob shall be made on or before Octob	low is artesian vater. t for measuring ng device, and and shall per 1, 19.79

Permit No. G. G. 8197 Application No. G-874C

TO APPROPRIATE THE GRO
WATERS OF THE STATE
OF OREGON This instrument was first receive office of the State Engineer at Salem

Returned to applicant:

on the

19..... at .

Ground Water Permits on page Recorded in book No.

Approved:

Drainage Basin No. page